RADIATION DATA
P.O. BOX 150
SKILLMAN, NJ 08558
(609) 466-4300
FAX (609) 466-4302

NJDEP Radon Laboratory License 18017
NJDEP Radon Measurement Business License MEB 90016

Radon Test Result:

Long Branch High School
404 Indiana Ave.
Long Branch, NJ 07740

Test Dates: 09/02/11-09/06/11

Test ID/T#	Location	Radon(pCi/L)
763910	Reception Room	0.2
763911	Main Office	0.0
763912	Room E120	0.0
763913	Room E128	0.2
763914	Room E121	0.0
763915	Secretary Office	0.4
763916	Room E123	0.5
763917	Room E124	0.0
763918	Gym Front Right	0.4
763919	Gym Front Right/Dup	0.4
763920	Gym Front Left	0.0
763921	Gym Rear Left	0.0
763922	Gym Rear Right	0.1
763923	Gym Center	0.0
763924	Room F128	0.7
763925	Room F125	0.9
763926	Room F126	0.8
763927	Room F124	0.7
763928	Boys Locker Room Left	0.4

J. Keith Baicker MES10128
J. Keith Baicker

J. A. Baicker MES10116
J. A. Baicker

This service is provided to you by an organization or individual certified by NJDEP to perform radon gas or radon progeny testing measurements. NJAC 5:31-21.1 requires that no certified person disclose to anyone except the DEP or the client, or provide the address or owners of a campaign building that the person has tested or assessed for the presence of radon gas or radon progeny, unless the owner of the building waives in writing the right of confidentiality. In the case of a prospective sale of a building that has been tested for radon gas or progeny, the seller shall provide the buyer at the time the contract of sale is presented, with a copy of the results of that test and evidence of any subsequent mitigation or treatment. Any prospective buyer who contracts for the testing shall have the right to receive the results of that testing. Any questions, comments or complaints regarding the persons performing these measurements or related mitigation or safeguarding services, should be directed to the NJDEP, Attn: Radon Section, Bureau of Environmental Radiation, at 1-800-648-0394.

LIMITATION OF LIABILITY: While we at Radiation Data and all our licensed professional technicians make every effort to ensure quality control (including the Radon exposure tests, Alarms and "Log-Book" documents) we make no warranty of any kind, nor express or implied, for the measurements of future test results. Before any remediation action is taken, it is important that follow-up tests be conducted in accordance with USEPA, protocols and NJDEP regulations. It is well known that radon concentration fluctuate greatly under changing weather conditions. Furthermore, radon tests cannot be CERTIFIED. Since there is no chain of custody of the test & so that the "original" conditions cannot be monitored continuously.

RADIATION DATA
P.O. BOX 150
SKILLMAN, NJ 08558
(609) 466-4300
FAX (609) 466-4302

NJDEP Radon Laboratory License 18017
NJDEP Radon Measurement Business License MEB 90016

Radon Test Result:

Long Branch High School
404 Indiana Ave.
Long Branch, NJ 07740

Test Dates: 09/02/11-09/06/11

Test ID/T#	Location	Radon(pCi/L)
763929	Room F111	1.0
763930	Room F112	0.7
763931	Room F109	1.2
763932	Room D121	0.1
763933	Room D121/Blank	0.0
765625	Room D119	1.0
765626	Room D119/Dup	0.2
765627	Room D120	0.1
765628	Auditorium Front Right	*CAN MISSING
765629	Stage Right	0.2
765630	Stage Left	0.7
765631	Auditorium Front Left	0.2
765632	Auditorium Rear Left	0.1
765633	Auditorium Rear Right	0.2
765634	Auditorium Center	0.3
765635	Room D127A	0.4
765636	Room D127	0.5
765637	Room D127/Dup	0.4
765638	Room D117	0.0

J. Keith Baicker MES10128

J. A. Delaker MES10118

J. Keith Baicker

This notice is provided to you by an organization or individual certified by NJDEP to perform radon gas or radon progeny testing measurements. N.J.S.A. 26:2D-73 requires that no certified person disclose an urgent event the DEP or the Dept. of Health the address or owners of a nonpublic building that the person has tested or inquired for the presence of radon gas or radon progeny unless the owner of the building waives in writing his right of confidentiality. In the case of a prospective sale of a building that has been tested for radon gas or progeny the seller shall provide the buyer, at the time the contract of sale is entered into, with a copy of the results of that test and evidence of any subsequent mitigation or abatement. Any prospective buyer who contracts for the testing shall have the right to receive the results of that testing. Any questions, comments or complaints regarding the persons performing these measurements, or related mitigation or safeguarding services, should be directed to the NJDEP, Radon Section, Bureau of Environmental Radiation, at 1-800-648-0394.

LIMITATION OF LIABILITY: While we at Radiation Data, and all of our licensed professional technicians, make every effort to maintain quality control (including duplicate continuous tests, blanks, and "spiked" samples), we make no warranty of any kind, either express or implied, for the consequences of false test results. Before any remediation action is taken, it is recommended that follow-up tests be conducted in accordance with USEPA protocols and NJDEP regulations. It is well known that radon concentrations fluctuate greatly under changing weather conditions. Furthermore, radon tests cannot be CERTIFIED, since there is no chain of custody of the sample, and the "closed-house" conditions cannot be monitored continuously.

RADIATION DATA
P.O. BOX 150
SKILLMAN, NJ 08558
(609) 466-4300
FAX (609) 466-4302

NJDEP Radon Laboratory License 18017
NJDEP Radon Measurement Business License MEB 90016

Radon Test Result:

Long Branch High School
404 Indiana Ave.
Long Branch, NJ 07740

Test Dates: 09/02/11-09/06/11

Test ID/T#	Location	Radon(pCi/L)
765639	Room D117/Blank	0.1
765640	Room D114	0.2
765641	Room D113	0.5
765642	Room D145	0.7
765643	Room D169	1.0
765644	Room D110	0.4
765645	Room D105	0.8
765646	Room D108	0.8
765647	Room D109	0.2
765648	Room D149	0.4
765649	Room D149/Dup	0.6
765650	Room D107	0.4
765651	Room D103	0.9
765652	Room D101	0.3
765653	Media Center Front	0.6
765654	Media Center Rear	0.1
765655	Room D170	0.7
765656	Room D170/Dup	0.9
765657	Room D172	1.1

MEB10120
J. Keith Reisch

MEB10118
J. A. Reisch
J. A. Reisch

This notice is provided to you by an organization or individual certified by NJDEP to perform radon gas or radon progeny testing measurements. NJSA 26:2D-73 requires that unauthorized persons disclose to anyone except the DEP or the Dept. of Health the address or owners of a property testing that the person has tested or treated for the presence of radon gas or radon progeny, unless the owner of the dwelling waives its having this right of confidentiality. In the case of a prospective sale of a building that has been tested for radon gas or progeny, the seller shall permit the buyer, at the time the contract of sale is executed, with a copy of the results of testing and evidence of any subsequent mitigation or treatment. Any prospective buyer who contracts for the building shall have the right to receive the results of that testing. Any questions, comments or complaints regarding the way we are performing these measurements, or related mitigation, or safeguarding services, should be directed to the NJDEP, Radon Certification Bureau of Environmental Radiation, at 1-800 648-0660.

LIMITATION OF LIABILITY. While we at Radiation Data, and all of our licensed professional technicians, make every effort to maintain quality control (including duplicate canister tests, blanks, and "spiked" canisters), we make no warranty of any kind, either express or implied, for the consequences of false test results. Before any remediation actions are taken, it is important that follow up tests be conducted to avoid issues with USEPA protocols and NJDEP regulations. It is well known that radon concentrations fluctuate greatly under changing weather conditions. Furthermore, radon tests cannot be CERTIFIED, since there is no chain of custody of the test kit, and the "controlled" conditions cannot be monitored consistently.

RADIATION DATA
P.O. BOX 150
SKILLMAN, NJ 08558
(609) 466-4300
FAX (609) 466-4302

NJDEP Radon Laboratory License 18017
NJDEP Radon Measurement Business License MEB 90016

Radon Test Result:

Long Branch High School
404 Indiana Ave.
Long Branch, NJ 07740

Test Dates: 09/02/11-09/06/11

Test ID/T#	Location	Radon(pCi/L)
765658	Room D158	0.1
765659	Room D157	0.1
765660	Cafeteria Front	0.0
765661	Cafeteria Rear	0.4
765662	Cafeteria Rear/Blank	0.1
765663	Room C103	0.0
765664	Room C104	0.0
765665	Room C105	0.4
765666	Room C125	0.0
765667	Room C125/Dup	0.1
765668	Room C114	*CAN MISSING
765669	Room E131	0.4
765670	Room C130	0.8
765671	Room C129	0.8
765672	Room E113	1.2
765673	Room E111	0.6
765674	Room F136	0.6
765675	Room ~~E125~~ 135	1.1
765676	Room F137	0.8

J. Keith Beisler MES10128
J. Keith Beisler

J.A. Beisler MES10116
J. A. Beisler

This notice is provided to you by an organization or individual certified by NJDEP to perform radon gas or radon progeny testing measurements. NJSA 26:2D-13 requires that no certified person disclose to anyone except the DEP or the Dept. of Health the address or owners of a particular building that the person has tested or treated for the presence of radon gas or radon progeny, unless the owner of the building waives its right of confidentiality. In the case of a prospective sale of a building that has been tested for radon gas or progeny, the seller shall provide the buyer, at the time the contract of sale is entered into, with a copy of the results of that test and evidence of any subsequent mitigation or treatment. Any prospective buyer who contracts for the closing shall have the right to review the results of that testing. Any questions, comments or complaints regarding the persons performing these measurements, or related mitigation, or safeguarding services, should be directed to the NJDEP, Area Radon Section, Bureau of Environmental Radiation at 1-800 648-0394

LIMITATION OF LIABILITY: While we at Radiation Data, and all our licensed professional technicians, make every effort to maintain quality control including duplicate samples, blanks and "spiked" samples, we make no warranty of any kind, either express or implied, for the consequences of false test results. Before any remediation action is taken, a re-inspection then followed by testing should be conducted in accordance with USEPA protocols and NJDEP regulations. It is well known that radon concentrations fluctuate greatly under changing weather conditions. Measurements, which may always be CERTIFIED, are made at the date of capacity of the test kit and the "closed house" conditions cannot be maintained continuously.

RADIATION DATA
P.O. BOX 150
SKILLMAN, NJ 08558
(609) 466-4300
FAX (609) 466-4302

NJDEP Radon Laboratory License 16017
NJDEP Radon Measurement Business License MEB 90016

Radon Test Result:

Long Branch High School
404 Indiana Ave.
Long Branch, NJ 07740

Test Dates: 09/02/11-09/06/11

Test ID/T#	Location	Radon(pCi/L)
765677	Room G161	0.9
765678	Room D118	1.4
765679	Room F138	0.9
765680	Room F138/Dup	0.7
765681	Aux Gym Front Right	0.1
765682	Aux Gym Front Left	0.1
765683	Aux Gym Rear Left	0.1
765684	Aux Gym Rear Right	0.0
765685	Room G149	0.7
765686	Room G153	0.9
765687	Room G150	1.5
765688	Room G143	0.9
765689	Room G143 Left Office	1.0
765690	Room G143 Left Office/Blank	0.0
765691	Room G143 Right Office	1.3
765692	Room G155	1.1
765693	Room G161	0.8
765694	Room G159	0.8
765695	Room G159/Dup	0.8

J. Keith Baicker MES10128

J. Keith Baicker

J. A. Baicker MES10116

J. A. Baicker

This notice is provided to you by an organization or individual certified by NJDEP to perform radon gas or radon progeny testing measurements. NJSA 18:20-13 requires that no certified person disclose to anyone except the DEP or the Dept. of Health the address or owner of a residential building that the person has tested or inspected for the presence of radon gas or radon progeny, unless the owner of the building waives in writing his right of confidentiality. In the case of a prospective sale of a building that has been tested for radon gas or progeny, the seller shall provide the buyer, or the owner the contract of sale is entered into, with a copy of the results of that test and evidence of any subsequent mitigation or treatment. Any prospective buyer who contracts for the building shall have the right to receive the results of that testing. Any questions, statements or complaints regarding the persons performing these measurements, or related mitigation or safeguarding services, should be directed to the NJDEP, Attn: Radon Section, Bureau of Environmental Radiation, at 1-800-648-0774.

LIMITATION OF LIABILITY: While we at Radiation Data, and all of our operator professional technicians, make every effort to maintain quality control during sampling, analysis including duplicate, blanks, and "spiked" samples, we assume no responsibility of any kind, either express or implied, for the consequences of false test results. Before any remediation action is taken, we recommend that follow up tests be conducted in accordance with USEPA guidelines and NJDEP regulations. It is well known that radon concentrations fluctuate greatly under changing weather conditions. Furthermore, radon test results be CERTIFIED, since there is no chain of custody of the test kit, and the "closed-house" conditions cannot be monitored positively.

RADIATION DATA
P.O. BOX 150
SKILLMAN, NJ 08558
(609) 466-4300
FAX (609) 466-4302

NJDEP Radon Laboratory License 18017
NJDEP Radon Measurement Business License MEB 90016

Radon Test Result:

Long Branch High School
404 Indiana Ave.
Long Branch, NJ 07740

Test Dates: 09/02/11-09/06/11

Test ID/T#	Location	Radon(pCi/L)
765696	Room G157	0.7
765697	Room G163	1.0
765698	Room G130	0.2
765699	Room G129	0.6
765700	Room G128	0.8
765701	Room G134	1.0
765702	Room G125	0.7
765703	Room G125/Dup	1.2
765704	Room G111	1.5
765705	Room G124	0.8
765706	Room G109	0.9
765707	Room G108	1.1
765708	Room G108/Blank	0.0
765709	Room G107	1.2
765710	Room G106	0.7
765711	Room C105	1.2
765712	Room G103	1.4
765713	Room G118	1.1
765714	Room G119	1.1

J. Keith Baicker MES10126
J. KEITH BAICKER

J. A. Baicker MES10115
J. A. Baicker

This notice is provided to verify an organization or individual certified by NJDEP to perform radon gas or radon progeny testing measurements. NJSA 26:2D-73 requires that no certified person may release to anyone except the Dept. of Health the address or nature of a measured building, unless the person has written or recorded for the presence of radon gas or radon progeny, unless the owner of the building waives in writing this right of confidentiality. In the case of a prospective sale of a building that has been tested for radon gas or progeny, the seller shall provide the buyer, at the time the contract of sale is signed, with a copy of the results of the test and evidence of any subsequent mitigation or treatment. Any prospective buyer who contracts for the testing shall have the right to receive the results of that testing. Any questions, comments or complaint(s) regarding the process performing these measurements, or related mitigation or safeguarding services, should be directed to the NJDEP, Radon Section, Bureau of Environmental Radiation, at 1-800-648-0301.

LIMITATION OF LIABILITY: While we at Radiation Data, and all our licensed professional technicians, make every effort to maintain quality control (including duplicate counter tests, blanks, and "spiked" detectors), we make no warranty of any kind, either express or implied, for the consequences of false test results. Before any remediation action is taken, it is important that follow-up tests be conducted in accordance with USEPA protocols and NJDEP regulations. It is well known that radon concentrations fluctuate greatly under changing weather conditions. Furthermore, radon levels cannot be CERTIFIED, since there is no chain of custody of the test kits and the "closed-house" conditions cannot be monitored continuously.

RADIATION DATA
P.O. BOX 150
SKILLMAN, NJ 08558
(609) 466-4300
FAX (609) 466-4302

NJDEP Radon Laboratory License 18017
NJDEP Radon Measurement Business License MBB 90016

Radon Test Result:

Long Branch High School
404 Indiana Ave.
Long Branch, NJ 07740

Test Dates: 09/02/11-09/06/11

Test ID/T#	Location	Radon(pCi/L)
765715	Room G119/Dup	1.3
765716	Room G112	1.1
765717	Room B109	0.6
765718	Room B108	0.3
765719	Room B110	0.5
765720	Room B136	0.8
765721	Room B123	0.9
765722	Room B120	0.5
765723	Room B112	0.7
765724	Room B119	0.8
765725	Room B113	0.6
765726	Room B113/Dup	0.4
765727	Room B114	0.2
765728	Room B118	0.8
765729	Room B118/Blank	0.0
765730	Room B117	0.4
765731	Room B115	1.0
765732	Room A118	0.6
765733	Room A116	0.6

J. Keith Reicher MES10128
J. Keith Reicher

J. A. Reicher MES10118
J. A. Reicher

This report is provided to you by an engineer/firm or individual certified by NJDEP to perform radon gas or radon progeny testing measurements. NJSA 26:2C-7.1 requires that no certified person disclose to anyone except the NJDEP or the Dept. of Health the address or owner of a residential building that the person has tested or intended for the presence of radon gas or radon progeny, unless the owner of the building waives in writing due right of confidentiality. In the case of a prospective sale of a building that has been tested for radon gas or progeny, the seller shall provide the buyer, who has the contract of sale, a copy of the results. If the test and evidence of any subsequent mitigation or testing. Any prospective buyer who contracts for the testing shall have the right to receive the results of that testing. Any questions, comments or complaints regarding the person performing radon measurements or related mitigation or safeguarding services, should be directed to the NJDEP, Radon Section, Bureau of Environmental Radiation, at 1-800-648-0394.

LIMITATION OF LIABILITY: While we at Radiation Data, and all of our licensed professional consultants, make every effort to maintain quality control (including duplicate charcoal tests, blanks and "spiked" devices), we make no warranty of any kind, either expressed or implied, for the consequences of false test results. Before any remediation action is taken, we recommend that follow-up tests be conducted in accordance with USEPA protocols and NJDEP regulations. It is well known that radon concentration fluctuate greatly under changing weather conditions. Furthermore, radon levels should be CONTINUED, since there is no state of equilibrium of the radon and its "relatives" problems cannot be monitored continuously.

RADIATION DATA
P.O. BOX 150
SKILLMAN, NJ 08558
(609) 466-4300
FAX (609) 466-4302

NJDEP Radon Laboratory License 18017
NJDEP Radon Measurement Business License MEB 90016

Radon Test Result:

Long Branch High School
404 Indiana Ave.
Long Branch, NJ 07740

Test Dates: 09/02/11-09/06/11

Test ID/T#	Location	Radon(pCi/L)
765734	Room A113	0.6
765735	Room A112	0.1
765736	Room A109	0.4
765737	Room A107	0.5
765738	Room A107/Dup	0.4
765739	Room A106	0.2
765740	Room A105	1.2
765741	Room A126	0.2
765742	Room A128	0.4
765743	Room A128/Dup	0.2
765744	Room A103	0.7
765745	Room A104	0.4
765746	Room A102	0.8
765747	Room A101	0.7
765748	Room A132	0.3
765749	Room A134	0.5
765750	Room A135	0.5
765751	Room A136	0.2
765752	Room A136/Dup	0.1

J. Keith Baicker MES10126
J. Keith BAICKER

J. A. Baicker MES10116
J. A. Baicker

This survey is provided to sent by an organization or individual certified by NJDEP to perform radon gas or radon progeny testing measurements. NJSA 26:2D-72 requires that no certified person disclose to anyone except the DEP or the Dept. of Health the address or owners of a nonpublic building that the person has tested or tested for the presence of radon gas or radon progeny, unless the owner of the building waives in writing this right of nondisclosure. In the case of a prospective sale of a building that has been tested for radon gas or progeny, the seller shall provide the buyer at the time the contract of sale is entered into, with a copy of the results of that test and a description of any subsequent mitigation or treatment. Any prospective buyer who purchases for the wrong shall have the right to receive the results of that testing. Any questions, comments or complaints regarding the persons performing these measurements, or related mitigation or safety-testing services, should be directed to the NJDEP Attn: Radon Section, Bureau of Environmental Radiation, at 1-800-648-0394

LIMITATION OF LIABILITY: While we at Radiation Data and all of our licensed professional radon testers make every effort to maintain quality control (including duplicate operator tests, blanks, and "spiked" detectors), we make no warranty of any kind, either express or implied, for the consequences of false test results. Before any remediation action is taken, it is suggested that follow-up tests be conducted in accordance with USEPA protocols and NJDEP regulations. It is well known that radon measurements fluctuate greatly under changing weather conditions. Furthermore, radon tests cannot be CERTIFIED, since there is no chain of custody of the test kit, and the "closed-house" conditions cannot be monitored continuously.

RADIATION DATA
P.O. BOX 150
SKILLMAN, NJ 08558
(609) 466-4300
FAX (609) 466-4302

NJDEP Radon Laboratory License 18017
NJDEP Radon Measurement Business License MEB 90016

Radon Test Result:

Long Branch Middle School
350 Indiana Ave.
Long Branch, NJ 07740

Test Dates: 09/02/11-09/06/11

Test ID/T#	Location	Radon(pCi/L)
763789	Cafeteria Front A	0.0
763790	Cafeteria Rear A	0.4
763791	Room 1136	0.0
763792	Room 1140	0.0
763793	Room 1141	0.0
763794	Room 1145	0.2
763795	Room 1135	0.1
763796	Room 1144	0.1
763797	Room 1157	0.0
763798	Room 1158	0.2
763799	Room 1158/Dup	0.0
763800	Room 1159	0.0
763801	Room 1160	0.6
763802	Room 1160/Blank	0.0
763803	Room 1163	0.0
763804	Room 1162	0.1
763805	Cafeteria Front B	0.0
763806	Cafeteria Rear B	0.0
763807	Room 1167	0.2

J. Keith Baicker MES10126
J. Keith Baicker

J. A. Baicker MES10116
J. A. Baicker

This notice is provided to you by an organization or individual certified by NJDEP to perform radon gas or radon progeny testing measurements. NJSA 26:2D-73 requires that no certified person disclose to anyone except the DEP or the Dept. of Health the address or owners of a nonpublic building that the person has tested or tested for the presence of radon gas or radon progeny, unless the owner of the building waives in writing this right of confidentiality. In the case of a prospective sale of a building that has been tested for radon gas or progeny, the seller shall provide the buyer, at the time the contract of sale is entered into, with a copy of the results of that test and evidence of any subsequent mitigation or treatment. Any prospective buyer who contracts for the testing shall have the right to receive the results of that testing. Any questions, statements or complaints regarding the persons performing these measurements, or related mitigation, or safeguarding services, should be directed to the NJDEP, Attn. Radon Section, Bureau of Environmental Radiation, at 1-800-648-0394.

LIMITATION OF LIABILITY: While we as Radiation Data, and all of our licensed professional technicians, make every effort to maintain quality control (including duplicate continuous tests, blanks, and "spiked" detectors), we make no warranty of any kind, either express or implied, for the consequences of false test results. Before any remediation action is taken, it is important that follow-up tests be conducted in accordance with USEPA protocols and NJDEP regulations. It is well known that radon concentrations fluctuate greatly under changing weather conditions. Furthermore, radon tests cannot be CERTIFIED, since there is no chain of custody of the test kit, and the "closed-house" conditions cannot be monitored continuously.

RADIATION DATA
P.O. BOX 150
SKILLMAN, NJ 08558
(609) 466-4300
FAX (609) 466-4302

NJDEP Radon Laboratory License 18017
NJDEP Radon Measurement Business License MEB 90016

Radon Test Result:

Long Branch Middle School
350 Indiana Ave.
Long Branch, NJ 07740

Test Dates: 09/02/11-09/06/11

Test ID/T#	Location	Radon(pCi/L)
763808	Room 1165	0.2
763809	Room 1155	0.0
763810	Room 1169	0.2
763811	Room 1169/Dup	0.0
763812	Room 1171	0.1
763813	Room 1168	0.0
763814	Room 1176	0.2
763815	Room 1183	0.3
763816	Room 1185	0.1
763817	Room 1186	0.4
763818	Room 1188	0.2
763819	Room 1187	0.2
763820	Room 1187/Dup	0.0
763821	Room 1193	0.1
763822	Room 1195	0.0
763823	Gym Front Right	0.2
763824	Gym Front Left	0.2
763825	Gym Rear Right	0.0
763826	Gym Rear Left	0.0

J. Keith Baicker MES10128
J. Keith Baicker

J. A. Baicker MES10116
J. A. Baicker

This report is provided to you by an organization or individual certified by NJDEP to perform radon gas or radon progeny testing measurements. NJSA 26:2D-73 requires that no certified person disclose to anyone except the DEP or the Dept. of Health the address or owners of a nonpublic building that the person has tested or tested for the presence of radon gas or radon progeny, unless the owner of the building waived in writing this right of confidentiality. In the case of a prospective sale of a building that has been tested for radon gas or progeny, the seller shall provide the buyer, at the time the contract of sale is entered into, with a copy of the results of that test and evidence of any subsequent mitigation or treatment. Any prospective buyer who obtains for the testing shall have the right to receive the results of the testing. Any questions, comments or complaints regarding the persons performing these measurements, or related mitigation, or safeguarding services, should be directed to the NJDEP, Attn: Radon Section, Bureau of Environmental Radiation, at 1-800-648-0394.

LIMITATION OF LIABILITY While we at Radiation Data and all of our licensed professional technicians, make every effort to maintain quality control (including duplicate control tests, blanks, and "spiked" detectors, we make no warranty of any kind, either express or implied, for the consequences of false or inaccurate results. Before any remediation action is taken, it is important that follow-up tests be conducted in accordance with USEPA protocols and NJDEP regulations. It is well known that radon concentrations fluctuate greatly under changing weather conditions. Furthermore, radon tests cannot be CERTIFIED, since there is no chain of custody of the test kit, and the "closed-house" conditions cannot be monitored continuously.

RADIATION DATA
P.O. BOX 150
SKILLMAN, NJ 08558
(609) 466-4300
FAX (609) 466-4302

NJDEP Radon Laboratory License 18017
NJDEP Radon Measurement Business License MEB 90016

Radon Test Result:

Long Branch Middle School
350 Indiana Ave.
Long Branch, NJ 07740

Test Dates: 09/02/11-09/06/11

Test ID/T#	Location	Radon(pCi/L)
763827	Room 1203	0.0
763828	Room 1203/Blank	0.0
763829	Room 1207	0.0
763830	Aux Gym Front	0.0
763831	Aux Gym Center	0.0
763832	Aux Gym Rear	0.2
763833	Room 1053	0.1
763834	Room 1053/Dup	0.0
763835	Room 1054	0.0
763836	Room 1051	0.0
763837	Room 1050	0.1
763838	Room 1055	0.0
763839	Room 1056	0.2
763840	Room 1045	0.0
763841	Room 1044	0.2
763842	Room 1042	0.0
763843	Room 1043	0.3
763844	Room 1040	0.5
763845	Room 1040/Dup	0.2

J. Keith Baicker MES10128
J. Keith Baicker

J. A. Baicker MES10116
J. A. Baicker

This notice is provided to you by an organization or individual certified by NJDEP to perform radon gas or radon progeny testing measurements. NJSA 26:2D-73 requires that no certified person disclose to anyone except the DEP or the Dept. of Health the address or owners of a nonpublic building that the person has tested or treated for the presence of radon gas or radon progeny, unless the owner of the building waives in writing this right of confidentiality. In the case of a prospective sale of a building that has been tested for radon gas or progeny, the seller shall provide the buyer, at the time the contract of sale is entered into, with a copy of the results of that test and evidence of any subsequent mitigation or treatment. Any prospective buyer who contracts for the closing shall have the right to receive the results of that testing. Any questions, comments or complaints regarding the persons performing these measurements, or related mitigation, or safeguarding services, should be directed to the NJDEP, Attn: Radon Section, Bureau of Environmental Radiation, at 1-800-648-0394.

LIMITATION OF LIABILITY: While we at Radiation Data, and all of our licensed professional technicians, make every effort to maintain quality control, including duplicate canister tests, blanks, and "spiked" detections, we make no warranty of any kind, either express or implied, for the consequences of false results. Before any remediation action is taken, it is important that follow-up tests be conducted in accordance with USEPA protocols and NJDEP regulations. It is well known that radon concentrations fluctuate greatly under changing weather conditions. Furthermore, radon tests cannot be CERTIFIED, since there is no chain of custody of the test kit, and the "closed-house" conditions cannot be monitored continuously.

RADIATION DATA
P.O. BOX 150
SKILLMAN, NJ 08558
(609) 466-4300
FAX (609) 466-4302

NJDEP Radon Laboratory License 18017
NJDEP Radon Measurement Business License MEB 90016

Radon Test Result:

Long Branch Middle School
350 Indiana Ave.
Long Branch, NJ 07740

Test Dates: 09/02/11-09/06/11

Test ID/T#	Location	Radon(pCi/L)
763846	Room 1041	0.0
763847	Nurse Room	*CAN MISSING
763848	Room 1021	0.0
763849	Room 1015	0.1
763850	Room 1015/Blank	0.0
763851	Main Office	0.3
763852	Room 1033	0.0
763853	Room 1012	0.0
763854	Room 1027	0.0
763855	Room 1008	0.1
763856	Room 1009	0.2
763857	Room 1009/Dup	0.0
763858	Room 1007	0.1
763859	Room 1011	0.5
763860	Room 1018	0.0
763861	Room 1030	0.4
763862	Room 1028	0.2
763863	Room 1010	0.0
763864	Room 1002	0.1

J. Keith Baicker ME510128
J. Keith Baicker

J. A. Baicker ME510116
J. A. Baicker

This service is provided to you by an organization or individual certified by NJDEP to perform radon gas or radon progeny testing measurements. NJSA 26:2D-73 requires that no certified person fail to inform anyone except the DEP or the Dept. of Health the address or owners of a prospective building that the person has tested or tested for the presence of radon gas or radon progeny, unless the owner of the building waives in writing this right of confidentiality. In the case of a prospective sale of a building that has been tested for radon gas or progeny, the seller shall provide the buyer, at the time the contract of sale is entered into, with a copy of the results of that test and evidence of any subsequent mitigation or treatment. Any prospective buyer who contracts for the testing shall have the right to receive the results of that testing. Any questions, comments or complaints regarding the persons performing these measurements, or related mitigation, or safeguarding services, should be directed to the NJDEP, Radon Section, Bureau of Environmental Radiation, at 1-800-648-0394.

LIMITATION OF LIABILITY: While we at Radiation Data, and all of our licensed professional technicians, make every effort to maintain quality control including duplicate canister tests, blanks, and "spiked" detection, we make no warranty of any kind, either express or implied, for the consequences of false test results. Before any remediation action is taken, it is important that follow-up tests be conducted in accordance with USEPA protocols and NJDEP regulations. It is well known that radon concentrations fluctuate greatly under changing weather conditions. Furthermore, Radon tests cannot be CERTIFIED, since there is no chain of custody of the test kit, and the "closed-house" conditions cannot be monitored continuously.

RADIATION DATA
P.O. BOX 150
SKILLMAN, NJ 08558
(609) 466-4300
FAX (609) 466-4302

NJDEP Radon Laboratory License 18017
NJDEP Radon Measurement Business License MEB 90016

Radon Test Result:

Long Branch Middle School
350 Indiana Ave.
Long Branch, NJ 07740

Test Dates: 09/02/11-09/06/11

Test ID/T#	Location	Radon(pCi/L)
763865	VPA Office	0.2
763866	Room 1064	0.2
763867	Room 1065	0.5
763868	Room 1065/Dup	0.0
763869	Room 1066	0.2
763870	Room 1067	0.0
763871	Room 1095	0.0
763872	Room 1095/Blank	0.0
763873	Room 1072	0.2
763874	Room 1094	0.0
763875	Room 1093	0.0
763876	Room 1073	0.0
763877	Room 1074	0.0
763878	Room 1079	0.0
763879	Room 1080	0.0
763880	Room 1080/Dup	0.0
763881	Room 1092	0.0
763882	Room 1091	0.0
763883	Room 1090	0.0

J. Keith Baicker MES10128
J. Keith Baicker

J. A. Baicker MES10116
J. A. Baicker

This notice is provided to you by an organization or individual certified by NJDEP to perform radon gas or radon progeny testing measurements. NJSA 26:1D-73 requires that no certified person disclose to anyone except the DEP or the Dept. of Health the address or owners of a nonpublic building that the person has tested or tested for the presence of radon gas or radon progeny, unless the owner of the building waives in writing this right of confidentiality. In the case of a prospective sale of a building that has been tested for radon gas or progeny, the seller shall provide the buyer, at the time the contract of sale is signed, with a copy of the results of that test and evidence of any subsequent mitigation or treatment. Any prospective buyer who contracts for the testing shall have the right to receive the results of that testing. Any questions, comments or complaints regarding the persons performing these measurements, or related mitigation, or safeguarding services, should be directed to the NJDEP, Attn: Radon Section, Bureau of Environmental Radiation, at 1-800-648-0394

LIMITATION OF LIABILITY: While we at Radiation Data, and all of our licensed professional technicians, make every effort to maintain quality control (including duplicate canister tests, blanks, and "spiked" detectors), we make no warranty of any kind, either express or implied, for the consequences of false test results. Before any remediation action is taken, it is important that follow-up tests be conducted in accordance with USEPA protocols and NJDEP regulations. It is well known that radon concentrations fluctuate greatly under changing weather conditions. Furthermore, radon levels cannot be CERTIFIED, since there is no chain of custody of the test kit, and the "closed-house" conditions cannot be monitored continuously.

RADIATION DATA
P.O. BOX 150
SKILLMAN, NJ 08558
(609) 466-4300
FAX (609) 466-4302

NJDEP Radon Laboratory License 18017
NJDEP Radon Measurement Business License MEB 90016

Radon Test Result:

Long Branch Middle School
350 Indiana Ave.
Long Branch, NJ 07740

Test Dates: 09/02/11-09/06/11

Test ID/T#	Location	Radon(pCi/L)
763884	Room 1081	0.3
763885	Room 1087	0.2
763886	Room 1082	0.0
763887	Room 1083	0.0
763888	Room 1086	0.2
763889	Room 1084	0.1
763890	Room 1084/Dup	0.0
763891	Room 1099	0.2
763892	Room 1122	0.5
763893	Room 1125A	0.3
763894	Room 1125	0.0
763895	Room 1124	0.0
763896	Room 1117	0.0
763897	Room 1114	0.0
763898	Room 1113	0.0
763899	Room 1107	0.0
763900	Room 1107/Blank	0.0
763901	Room 1105	0.1
763902	Stage Right	0.0

J. Keith Baicker MES10126
J. Keith Baicker

J. A. Baicker MES10116
J. A. Baicker

This notice is provided to you by an organization or individual certified by NJDEP to perform radon gas or radon progeny testing measurements. NJSA 26:2D-73 requires that no certified person disclose to anyone except the DEP or the Dept. of Health the address or owners of a nonpublic building that the person has tested or tested for the presence of radon gas or radon progeny, unless the owner of the building waives in writing this right of confidentiality. In the case of a prospective sale of a building that has been tested for radon gas or progeny, the seller shall provide the buyer, at the time the contract of sale is entered into, with a copy of the results of that test and evidence of any subsequent mitigation or treatment. Any prospective buyer who contracts for the testing shall have the right to receive the results of that testing. Any questions, comments or complaints regarding the persons performing these measurements, or related mitigation, or safeguarding services, should be directed to the NJDEP Attn: Radon Section, Bureau of Environmental Radiation, at 1-800-648-0394.

LIMITATION OF LIABILITY: While we at Radiation Data and all of our licensed professional technicians, make every effort to maintain quality control (including duplicate canister tests, blanks, and "spiked" detection, we make no warranty of any kind, either express or implied, for the consequences of false test results. Before any remediation action is taken, it is important that follow-up tests be conducted in accordance with USEPA protocols and NJDEP regulations. It is well known that radon concentrations fluctuate greatly under changing weather conditions. Furthermore, radon tests cannot be CERTIFIED, since there is no chain of custody of the test kit and the "closed-house" conditions cannot be monitored continuously.

RADIATION DATA
P.O. BOX 150
SKILLMAN, NJ 08558
(609) 466-4300
FAX (609) 466-4302

NJDEP Radon Laboratory License 18017
NJDEP Radon Measurement Business License MEB 90016

Radon Test Result:

Long Branch Middle School
350 Indiana Ave.
Long Branch, NJ 07740

Test Dates: 09/02/11-09/06/11

Test ID/T#	Location	Radon(pCi/L)
763903	Stage Right/Dup	0.2
763904	Stage Left	0.0
763905	Auditorium Front Right	0.1
763906	Auditorium Front Left	0.0
763907	Auditorium Rear Left	0.0
763908	Auditorium Rear Right	0.2
763909	Auditorium Rear Right/Dup	0.8

J. Keith Baicker MES10128
J. Keith Baicker

J. A. Baicker MES10116
J. A. Baicker

This service is provided to you by an organization or individual certified by NJDEP to perform radon gas or radon progeny testing measurements. NJSA 26:2D-73 requires that no certified person disclose to anyone except the DEP or the Dept. of Health the address or owners of a nonpublic building that the person has tested or treated for the presence of radon gas or radon progeny, unless the owner of the building waives in writing this right of confidentiality. In the case of a prospective sale of a building that has been tested for radon gas or progeny, the seller shall provide the buyer, at the time the contract of sale is entered into, with a copy of the results of that test and evidence of any subsequent mitigation or treatment. Any prospective buyer who contracts for the testing shall have the right to receive the results of that testing. Any questions, comments or complaints regarding the persons performing these measurements, or related mitigation or safeguarding services, should be directed to the NJDEP, Attn: Radon Section, Bureau of Environmental Radiation, at 1-800-645-0394.

LIMITATION OF LIABILITY. While we at Radiation Data and all of our licensed professional technicians, make every effort to maintain quality control (including duplicate canister tests, blanks, and "spiked" detectors, we make no warranty of any kind, either express or implied, for the consequences of false test results. Before any remediation action is taken, it is important that follow-up tests be conducted in accordance with USEPA protocols and NJDEP regulations. It is well known that radon concentrations fluctuate greatly under changing weather conditions. Furthermore, radon tests cannot be CERTIFIED, since there is no chain of custody of the test kit, and the "closed-house" conditions cannot be monitored continuously.

RADIATION DATA
P.O. BOX 150
SKILLMAN, NJ 08558
(609) 466-4300
FAX (609) 466-4302

NJDEP Radon Laboratory License 18017
NJDEP Radon Measurement Business License MEB 90016

Radon Test Result:

Long Branch Board of Education
540 Broadway
Long Branch, NJ 07740

Test Dates: 08/19/11-08/22/11

Test ID/T#	Location	Radon(pCi/L)
763688	Room 111	0.4
763689	Room 106A	0.5
763690	Room 106A/Blank	0.0
763691	Room GL5	0.4
763692	Room GL1	0.2
763693	Room GL2\3	0.3
763694	Room B1	0.7
763695	Room B2	0.2
763696	Room B3	0.7
763697	Room B3/Dup	0.6

J. Keith Baicker MES10128
J. Keith Baicker

J. A. Baicker MES10116
J. A. Baicker

This notice is provided to you by an organization or individual certified by NJDEP to perform radon gas or radon progeny testing measurements. NJSA 26:2D-73 requires that no certified person disclose to anyone except the DEP or the Dept. of Health the address or owners of a nonpublic building that the person has tested or tested for the presence of radon gas or radon progeny, unless the owner of the building waives in writing this right of confidentiality. In the case of a prospective sale of a building that has been tested for radon gas or progeny, the seller shall provide the buyer, at the time the contract of sale is entered into, with a copy of the results of that test and evidence of any subsequent mitigation or treatment. Any prospective buyer who contracts for the testing shall have the right to receive the results of the testing. Any questions, comments or complaints regarding the persons performing these measurements, or related mitigation, or safeguarding services, should be directed to the NJDEP, Attn: Radon Section Bureau of Environmental Radiation, at 1-800-648-0394.

LIMITATION OF LIABILITY: While we at Radiation Data, and all of our licensed professional technicians, make every effort to maintain quality control (including duplicate canister tests, blanks, and "spiked" detectors), we make no warranty of any kind, either express or implied, for the consequences of false test results. Before any remediation action is taken, it is important that follow-up tests be conducted in accordance with USEPA protocols and NJDEP regulations. It is well known that radon concentrations fluctuate greatly under changing weather conditions. Furthermore, radon tests cannot be CERTIFIED, since there is no chain of custody of the test kit, and the "closed-house" conditions cannot be monitored continuously.

RADIATION DATA
P.O. BOX 150
SKILLMAN, NJ 08558
(609) 466-4300
FAX (609) 466-4302

NJDEP Radon Laboratory License 18017
NJDEP Radon Measurement Business License MEB 90016

Radon Test Result:

A. A. Anastasia Elementary School
92 Seventh Ave.
Long Branch, NJ 07740

Test Dates: 08/19/11-08/22/11

Test ID/T#	Location	Radon(pCi/L)
763541	Room C101	0.4
763542	Room C104	0.7
763543	Room C105	0.0
763544	Room C102	0.3
763545	Room C103	0.2
763546	Room C119	0.0
763547	Room C125	0.5
763548	Room C124	0.2
763549	Room C123	0.4
763550	Room C117	0.2
763551	Room C116	0.1
763552	Room C116/Dup	0.0
763553	Room C118	0.0
763554	Room B138	0.0
763555	Room B140	0.2
763556	Room B140/Blank	0.1
763557	Room B123	0.9
763558	Room B124	0.2
763559	Room B121	0.7

J. Keith Baicker MES10128
J. Keith Baicker

J. A. Baicker MES10116
J. A. Baicker

This notice is provided to you by an organization or individual certified by NJDEP to perform radon gas or radon progeny testing measurements. NJSA 26:2D-13 requires that no certified person disclose to anyone except the DEP or the Dept. of Health the address or owners of a nonpublic building that the person has tested or visited for the presence of radon gas or radon progeny, unless the owner of the building waives in writing this right of confidentiality. In the case of a prospective sale of a building that has been tested for radon gas or progeny, the seller shall provide the buyer, at the time the contract of sale is entered into, with a copy of the results of that test and evidence of any subsequent mitigation or treatment. Any prospective buyer who contracts for the visiting shall have the right to receive the results of that testing. Any questions, comments or complaints regarding the persons performing these measurements, or related mitigation, or safeguarding services, should be directed to the NJDEP, Attn: Radon Section, Bureau of Environmental Radiation, or 1-800-848-0394.

LIMITATION OF LIABILITY. While we at Radiation Data, and all of our licensed professional technicians, make every effort to maintain quality control (including duplicate canister sets, blanks, and "spiked" detectors), we make no warranty of any kind, either express or implied, for the consequences of false test results. Before any remediation action is taken, it is important that follow-up tests be conducted in accordance with USEPA protocols and NJDEP regulations. It is well known that radon concentrations fluctuate greatly under changing weather conditions. Furthermore, radon tests cannot be CERTIFIED, since there is no chain of custody of the test kit, and the "closed-house" condition cannot be monitored continuously.

RADIATION DATA
P.O. BOX 150
SKILLMAN, NJ 08558
(609) 466-4300
FAX (609) 466-4302

NJDEP Radon Laboratory License 18017
NJDEP Radon Measurement Business License MEB 90016

Radon Test Result:

A. A. Anastasia Elementary School
92 Seventh Ave.
Long Branch, NJ 07740

Test Dates: 08/19/11-08/22/11

Test ID/T#	Location	Radon(pCi/L)
763560	Room B122	0.3
763561	Room B119	0.3
763562	Room B120	0.5
763563	Room B118B	0.2
763564	Room B118B/Dup	0.0
763565	Room B128	0.2
763566	Room B127	0.3
763567	Room B118A	0.3
763568	Room B115	0.1
763569	Room B113	0.0
763570	Room B116	0.0
763571	Room B114	0.2
763572	Room B111	0.5
763573	Room B112	0.0
763574	Room B108	0.0
763575	Room B108/Dup	0.5
763576	Gym Front	0.6
763577	Gym Rear	0.3

MES10128 MES10110

J. Keith Baicker J. A. Baicker

This notice is provided to you by an organization or individual certified by NJDEP to perform radon gas or radon progeny testing measurements. NJSA 26:2D-71 requires that no certified person disclose to anyone except the DEP or the Dept. of Health the address or owners of a nonpublic building that the person has tested or treated for the presence of radon gas or radon progeny, unless the owner of the building waives in writing this right of confidentiality. In the case of a prospective sale of a building that has been tested for radon gas or progeny, the seller shall provide the buyer, at the time the contract of sale is entered into, with a copy of the results of that test and evidence of any subsequent mitigation or treatment. Any prospective buyer who contracts for the testing shall have the right to receive the results of this testing. Any questions, comments or complaints regarding the persons performing these measurements, or related mitigation, or safeguarding services, should be directed to the NJDEP, Attn: Radon Section, Bureau of Environmental Radiation, at 1-800-648-0394.

LIMITATION OF LIABILITY: While we at Radiation Data, and all of our licensed professional technicians, make every effort to maintain quality control (including duplicate canister tests, blanks, and "spiked" detectors), we make no warranty of any kind, either express or implied, for the consequences of false test results. Before any remediation action is taken, it is important that follow-up tests be conducted in accordance with USEPA protocols and NJDEP regulations. It is well known that radon measurements fluctuate greatly under changing weather conditions. Furthermore, radon tests cannot be CERTIFIED, since there is no chain of custody of the test kit, and the "closed-house" conditions cannot be monitored continuously.

RADIATION DATA
P.O. BOX 150
SKILLMAN, NJ 08558
(609) 466-4300
FAX (609) 466-4302

NJDEP Radon Laboratory License 18017
NJDEP Radon Measurement Business License MEB 90016

Radon Test Result:

A. A. Anastasia Elementary School
92 Seventh Ave.
Long Branch, NJ 07740

Test Dates: 08/19/11-08/22/11

Test ID/T#	Location	Radon(pCi/L)
763578	Room A126	0.0
763579	Room A126/Blank	0.2
763580	Cafeteria	0.0
763581	Room A106	0.1
763582	Kitchen	0.0
763583	Stage	0.3
763584	Room A121	0.0
763585	Room A115	0.1
763586	Room A114	0.0
763587	Room A102	0.9
763588	Room A102/Dup	0.0

J. Keith Baicker MES10128
J. Keith Baicker

J. A. Baicker MES10116
J. A. Baicker

This notice is provided to you by an organization or individual certified by NJDEP to perform radon gas or radon progeny testing measurements. NJSA 26:2D-73 requires that no certified person disclose to anyone except the DEP or the Dept. of Health the address or owners of a nonpublic building that the person has tested or treated for the presence of radon gas or radon progeny, unless the owner of the building waives in writing this right of confidentiality. In the case of a prospective sale of a building that has been tested for radon gas or progeny, the seller shall provide the buyer, at the time the contract of sale is entered into, with a copy of the results of that test and evidence of any subsequent mitigation or treatment. Any prospective buyer who contracts for the testing shall have the right to receive the results of that testing. Any questions, comments or complaints regarding the persons performing these measurements, or related mitigation, or safeguarding services, should be directed to the NJDEP, Attn: Radon Section, Bureau of Environmental Radiation, at 1-800-648-0394.

LIMITATION OF LIABILITY: While we at Radiation Data, and all of our licensed professional technicians, make every effort to maintain quality control (including duplicate container tests, blanks, and "spiked" detections), we make no warranty of any kind, either express or implied, for the consequences of false test results. Before any remediation action is taken, it is important that follow-up tests be conducted in accordance with USEPA protocols and NJDEP regulations. It is well known that radon concentrations fluctuate greatly under changing weather conditions. Furthermore, radon test cannot be CERTIFIED, since there is no chain of custody of the test kit, and the "closed-house" conditions cannot be monitored continuously.

RADIATION DATA
P.O. BOX 150
SKILLMAN, NJ 08558
(609) 466-4300
FAX (609) 466-4302

NJDEP Radon Laboratory License 18017
NJDEP Radon Measurement Business License MEB 90016

Radon Test Result:

Audrey Clark Elementary School
192 Garfield Ave.
Long Branch, NJ 07740

Test Dates: 08/19/11-08/22/11

Test ID/T#	Location	Radon(pCi/L)
763589	Main Office	0.4
763590	Principal Office	0.5
763591	Nurse Office	0.3
763592	Room 6	0.5
763593	Room 5	0.8
763594	Teachers Room	0.4
763595	Room 4	0.4
763596	Cafeteria	0.0
763597	Stage	0.5
763598	Kitchen	0.0
763599	Custodian Room	0.3
763600	Room 3	0.0
763601	Room 3/Dup	0.1
763602	Room 2	0.5
763603	Room 1	0.0
763604	Room 1/Blank	0.0
763605	Room 12	0.1
763606	Room 11	0.0
763607	Room 10	0.7

J. Keith Baicker MES10128
J. Keith Baicker

J. A. Baicker MES10116
J. A. Baicker

This notice is provided to you by an organization or individual certified by NJDEP to perform radon gas or radon progeny testing measurements. NJSA 26:2D-73 requires that no certified person disclose to anyone except the DEP or the Dept. of Health the address or owners of a nonpublic building that the person has tested or treated for the presence of radon gas or radon progeny, unless the owner of the building waives in writing this right of confidentiality. In the case of a prospective sale of a building that has been tested for radon gas or progeny, the seller shall provide the buyer, at the time the contract of sale is entered into, with a copy of the results of that test and evidence of any subsequent mitigation or treatment. Any prospective buyer who contracts for the testing shall have the right to receive the results of that testing. Any questions, comments or complaints regarding the persons performing these measurements, or related mitigation, or safeguarding services, should be directed to the NJDEP, Attn: Radon Section, Bureau of Environmental Radiation, at 1-800-648-0394.

LIMITATION OF LIABILITY: While we at Radiation Data, and all of our licensed professional technicians, make every effort to maintain quality control (including duplicate canister tests, blanks, and "spiked" detectors), we make no warranty of any kind, either express or implied, for the consequences of false test results. Before any remediation action is taken, it is important that follow-up tests be conducted in accordance with USEPA protocols and NJDEP regulations. It is well known that radon concentrations fluctuate greatly under changing weather conditions. Furthermore, indoor tests cannot be CERTIFIED, since there is no chain of custody of the test kit, and the "closed-house" conditions cannot be monitored continuously.

RADIATION DATA
P.O. BOX 150
SKILLMAN, NJ 08558
(609) 466-4300
FAX (609) 466-4302

NJDEP Radon Laboratory License 18017
NJDEP Radon Measurement Business License MEB 90016

Radon Test Result:

Audrey Clark Elementary School
192 Garfield Ave.
Long Branch, NJ 07740

Test Dates: 08/19/11-08/22/11

Test ID/T#	Location	Radon(pCi/L)
763608	Room 9	0.1
763609	Room 8	0.1
763610	Room 7	0.2
763611	Room 7/Dup	0.6
763612	Room R1	0.3
763613	Room R1/Blank	0.0
763614	Room R2	0.0
763615	Room R2/Dup	0.1

J. Keith Baicker MES10128
J. Keith Baicker

J. A. Baicker MES10116
J. A. Baicker

This notice is provided to you by an organization or individual certified by NJDEP to perform radon gas or radon progeny testing measurements. N.J.S.A. 26:2D-73 requires that no certified person disclose to anyone except the DEP or the Dept. of Health the address or owners of a nonpublic building that the person has tested or treated for the presence of radon gas or radon progeny, unless the owner of the building waives in writing this right of confidentiality. In the case of a prospective sale of a building that has been tested for radon gas or progeny, the seller shall provide the buyer, at the time the contract of sale is entered into, with a copy of the results of that test and evidence of any subsequent mitigation or treatment. Any prospective buyer who contracts for the testing shall have the right to receive the results of that testing. Any questions, comments or complaints regarding the persons performing these measurements, or related mitigation, or safeguarding service, should be directed to the NJDEP, Attn: Radon Section, Bureau of Environmental Radiation, at 1-800-648-0394.

LIMITATION OF LIABILITY: While we at Radiation Data and all of our licensed professional individuals make every effort to maintain quality control, including duplicate canister tests, blanks and "spiked" detectors, we make no warranty of any kind, either express or implied, for the consequences of false test results. Before any remediation action is taken, it is important that follow-up tests be conducted in accordance with USEPA protocols and NJDEP regulations. It is well known that radon concentrations fluctuate greatly under changing weather conditions. Furthermore, radon tests cannot be CERTIFIED, since there is no chain of custody of the test kit, and the "closed-house" conditions cannot be monitored continuously.

RADIATION DATA
P.O. BOX 150
SKILLMAN, NJ 08558
(609) 466-4300
FAX (609) 466-4302

NJDEP Radon Laboratory License 18017
NJDEP Radon Measurement Business License MEB 90016

Radon Test Result:

Gregory Elementary School
201 Monmouth Ave.
Long Branch, NJ 07740

Test Dates: 08/19/11-08/22/11

Test ID/T#	Location	Radon(pCi/L)
763492	Room C101	0.7
763493	Room C104	0.6
763494	Room C105	0.7
763495	Room C102	0.4
763496	Room C103	0.6
763497	Room C119	0.6
763498	Room C125	0.3
763499	Room C124	1.6
763500	Room C123	0.9
763501	Room C117	0.3
763502	Room C117/Dup	0.0
763503	Room C110	0.6
763504	Room C111	0.0
763505	Room C116	0.0
763506	Room C116/Blank	0.0
763507	Room C118	0.6
763508	Room B140	0.5
763509	Room B124	0.4
763510	Room B123	0.4

J. Keith Baicker MES10128
J. Keith Baicker

J. A. Baicker MES10116
J. A. Baicker

This notice is provided to you by an organization or individual certified by NJDEP to perform radon gas or radon progeny testing measurements. NJSA 26:2D-73 requires that no certified person disclose to anyone except the DEP or the Dept. of Health the address or owners of a nonpublic building that the person has tested or treated for the presence of radon gas or radon progeny, unless the owner of the building waives in writing this right of confidentiality. In the case of a prospective sale of a building that has been tested for radon gas or progeny, the seller shall provide the buyer, at the time the contract of sale is entered into, with a copy of the results of that test and evidence of any subsequent mitigation or treatment. Any prospective buyer who contracts for the testing shall have the right to receive the results of that testing. Any questions, comments or complaints regarding the persons performing these measurements, or related mitigation, or safeguarding services, should be directed to the NJDEP, Attn: Radon Section, Bureau of Environmental Radiation, at 1-800-648-0394.

LIMITATION OF LIABILITY: While we at Radiation Data, and all of our licensed professional technicians, make every effort to maintain quality control (including duplicate canister tests, blanks, and "spiked" detectors), we make no warranty of any kind, either express or implied, for the consequences of false test results. Before any remediation action is taken, it is important that follow-up tests be conducted in accordance with USEPA protocols and NJDEP regulations. It is well known that radon concentrations fluctuate greatly under changing weather conditions. Furthermore, radon tests cannot be CERTIFIED, since there is no chain of custody of the test kit, and the "closed-house" conditions cannot be monitored continuously.

RADIATION DATA
P.O. BOX 150
SKILLMAN, NJ 08558
(609) 466-4300
FAX (609) 466-4302

NJDEP Radon Laboratory License 18017
NJDEP Radon Measurement Business License MEB 90016

Radon Test Result:

Gregory Elementary School
201 Monmouth Ave.
Long Branch, NJ 07740

Test Dates: 08/19/11-08/22/11

Test ID/T#	Location	Radon(pCi/L)
763511	Room B122	0.1
763512	Room B121	0.0
763513	Room B120	0.2
763514	Room B120/Dup	0.3
763515	Room B119	0.0
763516	Room B118B	0.7
763517	Room B128	0.1
763518	Room B127	0.0
763519	Room B118A	0.3
763520	Room B116	0.7
763521	Room B114	0.9
763522	Room B115	0.7
763523	Room B113	0.1
763524	Room B111	0.0
763525	Room B111/Dup	0.0
763526	Room B112	0.6
763527	Gym Front	0.3
763528	Gym Rear	0.3
763529	Room A106	0.0

J. Keith Baicker MES10128
J. Keith Baicker

J. A. Baicker MES10116
J. A. Baicker

This notice is provided to you by an organization or individual certified by NJDEP to perform radon gas or radon progeny testing measurements. NJSA 26:2D-73 requires that no certified person disclose to anyone except the DEP or the Dept. of Health the address or owners of a nonpublic building that the person has tested or treated for the presence of radon gas or radon progeny, unless the owner of the building waives in writing this right of confidentiality. In the case of a prospective sale of a building that has been tested for radon gas or progeny, the seller shall provide the buyer, at the time the contract of sale is entered into, with a copy of the results of that test and evidence of any subsequent mitigation or treatment. Any prospective buyer who contracts for the testing shall have the right to receive the results of that testing. Any questions, comments or complaints regarding the persons performing these measurements, or related mitigation, or safeguarding services, should be directed to the NJDEP, Attn: Radon Section, Bureau of Environmental Radiation, at 1-609-648-0394.

LIMITATION OF LIABILITY: While we at Radiation Data, and all of our licensed professional technicians, make every effort to maintain quality control (including duplicate container tests, blanks, and "spiked" detectors), we make no warranty of any kind, either express or implied, for the consequences of false test results. Before any remediation action is taken, it is important that follow-up tests be conducted in accordance with USEPA protocols and NJDEP regulations. It is well known that radon concentrations fluctuate greatly under changing weather conditions. Furthermore, radon tests cannot be CERTIFIED, since there is no chain of custody of the test kit, and the "closed-house" conditions cannot be monitored continuously.

RADIATION DATA
P.O. BOX 150
SKILLMAN, NJ 08558
(609) 466-4300
FAX (609) 466-4302

NJDEP Radon Laboratory License 18017
NJDEP Radon Measurement Business License MEB 90016

Radon Test Result:

Gregory Elementary School
201 Monmouth Ave.
Long Branch, NJ 07740

Test Dates: 08/19/11-08/22/11

Test ID/T#	Location	Radon(pCi/L)
763530	Cafeteria	0.0
763531	Kitchen	0.0
763532	Stage	0.4
763533	Stage/Blank	0.1
763534	Room A121	0.0
763535	Room A121/Dup	0.1
763536	Room A115	0.0
763537	Room A114	0.2
763538	Room A102	0.6
763539	Room A126	0.0
763540	Room B108	0.0

J. Keith Baicker MES10126
J. Keith Baicker

J. A. Baicker MES10116
J. A. Baicker

This notice is provided to you by an organization or individual certified by NJDEP to perform radon gas or radon progeny testing measurements. NJSA 38:2D-73 requires that no certified person disclose to anyone except the DEP or the Dept. of Health the address of owners of a nonpublic building that the person has tested or treated for the presence of radon gas or radon progeny, unless the owner of the building waives in writing the right of confidentiality. In the case of a prospective sale of a building that has been tested for radon gas or progeny, the seller shall provide the buyer, at the time the contract of sale is entered into, with a copy of the results of that test and evidence of any subsequent mitigation or treatment. Any prospective buyer who contracts for the testing shall have the right to receive the results of this testing. Any questions, comments or complaints regarding the persons performing these measurements, or related mitigation, or safeguarding services, should be directed to the NJDEP, Air/ Radon Section, Bureau of Environmental Radiation, at 1-800-648-0394.

LIMITATION OF LIABILITY: While we at Radiation Data and all of our licensed professional technicians, make every effort to maintain quality control (including duplicate comparisons, blanks, and "spiked" detections, we make NO WARRANTY of any kind, either express or implied, for the consequences of false test results. Before any remediation action is taken, it is important that follow-up tests be conducted in accordance with USEPA protocols and NJDEP regulations. It is well known that radon concentrations fluctuate greatly under changing weather conditions. Furthermore, radon tests cannot be CERTIFIED, since there is no chain of custody of the test kit, and the "closed-house" conditions cannot be monitored continuously.

RADIATION DATA
P.O. BOX 150
SKILLMAN, NJ 08558
(609) 466-4300
FAX (609) 466-4302

NJDEP Radon Laboratory License 18017
NJDEP Radon Measurement Business License MEB 90016

Radon Test Result:

Joseph M. Ferraina Elementary School
80 Avenel Blvd.
Long Branch, NJ 07740

Test Dates: 08/19/11-08/22/11

Test ID/T#	Location	Radon(pCi/L)
759424	Main Office	0.2
759425	Principal Office	0.0
759426	Teachers Lounge	0.3
759427	Nurse Office	0.2
759428	Room 101	0.6
759429	Room 103	0.2
759430	Room 105	0.2
759431	Room 107	0.4
759432	Room 109	0.3
759433	Room 111	0.5
759434	Room 111/Dup	0.2
759435	Room 113	0.0
759436	Room 115	0.4
759437	Room 115/Blank	0.0
759438	Room 117	0.4
759439	Room 118	0.3
759440	Room 116	0.4
759441	Room 114	0.3
759442	Room 112	0.2

J. Keith Baicker MES10128
J. Keith Baicker

J. A. Baicker MES10116
J. A. Baicker

This notice is provided to you by an organization or individual certified by NJDEP to perform radon gas or radon progeny testing measurements. NJSA 26:2D-73 requires that no certified person discloses to anyone except the DEP or the Dept. of Health the address or owners of a nonpublic building that the person has tested or treated for the presence of radon gas or radon progeny, unless the owner of the building waives in writing this right of confidentiality. In the case of a prospective sale of a building that has been tested for radon gas or progeny, the seller shall provide the buyer, at the time the contract of sale is entered into, with a copy of the results of that test and evidence of any subsequent mitigation or treatment. Any prospective buyer who contracts for the testing shall have the right to receive the results of that testing. Any questions, comments or complaints regarding the persons performing these measurements, or related mitigation, or safeguarding services, should be directed to the NJDEP Adm. Radon Section, Bureau of Environmental Radiation, at 1-800-648-0394.

LIMITATION OF LIABILITY. While we at Radiation Data, and all of our licensed professional technicians, make every effort to maintain quality control including duplicate canister seals, blanks, and "spiked" detection, we make no warranty of any kind, either express or implied, for the consequences of false test results. Before any remediation action is taken, it is important that follow-up tests be conducted in accordance with USEPA protocols and NJDEP regulations. It is well known that radon concentrations fluctuate greatly under changing weather conditions. Furthermore, radon tests cannot be CERTIFIED, since there is no chain of custody of the test kit, and the "closed-house" conditions cannot be monitored continuously.

RADIATION DATA
P.O. BOX 150
SKILLMAN, NJ 08558
(609) 466-4300
FAX (609) 466-4302

NJDEP Radon Laboratory License 18017
NJDEP Radon Measurement Business License MEB 90016

Radon Test Result:

Joseph M. Ferraina Elementary School
80 Avenel Blvd.
Long Branch, NJ 07740

Test Dates: 08/19/11-08/22/11

Test ID/T#	Location	Radon(pCi/L)
759443	Room 110	0.4
759444	Room 108	0.4
759445	Room 106	0.1
759446	Room 106/Dup	0.1
759447	Room 104	0.2
759448	Room 102	0.4
759449	Kitchen	0.0
759450	Multi-Purpose Rom Rear	0.0
759451	Multi-Purpose Room Front	0.1
759452	Room 315	0.2
759453	Room 308	0.0
759454	Room 201	0.2
759455	Room 203	0.1
759456	Room 203/Blank	0.2
763434	Room 205	0.3
763435	Rom 205/Dup	0.3
763436	Room 207	0.3
763437	Room 209	0.3
763438	Room 211	0.1

J. Keith Baicker MES1012B

J. A. Baicker MES10116

This service is provided to you by an organization or individual certified by NJDEP to perform radon gas or radon progeny testing measurements. NJSA 26:2D-13 requires that no certified person disclose to anyone except the DEP or the Dept. of Health the address or owners of a nonpublic building that the person has tested or tested for the presence of radon gas or radon progeny, unless the owner of the building waives in writing this right of confidentiality. In the case of a prospective sale of a building that has been tested for radon gas or progeny, the seller shall provide the buyer, at the time the contract of sale is entered into, with a copy of the results of that test and evidence of any subsequent mitigation or treatment. Any prospective buyer who contracts for the testing shall have the right to receive the results of that testing. Any questions, comments or complaints regarding the persons performing these measurements, or related mitigation, or safeguarding services, should be directed to the NJDEP, Attn: Radon Section, Bureau of Environmental Radiation, at 1-800-648-0394.

LIMITATION OF LIABILITY: While we at Radiation Data, and all of our licensed professional technicians, make every effort to maintain quality control (including duplicate canister tests, blanks, and "spiked" detectors), we make no warranty of any kind, either express or implied, for the consequences of false test results. Before any remediation action is taken, it is important that follow-up tests be conducted in accordance with USEPA protocols and NJDEP regulations. It is well known that radon concentrations fluctuate greatly under changing weather conditions. Furthermore, radon tests cannot be CERTIFIED, if we there is no chain of custody of the test kit, and the "closed-house" conditions cannot be monitored continuously.

RADIATION DATA
P.O. BOX 150
SKILLMAN, NJ 08558
(609) 466-4300
FAX (609) 466-4302

NJDEP Radon Laboratory License 18017
NJDEP Radon Measurement Business License MEB 90016

Radon Test Result:

Joseph M. Ferraina Elementary School
80 Avenel Blvd.
Long Branch, NJ 07740

Test Dates: 08/19/11-08/22/11

Test ID/T#	Location	Radon(pCi/L)
763439	Room 212	0.4
763440	Room 210	0.0
763441	Room 208	0.0
763442	Room 206	0.4
763443	Room 204	0.5
763444	Room 202	0.0
763445	Room 202/Dup	0.4
763446	Room 310	0.2

J. Keith Baicker MES10128
J. Keith Baicker

J. A. Baicker MES10116
J. A. Baicker

This notice is provided to you by an organization or individual certified by NJDEP to perform radon gas or radon progeny testing measurements. NJSA 26:2D-73 requires that no certified person disclose to anyone except the DEP or the Dept. of Health the address or owner of a nonpublic building that the person has tested or inspected for the presence of radon gas or radon progeny, unless the owner of the building waives in writing this right of confidentiality. In the case of a prospective sale of a building that has been tested for radon gas or progeny, the seller MUST provide the buyer, at the time the contract of sale is entered into, with a copy of the results of that test and evidence of any subsequent mitigation or treatment. Any prospective buyer who contracts for the testing MUST have the right to receive the results of that testing. Any questions, comments or complaints regarding the persons performing these measurements, or related mitigation, or safeguarding services, should be directed to the NJDEP, Attn: Radon Section, Bureau of Environmental Radiation, at 1-800-648-0394.

LIMITATION OF LIABILITY: While we at Radiation Data, and all of our licensed professional technicians, make every effort to maintain quality control (including duplicate canister tests, blanks, and "spiked" detectors), we make no warranty of any kind, either express or implied, for the consequences of false test results. Before any remediation action is taken, it is important that follow-up tests be conducted in accordance with USEPA protocols and NJDEP regulations. It is well known that radon concentrations fluctuate greatly under changing weather conditions. Furthermore, radon tests cannot be CERTIFIED, since there is no chain of custody of the test kit, and the "closed-house" conditions cannot be monitored continuously.

RADIATION DATA
P.O. BOX 150
SKILLMAN, NJ 08558
(609) 466-4300
FAX (609) 466-4302

NJDEP Radon Laboratory License 18017
NJDEP Radon Measurement Business License MEB 90016

Radon Test Result:

Lenna W. Conrow School
335 Long Branch Ave.
Long Branch, NJ 07740

Test Dates: 08/19/11-08/22/11

Test ID/T#	Location	Radon(pCi/L)
763447	Main Office	0.3
763448	Principal Office	0.4
763449	Nurse Office	0.0
763450	Room 3B	0.2
763451	Room 6	0.7
763452	Room 5	0.5
763453	Room 7	0.0
763454	Room 8	0.5
763455	Room 4	0.4
763456	Room 3A	0.4
763457	Room 3A/Dup	0.7
763458	Room 3	0.6
763459	Room 2	0.1
763460	Room 2/Blank	0.0
763461	Room 1	0.2
763462	Room 9B	0.8
763463	Room 9A	0.6
763464	Room 9	0.2
763465	Custodian Office	0.2

J. Keith Baicker MES10128
J. Keith Baicker

J. A. Baicker MES10116
J. A. Baicker

This report is provided to you by an organization or individual certified by NJDEP to perform radon gas or radon progeny testing measurements. NJSA 26:2D-73 requires that no certified person disclose to anyone except the DEP or the Dept. of Health the address or owners of a nonpublic building that the person has tested or treated for the presence of radon gas or radon progeny, unless the owner of the building waives in writing this right of confidentiality. In the case of a prospective sale of a building that has been tested for radon gas or progeny, the seller shall provide the buyer, at the time the contract of sale is entered into, with a copy of the results of that test and evidence of any subsequent mitigation or treatment. Any prospective buyer who contracts for the testing shall have the right to receive the results of that testing. Any questions, comments or complaints regarding the persons performing these measurements, or related mitigation, or safeguarding services, should be directed to the NJDEP, Attn: Radon Section, Bureau of Environmental Radiation, at 1-800-648-0394

LIMITATION OF LIABILITY: While we at Radiation Data, and all of our licensed professional technicians, make every effort to maintain quality control (including duplicate canister tests, blanks, and "spiked" detectors, we make no warranty of any kind, either express or implied, for the consequences of false test results. Before any remediation action is taken, it is important that follow-up tests be conducted in accordance with USEPA protocols and NJDEP regulations. It is well known that radon concentrations fluctuate greatly under changing weather conditions. Furthermore, radon tests cannot be CERTIFIED, since there is no chain of custody of the test kit, and the "closed-house" conditions cannot be measured continuously.

RADIATION DATA
P.O. BOX 150
SKILLMAN, NJ 08558
(609) 466-4300
FAX (609) 466-4302

NJDEP Radon Laboratory License 18017
NJDEP Radon Measurement Business License MEB 90016

Radon Test Result:

Lenna W. Conrow School
335 Long Branch Ave.
Long Branch, NJ 07740

Test Dates: 08/19/11-08/22/11

Test ID/T#	Location	Radon(pCi/L)
763466	Library	0.5
763467	Library Office	0.5
763468	Room 11	0.6
763469	Room 11/Dup	0.3
763470	Room 10	0.2
763471	Room 12	0.1
763472	Room 13	0.5
763473	Room 14	0.1
763474	Room 15	0.4
763475	Room 16	0.3
763476	Room 17	1.1
763477	Room 18	0.5
763478	All Purpose Room Rear	0.9
763479	All Purpose Room Front	0.7
763480	Kitchen	0.3
763481	Room 19	1.2
763482	Room 19/Dup	1.0
763483	Room 20	0.8
763484	Room 21	0.0

J. Keith Baicker MES10128
J. Keith Baicker

J. A. Baicker MES10116
J. A. Baicker

This notice is provided to you by an organization or individual certified by NJDEP to perform radon gas or radon progeny testing measurements. NJSA 26:2D-73 requires that no certified person disclose to anyone except the DEP or the Dept. of Health the address or owners of a nonpublic Building that the person has tested or tested for the presence of radon gas or radon progeny, unless the owner of the building waives in writing this right of confidentiality. In the case of a prospective sale of a building that has been tested for radon gas or progeny, the seller shall provide the buyer, at the time the contract of sale is entered into, with a copy of the results of that test and evidence of any subsequent mitigation or treatment. Any prospective buyer who contracts for the testing shall have the right to receive the results of the testing. Any questions, comments or complaints regarding the persons performing these measurements, or related mitigation, or safeguarding services, should be directed to the NJDEP, Attn. Radon Section, Bureau of Environmental Radiation, at 1-800-648-0394.

LIMITATION OF LIABILITY: While we at Radiation Data, and all of our licensed professional technicians, make every effort to maintain quality control (including duplicate canister tests, blanks, and "spiked" detectors), we make no warranty of any kind, either express or implied, for the consequences of false test results. Before any remediation action is taken, it is important that follow-up tests be conducted in accordance with USEPA protocols and NJDEP regulations. It is well known that radon concentrations fluctuate greatly under changing weather conditions. Furthermore, radon tests cannot be CERTIFIED, since there is no chain of custody of the test kit, and the "closed-house" conditions cannot be monitored continuously.

RADIATION DATA
P.O. BOX 150
SKILLMAN, NJ 08558
(609) 466-4300
FAX (609) 466-4302

NJDEP Radon Laboratory License 18017
NJDEP Radon Measurement Business License MEB 90016

Radon Test Result:

Lenna W. Conrow School
335 Long Branch Ave.
Long Branch, NJ 07740

Test Dates: 08/19/11-08/22/11

Test ID/T#	Location	Radon(pCi/L)
763485	Room 21/Blank	0.3
763486	Room 22	0.0
763487	Room 23	0.2
763488	Room 24	0.4
763489	Room 25	0.3
763490	Room 26	0.0
763491	Room 26/Dup	0.2

J. Keith Baicker MES10128
J. Keith Baicker

J. A. Baicker MES10116
J. A. Baicker

This notice is provided to you by an organization or individual certified by NJDEP to perform radon gas or radon progeny testing measurements. NJSA 26:2D-73 requires that no certified person disclose to anyone except the DEP or the Dept. of Health the address or owners of a nonpublic building that the person has tested or tested for the presence of radon gas or radon progeny, unless the owner of the building waives in writing this right of confidentiality. In the case of a prospective sale of a building that has been tested for radon gas or progeny, the seller shall provide the buyer, at the time the contract of sale is entered into, with a copy of the results of that test and evidence of any subsequent mitigation or treatment. Any prospective buyer who contracts for the dwelling shall have the right to receive the results of that testing. Any questions, comments or complaints regarding the persons performing these measurements, or related mitigation, or safeguarding services, should be directed to the NJDEP, Attn: Radon Section, Bureau of Environmental Radiation, at 1-800-648-0104.

LIMITATION OF LIABILITY: While we at Radiation Data, and all of our licensed professional technicians, make every effort to maintain quality control (including duplicate container tests, blanks, and "spiked" samples), we make no warranty of any kind, either express or implied, for the consequences of false test results. Before any remediation action is taken, it is important that follow-up tests be conducted in accordance with USEPA protocols and NJDEP regulations. It is well known that radon concentrations fluctuate greatly under changing weather conditions. Furthermore, radon tests cannot be CERTIFIED, since there is no chain of custody of the test kit, and the "closed-house" conditions cannot be monitored continuously.

RADIATION DATA
P.O. BOX 150
SKILLMAN, NJ 08558
(609) 466-4300
FAX (609) 466-4302

NJDEP Radon Laboratory License 18017
NJDEP Radon Measurement Business License MEB 90016

Radon Test Result:

Morris Avenue School
318 Morris Ave.
Long Branch, NJ 07740

Test Dates: 08/19/11-08/22/11

Test ID/T#	Location	Radon(pCi/L)
763616	Room 27D	0.2
763617	Room 27C	0.3
763618	Room 27B	0.1
763619	Room 27A	0.5
763620	Room 26C	0.4
763621	Room 26D	0.1
763622	Room 26B	0.3
763623	Room 26A	0.2
763624	Room 27	0.4
763625	Room 27/Dup	0.5
763626	Room 28	0.0
763627	Room 25C	0.0
763628	Room 25D	0.2
763629	Room 25B	0.4
763630	Room 25A	0.2
763631	Library	0.7
763632	Library/Blank	0.1
763633	Teachers Room	0.3
763634	Teachers Room/Dup	0.1

J. Keith Baicker MES10128
J. Keith Baicker

J. A. Baicker MES10116
J. A. Baicker

This notice is provided to you by an organization or individual certified by NJDEP to perform radon gas or radon progeny testing measurements. N.J.A.26:2D-13 requires that no certified person disclose to anyone except the DEP or the Dept. of Health the address or owners of a nonpublic building that the person has tested or tested for the presence of radon gas or radon progeny, unless the owner of the building waives in writing this right of confidentiality. In the case of a prospective sale of a building that has been tested for radon gas or progeny, the seller shall provide the buyer, at the time the contract of sale is entered into, with a copy of the results of that test and evidence of any subsequent mitigation or treatment. Any prospective buyer who contracts for the testing shall have the right to receive the results of that testing. Any questions, comments or complaints regarding the persons performing these measurements, or related mitigation, or safeguarding services, should be directed to the NJDEP, Attn: Radon Section, Bureau of Environmental Radiation, at 1-800-648-0104.

LIMITATION OF LIABILITY: While we at Radiation Data, and all of our licensed professional technicians, make every effort to maintain quality control (including duplicate canister tests, blanks, and "spiked" detectors), we make no warranty of any kind, either express or implied, for the consequences of false test results. Before any remediation action is taken, it is important that follow-up tests be conducted in accordance with USEPA protocols and NJDEP regulations. It is well known that radon concentrations fluctuate greatly under changing weather conditions. Furthermore, radon data cannot be CERTIFIED, since there is no chain of custody of the test kit, and the "closed-house" conditions cannot be monitored continuously.

RADIATION DATA
P.O. BOX 150
SKILLMAN, NJ 08558
(609) 466-4300
FAX (609) 466-4302

NJDEP Radon Laboratory License 18017
NJDEP Radon Measurement Business License MEB 90016

Radon Test Result:

Morris Avenue School
318 Morris Ave.
Long Branch, NJ 07740

Test Dates: 08/19/11-08/22/11

Test ID/T#	Location	Radon(pCi/L)
763635	Room 24	0.9
763636	Room 24C	0.8
763637	Room 24D	0.8
763638	Room 24B	0.6
763639	Room 24A	0.6
763640	Principal Office	1.2
763641	Main Office	0.9
763642	Nurse Office	0.7
763643	Room 4	1.1
763644	Room 3	0.5
763645	Faculty Lounge	1.0
763646	Gym Front	0.9
763647	Gym Rear	0.7
763648	Stage	0.4
763649	Room 19	0.9
763650	Room 19/Dup	0.9
763651	Conference Room	1.5
763652	Room 13	0.4
763653	Room 13/Blank	0.4

J. Keith Baicker MES10128
J. Keith Baicker

J. A. Baicker MES10116
J. A. Baicker

This service is provided to you by an organization or individual certified by NJDEP to perform radon gas or radon progeny testing measurements. NJSA 26:2D-73 requires that no certified person disclose to anyone except the DEP or the Dept. of Health the address or owners of a nonpublic building that the person has tested or inspected for the presence of radon gas or radon progeny, unless the owner of the building waives in writing this right of confidentiality. In the case of a prospective sale of a building that has been tested for radon gas or progeny, the seller shall provide the buyer at the time the contract of sale is entered into, with a copy of the results of that test and evidence of any subsequent mitigation or treatment. Any prospective buyer who contracts for the testing shall have the right to receive the results of that testing. Any questions, comments or complaints regarding the persons performing these measurements, or related mitigation, or safeguarding services, should be directed to the NJDEP, Attn: Radon Section, Bureau of Environmental Radiation, at 1-800-648-0394.

LIMITATION OF LIABILITY: While we as Radiation Data, and all of our licensed professional technicians, make every effort to maintain quality control (including duplicate canister tests, blanks, and "spiked" detectors), we make no warranty of any kind, either express or implied, for the consciousness of false test results. Before any remediation action is taken, it is important that follow-up tests be conducted in accordance with USEPA protocols and NJDEP regulations. It is well known that radon concentrations fluctuate greatly under changing weather conditions. Furthermore, radon tests cannot be CERTIFIED, since there is no chain of custody of the test kit, and the "closed-house" conditions cannot be monitored continuously.