



# RADON ANALYSIS REPORT

1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

EXPOSED FOR: 04/20/2022-04/22/2022  
REPORT DATE: 04/28/2022

ENVIRONMENTAL TRANSACTION  
35 Mill Rd  
WOODCLIFF LAKE, NJ 07677

**TEST LOCATION**  
LONG BRANCH BOARD OF ED  
540 BROADWAY  
LONG BRANCH, NJ 07740

This is a confidential report of the radon samples that were submitted to our laboratory for measurements of radon-222 levels. The results represent the amount of radon that was present in the air during the time of sampling. The radon is measured in our laboratory using the liquid scintillation method (EPA 402-R-92-004). This report will not be released to anyone without your permission except as required by individual state laws and guidelines.

**THE EPA RECOMMENDS THAT YOU FIX YOUR HOME IF THE RADON LEVEL IS 4 PICOCURIES (pCi/L) OR HIGHER**

Please read the EPA Citizen's Guide to Radon at [www.epa.gov/radon/pubs/citguide.html](http://www.epa.gov/radon/pubs/citguide.html). Residents of New Jersey should read "Radon Testing and Mitigation: The Basics" at <http://njradon.org/download/mitbas.pdf>. Radon levels less than 4 pCi/L still pose a risk. You may want to take additional measurements because radon levels can vary with the seasons. You may also want to consider doing a long term test to determine the average radon concentrations over a longer period of time. If the radon level is 4.0 pCi/L or higher you should perform either a long-term test or a second short-term test. If the radon level is higher than 10 pCi/L you should perform a second short-term test immediately. If you would like to learn how to lower your radon levels, or have other questions, please contact your state radon office.

**NOTICE TO CLIENTS IN THE STATE OF NEW JERSEY**

This notice is provided to you by an organization or individual certified by the New Jersey Department of Environmental Protection to perform radon and/or radon progeny measurements. N.J.S.A. 26:2D-73 requires that no certified person disclose to any individual, except the Department of Environmental Protection or the Department of Health the address or owner of a nonpublic building that the person has tested or treated for the presence of radon gas and radon progeny, unless the owner of the building waives, in writing, this right of confidentiality. In the case of a prospective sale of a building which has been tested for radon gas and/or radon progeny, the seller shall provide the buyer, at the time the contract of sale is entered into, with a copy of the results of that test and evidence of any subsequent mitigation or treatment, and any prospective buyer who contracts for the testing shall have the right to receive the results of that testing. Any questions, comments, or complaints regarding the persons performing these measurements, or related mitigation, or safeguarding services should be directed to the New Jersey Department of Environmental Protection. Attention: Radon Section, Bureau of Environmental Radiation. (1-800-648-0394).

**LIMITATIONS OF DATA AND PRODUCT LIABILITY**

PRO-LAB expressly disclaims any and all liability for any special, incidental, or consequential damages resulting directly or indirectly from the improper use of or improper interpretation of the radon product or its results. Any delays in receipt of the test sample by PRO-LAB shall be the sole responsibility of the purchaser and their legal remedy shall be limited to recourse with their chosen carrier. Additionally, PRO-LAB shall not be responsible for the improper placement of the test canister nor shall PRO-LAB be liable for results derived directly or indirectly from the improper placement of said test canister. PRO-LAB, its agents, its retailers, its distributors, and the manufacturers' sole liability are limited to the cost for the replacement of the test canister itself only.

Jose Figueroa, RMS  
NRPP CERT # 109347 RT  
NRSB CERT # 18SS007  
NJ CERT # MES 13735

PRO-LAB NRSB # ARL0028  
PRO-LAB NEHA ID # 101461AL  
PRO-LAB NJ CERT # FL011 / MEB92046

James E. McDonnell IV  
NJ CERT # MES 13735



# RADON ANALYSIS REPORT

1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

## HERE ARE YOUR TEST RESULTS

<u>VIAL #</u>	<u>LOCATION</u>	<u>RADON LEVEL</u>
5187378	1ST FLOOR-RM B3	0.5 pCi/L
5187262	1ST FLOOR-RM B3 DUP	0.4 pCi/L
5187441	1ST FLOOR-RM B4	0.6 pCi/L
5187291	1ST FLOOR-RM B1	0.5 pCi/L
5231963	1ST FLOOR-RM B1 BLANK	< 0.3 pCi/L **
5185827	1ST FLOOR-RM B2	0.4 pCi/L
5195612	1ST FLOOR-RM B ENTRY	0.8 pCi/L

EXPOSED FOR: 04/19/2022-04/21/2022

REPORT DATE: 04/28/2022

ENVIRONMENTAL TRANSACTION  
35 Mill Rd  
WOODCLIFF LAKE, NJ 07677**TEST LOCATION**  
ANASTASIA SCHOOL  
92 SEVENTH AVE  
LONG BRANCH, NJ 07740

This is a confidential report of the radon samples that were submitted to our laboratory for measurements of radon-222 levels. The results represent the amount of radon that was present in the air during the time of sampling. The radon is measured in our laboratory using the liquid scintillation method (EPA 402-R-92-004). This report will not be released to anyone without your permission except as required by individual state laws and guidelines.

**THE EPA RECOMMENDS THAT YOU FIX YOUR HOME IF THE RADON LEVEL IS 4 PICOCURIES (pCi/L) OR HIGHER**



Please read the EPA Citizen's Guide to Radon at [www.epa.gov/radon/pubs/citguide.html](http://www.epa.gov/radon/pubs/citguide.html). Residents of New Jersey should read "Radon Testing and Mitigation: The Basics" at <http://njradon.org/download/mitbas.pdf>. Radon levels less than 4 pCi/L still pose a risk. You may want to take additional measurements because radon levels can vary with the seasons. You may also want to consider doing a long term test to determine the average radon concentrations over a longer period of time. If the radon level is 4.0 pCi/L or higher you should perform either a long-term test or a second short-term test. If the radon level is higher than 10 pCi/L you should perform a second short-term test immediately. If you would like to learn how to lower your radon levels, or have other questions, please contact your state radon office.

**NOTICE TO CLIENTS IN THE STATE OF NEW JERSEY**

This notice is provided to you by an organization or individual certified by the New Jersey Department of Environmental Protection to perform radon and/or radon progeny measurements. N.J.S.A. 26:2D-73 requires that no certified person disclose to any individual, except the Department of Environmental Protection or the Department of Health the address or owner of a nonpublic building that the person has tested or treated for the presence of radon gas and radon progeny, unless the owner of the building waives, in writing, this right of confidentiality. In the case of a prospective sale of a building which has been tested for radon gas and/or radon progeny, the seller shall provide the buyer, at the time the contract of sale is entered into, with a copy of the results of that test and evidence of any subsequent mitigation or treatment, and any prospective buyer who contracts for the testing shall have the right to receive the results of that testing. Any questions, comments, or complaints regarding the persons performing these measurements, or related mitigation, or safeguarding services should be directed to the New Jersey Department of Environmental Protection. Attention: Radon Section, Bureau of Environmental Radiation. (1-800-648-0394).

**LIMITATIONS OF DATA AND PRODUCT LIABILITY**

PRO-LAB expressly disclaims any and all liability for any special, incidental, or consequential damages resulting directly or indirectly from the improper use of or improper interpretation of the radon product or its results. Any delays in receipt of the test sample by PRO-LAB shall be the sole responsibility of the purchaser and their legal remedy shall be limited to recourse with their chosen carrier. Additionally, PRO-LAB shall not be responsible for the improper placement of the test canister nor shall PRO-LAB be liable for results derived directly or indirectly from the improper placement of said test canister. PRO-LAB, its agents, its retailers, its distributors, and the manufacturers' sole liability are limited to the cost for the replacement of the test canister itself only.

Jose Figueroa, RMS  
NRPP CERT # 109347 RT  
NRSB CERT # 18SS007  
NJ CERT # MES 13735PRO-LAB NRSB # ARL0028  
PRO-LAB NEHA ID # 101461AL  
PRO-LAB NJ CERT # FL011 / MEB92046James E. McDonnell IV  
NJ CERT # MES 13735



# RADON ANALYSIS REPORT

1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

## HERE ARE YOUR TEST RESULTS

<u>VIAL #</u>	<u>LOCATION</u>	<u>RADON LEVEL</u>
5264934	1ST FLOOR-RM B-140 FRONT	< 0.3 pCi/L **
5264898	1ST FLOOR-RM B-140 REAR	< 0.3 pCi/L **
5264965	1ST FLOOR-RM C-119	< 0.3 pCi/L **
5264912	1ST FLOOR-RM C-125	< 0.3 pCi/L **
5187367	1ST FLOOR-RM C-124	< 0.3 pCi/L **
5266943	1ST FLOOR-RM C-123	< 0.3 pCi/L **
5262776	1ST FLOOR-RM C-119B	< 0.3 pCi/L **
5266813	1ST FLOOR-LIBRARY LEFT	< 0.3 pCi/L **
5207852	1ST FLOOR-LIBRARY RIGHT	< 0.3 pCi/L **
5266946	1ST FLOOR-LIBRARY RIGHT DUP	< 0.3 pCi/L **
5264986	1ST FLOOR-RM C110	< 0.3 pCi/L **
5207881	1ST FLOOR-RM C111	< 0.3 pCi/L **
5266899	1ST FLOOR-MAIN OFFICE	0.4 pCi/L
5265018	1ST FLOOR-RM C104	< 0.3 pCi/L **
5256402	1ST FLOOR-RM C105	< 0.3 pCi/L **
5262782	1ST FLOOR-RM C102	< 0.3 pCi/L **
5207779	1ST FLOOR-RM C103	< 0.3 pCi/L **
5266823	1ST FLOOR-LIBRARY OFFICE	< 0.3 pCi/L **
5207931	1ST FLOOR-RM C118	< 0.3 pCi/L **
5262770	1ST FLOOR-RM C118 DUP	< 0.3 pCi/L **
5195695	1ST FLOOR-B138	0.3 pCi/L
5179984	1ST FLOOR-B138 BLANK	< 0.3 pCi/L **
5256411	1ST FLOOR-RM B123	< 0.3 pCi/L **
5264917	1ST FLOOR-RM B124	< 0.3 pCi/L **
5264980	1ST FLOOR-RM B121	< 0.3 pCi/L **
5195714	1ST FLOOR-RM B119	0.4 pCi/L
5266872	1ST FLOOR-RM B122	< 0.3 pCi/L **
5262750	1ST FLOOR-RM B120	< 0.3 pCi/L **
5256646	1ST FLOOR-RM 118B	< 0.3 pCi/L **
5266893	1ST FLOOR-RM B118B DUP	< 0.3 pCi/L **
5264857	1ST FLOOR-RM B128	< 0.3 pCi/L **
5266888	1ST FLOOR-RM B127	0.3 pCi/L



# RADON ANALYSIS REPORT

1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

## HERE ARE YOUR TEST RESULTS

<u>VIAL #</u>	<u>LOCATION</u>	<u>RADON LEVEL</u>
5266844	1ST FLOOR-RM B118A	< 0.3 pCi/L **
5266799	1ST FLOOR-RM B115	< 0.3 pCi/L **
5264903	1ST FLOOR-RM B113	< 0.3 pCi/L **
5266995	1ST FLOOR-RM B116	< 0.3 pCi/L **
5256401	1ST FLOOR-RM B114	< 0.3 pCi/L **
5264993	1ST FLOOR-RM B112	< 0.3 pCi/L **
5262765	1ST FLOOR-RM B111	< 0.3 pCi/L **
5266897	1ST FLOOR-RM A102	0.3 pCi/L
5262780	1ST FLOOR-RM A102 DUP	< 0.3 pCi/L **
5262796	1ST FLOOR-RM A114	< 0.3 pCi/L **
5266988	1ST FLOOR-RM A115	< 0.3 pCi/L **
5179993	1ST FLOOR-RM A115 BLANK	< 0.3 pCi/L **
5264812	1ST FLOOR-COFFETERIA FRONT	< 0.3 pCi/L **
5262752	1ST FLOOR-COFFETERIA REAR	< 0.3 pCi/L **
5262762	1ST FLOOR-COFFETERIA STAGE	< 0.3 pCi/L **
5266848	1ST FLOOR-COFFETERIA STAGE OFFICE	< 0.3 pCi/L **
5256419	1ST FLOOR-KITCHEN	< 0.3 pCi/L **
5266866	1ST FLOOR-RM A110	< 0.3 pCi/L **
5266826	1ST FLOOR-GYM FRONT	< 0.3 pCi/L **
5266933	1ST FLOOR-GYM REAR	< 0.3 pCi/L **
5256425	1ST FLOOR-GM OFFICE DUP	< 0.3 pCi/L **
5264991	1ST FLOOR-RM B108	< 0.3 pCi/L **



# RADON ANALYSIS REPORT

1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

EXPOSED FOR: 04/19/2022-04/21/2022  
REPORT DATE: 05/02/2022

ENVIRONMENTAL TRANSACTION  
35 Mill Rd  
WOODCLIFF LAKE, NJ 07677

**TEST LOCATION**  
AW CLARK SCHOOL  
192 GARFIELD AVE  
LONG BRANCH, NJ 07740

This is a confidential report of the radon samples that were submitted to our laboratory for measurements of radon-222 levels. The results represent the amount of radon that was present in the air during the time of sampling. The radon is measured in our laboratory using the liquid scintillation method (EPA 402-R-92-004). This report will not be released to anyone without your permission except as required by individual state laws and guidelines.

**THE EPA RECOMMENDS THAT YOU FIX YOUR HOME IF THE RADON LEVEL IS 4 PICOCURIES (pCi/L) OR HIGHER**

Please read the EPA Citizen's Guide to Radon at [www.epa.gov/radon/pubs/citguide.html](http://www.epa.gov/radon/pubs/citguide.html). Residents of New Jersey should read "Radon Testing and Mitigation: The Basics" at <http://njradon.org/download/mitbas.pdf>. Radon levels less than 4 pCi/L still pose a risk. You may want to take additional measurements because radon levels can vary with the seasons. You may also want to consider doing a long term test to determine the average radon concentrations over a longer period of time. If the radon level is 4.0 pCi/L or higher you should perform either a long-term test or a second short-term test. If the radon level is higher than 10 pCi/L you should perform a second short-term test immediately. **If you would like to learn how to lower your radon levels, or have other questions, please contact your state radon office.**

**NOTICE TO CLIENTS IN THE STATE OF NEW JERSEY**

This notice is provided to you by an organization or individual certified by the New Jersey Department of Environmental Protection to perform radon and/or radon progeny measurements. N.J.S.A. 26:2D-73 requires that no certified person disclose to any individual, except the Department of Environmental Protection or the Department of Health the address or owner of a nonpublic building that the person has tested or treated for the presence of radon gas and radon progeny, unless the owner of the building waives, in writing, this right of confidentiality. In the case of a prospective sale of a building which has been tested for radon gas and/or radon progeny, the seller shall provide the buyer, at the time the contract of sale is entered into, with a copy of the results of that test and evidence of any subsequent mitigation or treatment, and any prospective buyer who contracts for the testing shall have the right to receive the results of that testing. Any questions, comments, or complaints regarding the persons performing these measurements, or related mitigation, or safeguarding services should be directed to the New Jersey Department of Environmental Protection. Attention: Radon Section, Bureau of Environmental Radiation. (1-800-648-0394).

**LIMITATIONS OF DATA AND PRODUCT LIABILITY**

PRO-LAB expressly disclaims any and all liability for any special, incidental, or consequential damages resulting directly or indirectly from the improper use of or improper interpretation of the radon product or its results. Any delays in receipt of the test sample by PRO-LAB shall be the sole responsibility of the purchaser and their legal remedy shall be limited to recourse with their chosen carrier. Additionally, PRO-LAB shall not be responsible for the improper placement of the test canister nor shall PRO-LAB be liable for results derived directly or indirectly from the improper placement of said test canister. PRO-LAB, its agents, its retailers, its distributors, and the manufacturers' sole liability are limited to the cost for the replacement of the test canister itself only.

Jose Figueroa, RMS  
NRPP CERT # 109347 RT  
NRSB CERT # 18SS007  
NJ CERT # MES 13735

James E. McDonnell IV  
NJ CERT # MES 13735

PRO-LAB NRSB # ARL0028  
PRO-LAB NEHA ID # 101461AL  
PRO-LAB NJ CERT # FL011 / MEB92046



# RADON ANALYSIS REPORT

1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

## HERE ARE YOUR TEST RESULTS

<u>VIAL #</u>	<u>LOCATION</u>	<u>RADON LEVEL</u>
5265061	1ST FLOOR-RM 6	< 0.3 pCi/L **
5266976	1ST FLOOR-RM 5	< 0.3 pCi/L **
5187483	1ST FLOOR-RM 4	< 0.3 pCi/L **
5187509	1ST FLOOR-RM 3	< 0.3 pCi/L **
5187230	1ST FLOOR-RM 1	< 0.3 pCi/L **
5187514	1ST FLOOR-ART ROOM	< 0.3 pCi/L **
5187485	1ST FLOOR-MAIN OFFICE 1	< 0.3 pCi/L **
5187379	1ST FLOOR-MAIN OFFICE 2	< 0.3 pCi/L **
5187745	1ST FLOOR-MAIN PRINCIPAL'S OFFICE	< 0.3 pCi/L **
5195823	1ST FLOOR-ELEMENTARY COUNSELORS	0.5 pCi/L
5266879	1ST FLOOR-ELEMENTARY COUNSELORS DUP	0.6 pCi/L
5187605	1ST FLOOR-RM 6 MAIN BLDG	< 0.3 pCi/L **
5185778	1ST FLOOR-RM 7	< 0.3 pCi/L **
5187473	1ST FLOOR-SAVE RM	< 0.3 pCi/L **
5195688	1ST FLOOR-MIDDLE SCHOOL COUNSELORS	< 0.3 pCi/L **
5187527	1ST FLOOR-RM 4 MAIN BLDG	< 0.3 pCi/L **
5187438	1ST FLOOR-RM 3 MAIN BLDG	< 0.3 pCi/L **
5207410	1ST FLOOR-RM 2 BLDG	< 0.3 pCi/L **
5187518	1ST FLOOR-RM 1 MAIN BLDG	< 0.3 pCi/L **
5195847	1ST FLOOR-KITCHEN	< 0.3 pCi/L **
5187376	1ST FLOOR-KITCHEN DUP	< 0.3 pCi/L **
5179969	1ST FLOOR-STAGE BLANK	< 0.3 pCi/L **
5195811	1ST FLOOR-STAGE	< 0.3 pCi/L **
5179868	1ST FLOOR-GYM FRONT	< 0.3 pCi/L **
5187385	1ST FLOOR-GYM REAR	< 0.3 pCi/L **
5187369	1ST FLOOR-RM 12	< 0.3 pCi/L **
5187349	1ST FLOOR-RM 11	< 0.3 pCi/L **
5187564	1ST FLOOR-RM 10	< 0.3 pCi/L **
5195649	1ST FLOOR-RM 9	< 0.3 pCi/L **
5187435	1ST FLOOR-RM 8	< 0.3 pCi/L **
5187283	1ST FLOOR-RM 7	< 0.3 pCi/L **
5187399	1ST FLOOR-CUSTODIAN	< 0.3 pCi/L **



# RADON ANALYSIS REPORT

1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

## HERE ARE YOUR TEST RESULTS

VIAL #

5187533

LOCATION

1ST FLOOR-CUSTODIAN DUP

RADON LEVEL

0.4 pCi/L





# RADON ANALYSIS REPORT

1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

EXPOSED FOR: 04/19/2022-04/21/2022  
REPORT DATE: 04/29/2022

ENVIRONMENTAL TRANSACTION  
35 Mill Rd  
WOODCLIFF LAKE, NJ 07677

**TEST LOCATION**  
GL CATRAMBONE SCHOOL  
240 PARK AVE  
LONG BRANCH, NJ 07740

This is a confidential report of the radon samples that were submitted to our laboratory for measurements of radon-222 levels. The results represent the amount of radon that was present in the air during the time of sampling. The radon is measured in our laboratory using the liquid scintillation method (EPA 402-R-92-004). This report will not be released to anyone without your permission except as required by individual state laws and guidelines.

**THE EPA RECOMMENDS THAT YOU FIX YOUR HOME IF THE RADON LEVEL IS 4 PICOCURIES (pCi/L) OR HIGHER**

Please read the EPA Citizen's Guide to Radon at [www.epa.gov/radon/pubs/citguide.html](http://www.epa.gov/radon/pubs/citguide.html). Residents of New Jersey should read "Radon Testing and Mitigation: The Basics" at <http://njradon.org/download/mitbas.pdf>. Radon levels less than 4 pCi/L still pose a risk. You may want to take additional measurements because radon levels can vary with the seasons. You may also want to consider doing a long term test to determine the average radon concentrations over a longer period of time. If the radon level is 4.0 pCi/L or higher you should perform either a long-term test or a second short-term test. If the radon level is higher than 10 pCi/L you should perform a second short-term test immediately. If you would like to learn how to lower your radon levels, or have other questions, please contact your state radon office.

**NOTICE TO CLIENTS IN THE STATE OF NEW JERSEY**

This notice is provided to you by an organization or individual certified by the New Jersey Department of Environmental Protection to perform radon and/or radon progeny measurements. N.J.S.A. 26:2D-73 requires that no certified person disclose to any individual, except the Department of Environmental Protection or the Department of Health the address or owner of a nonpublic building that the person has tested or treated for the presence of radon gas and radon progeny, unless the owner of the building waives, in writing, this right of confidentiality. In the case of a prospective sale of a building which has been tested for radon gas and/or radon progeny, the seller shall provide the buyer, at the time the contract of sale is entered into, with a copy of the results of that test and evidence of any subsequent mitigation or treatment, and any prospective buyer who contracts for the testing shall have the right to receive the results of that testing. Any questions, comments, or complaints regarding the persons performing these measurements, or related mitigation, or safeguarding services should be directed to the New Jersey Department of Environmental Protection. Attention: Radon Section, Bureau of Environmental Radiation. (1-800-648-0394).

**LIMITATIONS OF DATA AND PRODUCT LIABILITY**

PRO-LAB expressly disclaims any and all liability for any special, incidental, or consequential damages resulting directly or indirectly from the improper use of or improper interpretation of the radon product or its results. Any delays in receipt of the test sample by PRO-LAB shall be the sole responsibility of the purchaser and their legal remedy shall be limited to recourse with their chosen carrier. Additionally, PRO-LAB shall not be responsible for the improper placement of the test canister nor shall PRO-LAB be liable for results derived directly or indirectly from the improper placement of said test canister. PRO-LAB, its agents, its retailers, its distributors, and the manufacturers' sole liability are limited to the cost for the replacement of the test canister itself only.

Jose Figueroa, RMS  
NRPP CERT # 109347 RT  
NRSB CERT # 18SS007  
NJ CERT # MES 13735

PRO-LAB NRSB # ARL0028  
PRO-LAB NEHA ID # 101461AL  
PRO-LAB NJ CERT # FL011 / MEB92046

James E. McDonnell IV  
NJ CERT # MES 13735



# RADON ANALYSIS REPORT

1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

## HERE ARE YOUR TEST RESULTS

<u>VIAL #</u>	<u>LOCATION</u>	<u>RADON LEVEL</u>
5195920	1ST FLOOR-161	< 0.3 pCi/L **
5187218	1ST FLOOR-164	< 0.3 pCi/L **
5187207	1ST FLOOR-162	< 0.3 pCi/L **
5195726	1ST FLOOR-163	< 0.3 pCi/L **
5187721	1ST FLOOR-165	< 0.3 pCi/L **
5195918	1ST FLOOR-166	0.3 pCi/L
5187238	1ST FLOOR-167	< 0.3 pCi/L **
5195698	1ST FLOOR-168	< 0.3 pCi/L **
5187555	1ST FLOOR-169	< 0.3 pCi/L **
5187309	1ST FLOOR-170	< 0.3 pCi/L **
5187545	1ST FLOOR-171	< 0.3 pCi/L **
5187280	1ST FLOOR-171 DUP	< 0.3 pCi/L **
5195822	1ST FLOOR-172	< 0.3 pCi/L **
5195873	1ST FLOOR-GYM FRONT	< 0.3 pCi/L **
5187298	1ST FLOOR-GYM REAR	< 0.3 pCi/L **
5187481	1ST FLOOR-GYM OFFICE	< 0.3 pCi/L **
5187489	1ST FLOOR-CAFETERIA REAR	< 0.3 pCi/L **
5187338	1ST FLOOR-CAFETERIA FRONT	< 0.3 pCi/L **
5195987	1ST FLOOR-CAFETERIA STAGE	< 0.3 pCi/L **
5195781	1ST FLOOR-KITCHEN	< 0.3 pCi/L **
5195737	1ST FLOOR-KITCHEN OFFICE	< 0.3 pCi/L **
5187319	1ST FLOOR-145	< 0.3 pCi/L **
5187327	1ST FLOOR-145 DUP	< 0.3 pCi/L **
5231973	1ST FLOOR-143 BLANK	< 0.3 pCi/L **
5187228	1ST FLOOR-143	< 0.3 pCi/L **
5187261	1ST FLOOR-140	< 0.3 pCi/L **
5195716	1ST FLOOR-141	< 0.3 pCi/L **
5266806	1ST FLOOR-138	< 0.3 pCi/L **
5207350	1ST FLOOR-139	< 0.3 pCi/L **
5195853	1ST FLOOR-136	< 0.3 pCi/L **
5187720	1ST FLOOR-137	< 0.3 pCi/L **
5226623	1ST FLOOR-134	< 0.3 pCi/L **



# RADON ANALYSIS REPORT

1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

## HERE ARE YOUR TEST RESULTS

<u>VIAL #</u>	<u>LOCATION</u>	<u>RADON LEVEL</u>
5195816	1ST FLOOR-132	< 0.3 pCi/L **
5187705	1ST FLOOR-135	< 0.3 pCi/L **
5187219	1ST FLOOR-135 DUP	< 0.3 pCi/L **
5187274	1ST FLOOR-133	< 0.3 pCi/L **
5185788	1ST FLOOR-131	< 0.3 pCi/L **
5187308	1ST FLOOR-129	< 0.3 pCi/L **
5187669	1ST FLOOR-127	< 0.3 pCi/L **
5187237	1ST FLOOR-130	< 0.3 pCi/L **
5195799	1ST FLOOR-128	< 0.3 pCi/L **
5195877	1ST FLOOR-125	< 0.3 pCi/L **
5226627	1ST FLOOR-126	< 0.3 pCi/L **
5187397	1ST FLOOR-124	0.3 pCi/L
5187267	1ST FLOOR-123	< 0.3 pCi/L **
5187300	1ST FLOOR-123 DUP	< 0.3 pCi/L **
5231966	1ST FLOOR-123 BLANK	< 0.3 pCi/L **
5195832	1ST FLOOR-122	< 0.3 pCi/L **
5185811	1ST FLOOR-120	0.4 pCi/L
5187563	1ST FLOOR-121	< 0.3 pCi/L **
5195808	1ST FLOOR-119	< 0.3 pCi/L **
5187424	1ST FLOOR-118	< 0.3 pCi/L **
5195756	1ST FLOOR-117	< 0.3 pCi/L **
5187530	1ST FLOOR-116	< 0.3 pCi/L **
5195728	1ST FLOOR-115	0.5 pCi/L
5179812	1ST FLOOR-114	0.5 pCi/L
5187558	1ST FLOOR-113	0.6 pCi/L
5187455	1ST FLOOR-113 DUP	0.4 pCi/L
5207603	1ST FLOOR-110	0.5 pCi/L
5187645	1ST FLOOR-109	0.6 pCi/L
5195724	1ST FLOOR-108	0.3 pCi/L
5187425	1ST FLOOR-107	0.3 pCi/L
5187531	1ST FLOOR-106	< 0.3 pCi/L **
5187343	1ST FLOOR-104	< 0.3 pCi/L **



# RADON ANALYSIS REPORT

1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

## HERE ARE YOUR TEST RESULTS

<u>VIAL #</u>	<u>LOCATION</u>	<u>RADON LEVEL</u>
5187650	1ST FLOOR-105	< 0.3 pCi/L **
5187620	1ST FLOOR-103	< 0.3 pCi/L **
5187254	1ST FLOOR-101	0.5 pCi/L
5195775	1ST FLOOR-102	< 0.3 pCi/L **
5195906	1ST FLOOR-102-1	< 0.3 pCi/L **
5226448	1ST FLOOR-102-2	< 0.3 pCi/L **
5195652	1ST FLOOR-100	< 0.3 pCi/L **
5195687	1ST FLOOR-100-2	< 0.3 pCi/L **
5187725	1ST FLOOR-157	< 0.3 pCi/L **
5187310	1ST FLOOR-158	< 0.3 pCi/L **



# RADON ANALYSIS REPORT

1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

EXPOSED FOR: 04/19/2022-04/21/2022  
REPORT DATE: 05/02/2022

ENVIRONMENTAL TRANSACTION  
35 Mill Rd  
WOODCLIFF LAKE, NJ 07677

**TEST LOCATION**  
GREGORY SCHOOL  
201 MONMOUTH AVE  
LONG BRANCH, NJ 07740

This is a confidential report of the radon samples that were submitted to our laboratory for measurements of radon-222 levels. The results represent the amount of radon that was present in the air during the time of sampling. The radon is measured in our laboratory using the liquid scintillation method (EPA 402-R-92-004). This report will not be released to anyone without your permission except as required by individual state laws and guidelines.

**THE EPA RECOMMENDS THAT YOU FIX YOUR HOME IF THE RADON LEVEL IS 4 PICOCURIES (pCi/L) OR HIGHER**

Please read the EPA Citizen's Guide to Radon at [www.epa.gov/radon/pubs/citguide.html](http://www.epa.gov/radon/pubs/citguide.html). Residents of New Jersey should read "Radon Testing and Mitigation: The Basics" at <http://njradon.org/download/mitbas.pdf>. Radon levels less than 4 pCi/L still pose a risk. You may want to take additional measurements because radon levels can vary with the seasons. You may also want to consider doing a long term test to determine the average radon concentrations over a longer period of time. If the radon level is 4.0 pCi/L or higher you should perform either a long-term test or a second short-term test. If the radon level is higher than 10 pCi/L you should perform a second short-term test immediately. If you would like to learn how to lower your radon levels, or have other questions, please contact your state radon office.

**NOTICE TO CLIENTS IN THE STATE OF NEW JERSEY**

This notice is provided to you by an organization or individual certified by the New Jersey Department of Environmental Protection to perform radon and/or radon progeny measurements. N.J.S.A. 26:2D-73 requires that no certified person disclose to any individual, except the Department of Environmental Protection or the Department of Health the address or owner of a nonpublic building that the person has tested or treated for the presence of radon gas and radon progeny, unless the owner of the building waives, in writing, this right of confidentiality. In the case of a prospective sale of a building which has been tested for radon gas and/or radon progeny, the seller shall provide the buyer, at the time the contract of sale is entered into, with a copy of the results of that test and evidence of any subsequent mitigation or treatment, and any prospective buyer who contracts for the testing shall have the right to receive the results of that testing. Any questions, comments, or complaints regarding the persons performing these measurements, or related mitigation, or safeguarding services should be directed to the New Jersey Department of Environmental Protection. Attention: Radon Section, Bureau of Environmental Radiation (1-800-648-0394).

**LIMITATIONS OF DATA AND PRODUCT LIABILITY**

PRO-LAB expressly disclaims any and all liability for any special, incidental, or consequential damages resulting directly or indirectly from the improper use of or improper interpretation of the radon product or its results. Any delays in receipt of the test sample by PRO-LAB shall be the sole responsibility of the purchaser and their legal remedy shall be limited to recourse with their chosen carrier. Additionally, PRO-LAB shall not be responsible for the improper placement of the test canister nor shall PRO-LAB be liable for results derived directly or indirectly from the improper placement of said test canister. PRO-LAB, its agents, its retailers, its distributors, and the manufacturers' sole liability are limited to the cost for the replacement of the test canister itself only.

Jose Figueroa, RMS  
NRPP CERT # 109347 RT  
NRSB CERT # 18SS007  
NJ CERT # MES 13735

PRO-LAB NRSB # ARL0028  
PRO-LAB NEHA ID # 101461AL  
PRO-LAB NJ CERT # FL011 / MEB92046

James E. McDonnell IV  
NJ CERT # MES 13735



# RADON ANALYSIS REPORT

1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

## HERE ARE YOUR TEST RESULTS

<u>VIAL #</u>	<u>LOCATION</u>	<u>RADON LEVEL</u>
5264847	1ST FLOOR-CAFETERIA FRONT	0.3 pCi/L
5264870	1ST FLOOR-CAFETERIA REAR	< 0.3 pCi/L **
5207899	1ST FLOOR-COFFERTERIA STAGE	< 0.3 pCi/L **
5262769	1ST FLOOR-STAGE OFFICE	< 0.3 pCi/L **
5264929	1ST FLOOR-GYM FRONT	< 0.3 pCi/L **
5264966	1ST FLOOR-GYM REAR	< 0.3 pCi/L **
5264890	1ST FLOOR-ROOM B 112	< 0.3 pCi/L **
5262748	1ST FLOOR-RM B 1111	< 0.3 pCi/L **
5266824	1ST FLOOR-RM B111 DUP	< 0.3 pCi/L **
5264924	1ST FLOOR-RM B114	< 0.3 pCi/L **
5266907	1ST FLOOR-RM B116	< 0.3 pCi/L **
5266822	1ST FLOOR-RM B115	< 0.3 pCi/L **
5262771	1ST FLOOR-RM B113	< 0.3 pCi/L **
5265105	1ST FLOOR-RM B118A	< 0.3 pCi/L **
5264916	1ST FLOOR-RM B127	< 0.3 pCi/L **
5265027	1ST FLOOR-RM B128	< 0.3 pCi/L **
5264959	1ST FLOOR-RM B120	< 0.3 pCi/L **
5264838	1ST FLOOR-RM BB122	< 0.3 pCi/L **
5266858	1ST FLOOR-RM B122 DUP	< 0.3 pCi/L **
5180013	1ST FLOOR-RM B121 BLANK	< 0.3 pCi/L **
5207844	1ST FLOOR-RM B121	< 0.3 pCi/L **
5266825	1ST FLOOR-RM B119	< 0.3 pCi/L **
5265054	1ST FLOOR-RM B123	< 0.3 pCi/L **
5265098	1ST FLOOR-RM B124	< 0.3 pCi/L **
5207846	1ST FLOOR-RM B140 FRONT	< 0.3 pCi/L **
5264976	1ST FLOOR-RM B140 REAR	< 0.3 pCi/L **
5264920	1ST FLOOR-RM B138	< 0.3 pCi/L **
5264833	1ST FLOOR-RM C118	< 0.3 pCi/L **
5207841	1ST FLOOR-RM C118 DUP	< 0.3 pCi/L **
5264938	1ST FLOOR-RM C116	0.5 pCi/L
5264956	1ST FLOOR-RM C104	0.3 pCi/L
5264937	1ST FLOOR-MAIN OFFICE	< 0.3 pCi/L **



# RADON ANALYSIS REPORT

1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

## HERE ARE YOUR TEST RESULTS

<u>VIAL #</u>	<u>LOCATION</u>	<u>RADON LEVEL</u>
5264973	1ST FLOOR-RM C105	0.4 pCi/L
5264913	1ST FLOOR-RM C102	0.4 pCi/L
5264874	1ST FLOOR-RM C103	0.8 pCi/L
5262797	1ST FLOOR-PRINTING ROOM	< 0.3 pCi/L **
5264940	1ST FLOOR-LIBRARY FRONT	< 0.3 pCi/L **
5264998	1ST FLOOR-LIBRARY REAR	0.5 pCi/L
5265064	1ST FLOOR-RM C110	< 0.3 pCi/L **
5266973	1ST FLOOR-RM C110 DUP	< 0.3 pCi/L **
5207879	1ST FLOOR-RM C 111	< 0.3 pCi/L **
5179968	1ST FLOOR-RM C111 BLANK	< 0.3 pCi/L **
5264990	1ST FLOOR-RM C119	< 0.3 pCi/L **
5266932	1ST FLOOR-RM C125	< 0.3 pCi/L **
5256459	1ST FLOOR-RM C124	< 0.3 pCi/L **
5264907	1ST FLOOR-RM C123	< 0.3 pCi/L **
5265046	1ST FLOOR-MUSIC A102	< 0.3 pCi/L **
5264906	1ST FLOOR-MUSIC A102 DUP	< 0.3 pCi/L **
5207903	1ST FLOOR-MUSIC A114	< 0.3 pCi/L **



# RADON ANALYSIS REPORT

1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

EXPOSED FOR: 04/20/2022-04/22/2022  
REPORT DATE: 04/28/2022

ENVIRONMENTAL TRANSACTION  
35 Mill Rd  
WOODCLIFF LAKE, NJ 07677

**TEST LOCATION**  
HISTORIC HIGH SCHOOL  
391 WESTWOOD AVE  
LONG BRANCH, NJ 07740

This is a confidential report of the radon samples that were submitted to our laboratory for measurements of radon-222 levels. The results represent the amount of radon that was present in the air during the time of sampling. The radon is measured in our laboratory using the liquid scintillation method (EPA 402-R-92-004). This report will not be released to anyone without your permission except as required by individual state laws and guidelines.

### THE EPA RECOMMENDS THAT YOU FIX YOUR HOME IF THE RADON LEVEL IS 4 PICOCURIES (pCi/L) OR HIGHER

Please read the EPA Citizen's Guide to Radon at [www.epa.gov/radon/pubs/citguide.html](http://www.epa.gov/radon/pubs/citguide.html). Residents of New Jersey should read "Radon Testing and Mitigation: The Basics" at <http://njradon.org/download/mitbas.pdf>. Radon levels less than 4 pCi/L still pose a risk. You may want to take additional measurements because radon levels can vary with the seasons. You may also want to consider doing a long term test to determine the average radon concentrations over a longer period of time. If the radon level is 4.0 pCi/L or higher you should perform either a long-term test or a second short-term test. If the radon level is higher than 10 pCi/L you should perform a second short-term test immediately. If you would like to learn how to lower your radon levels, or have other questions, please contact your state radon office.

### NOTICE TO CLIENTS IN THE STATE OF NEW JERSEY

This notice is provided to you by an organization or individual certified by the New Jersey Department of Environmental Protection to perform radon and/or radon progeny measurements. N.J.S.A. 26:2D-73 requires that no certified person disclose to any individual, except the Department of Environmental Protection or the Department of Health the address or owner of a nonpublic building that the person has tested or treated for the presence of radon gas and radon progeny, unless the owner of the building waives, in writing, this right of confidentiality. In the case of a prospective sale of a building which has been tested for radon gas and/or radon progeny, the seller shall provide the buyer, at the time the contract of sale is entered into, with a copy of the results of that test and evidence of any subsequent mitigation or treatment, and any prospective buyer who contracts for the testing shall have the right to receive the results of that testing. Any questions, comments, or complaints regarding the persons performing these measurements, or related mitigation, or safeguarding services should be directed to the New Jersey Department of Environmental Protection. Attention: Radon Section, Bureau of Environmental Radiation. (1-800-648-0394).

### LIMITATIONS OF DATA AND PRODUCT LIABILITY

PRO-LAB expressly disclaims any and all liability for any special, incidental, or consequential damages resulting directly or indirectly from the improper use of or improper interpretation of the radon product or its results. Any delays in receipt of the test sample by PRO-LAB shall be the sole responsibility of the purchaser and their legal remedy shall be limited to recourse with their chosen carrier. Additionally, PRO-LAB shall not be responsible for the improper placement of the test canister nor shall PRO-LAB be liable for results derived directly or indirectly from the improper placement of said test canister. PRO-LAB, its agents, its retailers, its distributors, and the manufacturers' sole liability are limited to the cost for the replacement of the test canister itself only.

Jose Figueroa, RMS  
NRPP CERT # 109347 RT  
NRSB CERT # 18SS007  
NJ CERT # MES 13735

PRO-LAB NRSB # ARL0028  
PRO-LAB NEHA ID # 101461AL  
PRO-LAB NJ CERT # FL011 / MEB92046

James E. McDonnell IV  
NJ CERT # MES 13735





# RADON ANALYSIS REPORT

1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

## HERE ARE YOUR TEST RESULTS

<u>VIAL #</u>	<u>LOCATION</u>	<u>RADON LEVEL</u>
5187452	1ST FLOOR-RM 103	0.4 pCi/L
5195680	1ST FLOOR-RM 102	< 0.3 pCi/L **
5187383	1ST FLOOR-RM 105	< 0.3 pCi/L **
5195798	1ST FLOOR-RM 106	0.4 pCi/L
5185798	1ST FLOOR-RM 104	< 0.3 pCi/L **
5187396	1ST FLOOR-RM 107	< 0.3 pCi/L **
5195636	1ST FLOOR-RM 108 LEFT	< 0.3 pCi/L **
5187304	1ST FLOOR-RM 108 RIGHT	< 0.3 pCi/L **
5187552	1ST FLOOR-RM 110	< 0.3 pCi/L **
5195704	1ST FLOOR-RM 109	0.3 pCi/L
5187505	1ST FLOOR-RM 100C	< 0.3 pCi/L **
5187400	1ST FLOOR-RM 101B	< 0.3 pCi/L **
5195757	1ST FLOOR-RM 100B	< 0.3 pCi/L **
5187398	1ST FLOOR-RM 100A	< 0.3 pCi/L **
5195829	1ST FLOOR-RM 100	< 0.3 pCi/L **
5195746	1ST FLOOR-RM 100 DUP	< 0.3 pCi/L **
5187323	1ST FLOOR-RM 112	< 0.3 pCi/L **
5195941	1ST FLOOR-RM 150 REAR	0.3 pCi/L
5185772	1ST FLOOR-RM 150 CENTER	< 0.3 pCi/L **
5187543	1ST FLOOR-RM 150	< 0.3 pCi/L **
5187453	1ST FLOOR-RM 150 STAGE	< 0.3 pCi/L **
5185816	1ST FLOOR-RM 160 REAR	< 0.3 pCi/L **
5195743	1ST FLOOR-RM 160 REAR DUP	< 0.3 pCi/L **
5195707	1ST FLOOR-160 FRONT	< 0.3 pCi/L **
5231977	1ST FLOOR-RM 160 FRONT BLANK	< 0.3 pCi/L **
5195752	1ST FLOOR-RM 125	< 0.3 pCi/L **
5187214	1ST FLOOR-RM 123	< 0.3 pCi/L **
5187362	1ST FLOOR-RM 121	< 0.3 pCi/L **
5187282	1ST FLOOR-RM 115	1.0 pCi/L
5195962	1ST FLOOR-RM 114	0.3 pCi/L
5187532	1ST FLOOR-RM 116	< 0.3 pCi/L **
5187331	1ST FLOOR-RM 116 DUP	< 0.3 pCi/L **



# RADON ANALYSIS REPORT

1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

EXPOSED FOR: 04/19/2022-04/21/2022  
REPORT DATE: 05/05/2022

ENVIRONMENTAL TRANSACTION  
35 Mill Rd  
WOODCLIFF LAKE, NJ 07677

**TEST LOCATION**  
LONG BRANCH HIGH SCHOOL  
404 INDIANA AVE  
LONG BRANCH, NJ 07740

This is a confidential report of the radon samples that were submitted to our laboratory for measurements of radon-222 levels. The results represent the amount of radon that was present in the air during the time of sampling. The radon is measured in our laboratory using the liquid scintillation method (EPA 402-R-92-004). This report will not be released to anyone without your permission except as required by individual state laws and guidelines.

**THE EPA RECOMMENDS THAT YOU FIX YOUR HOME IF THE RADON LEVEL IS 4 PICOCURIES (pCi/L) OR HIGHER**

Please read the EPA Citizen's Guide to Radon at [www.epa.gov/radon/pubs/citguide.html](http://www.epa.gov/radon/pubs/citguide.html). Residents of New Jersey should read "Radon Testing and Mitigation: The Basics" at <http://njradon.org/download/mitbas.pdf>. Radon levels less than 4 pCi/L still pose a risk. You may want to take additional measurements because radon levels can vary with the seasons. You may also want to consider doing a long term test to determine the average radon concentrations over a longer period of time. If the radon level is 4.0 pCi/L or higher you should perform either a long-term test or a second short-term test. If the radon level is higher than 10 pCi/L you should perform a second short-term test immediately. If you would like to learn how to lower your radon levels, or have other questions, please contact your state radon office.

**NOTICE TO CLIENTS IN THE STATE OF NEW JERSEY**

This notice is provided to you by an organization or individual certified by the New Jersey Department of Environmental Protection to perform radon and/or radon progeny measurements. N.J.S.A. 26:2D-73 requires that no certified person disclose to any individual, except the Department of Environmental Protection or the Department of Health the address or owner of a nonpublic building that the person has tested or treated for the presence of radon gas and radon progeny, unless the owner of the building waives, in writing, this right of confidentiality. In the case of a prospective sale of a building which has been tested for radon gas and/or radon progeny, the seller shall provide the buyer, at the time the contract of sale is entered into, with a copy of the results of that test and evidence of any subsequent mitigation or treatment, and any prospective buyer who contracts for the testing shall have the right to receive the results of that testing. Any questions, comments, or complaints regarding the persons performing these measurements, or related mitigation, or safeguarding services should be directed to the New Jersey Department of Environmental Protection, Attention: Radon Section, Bureau of Environmental Radiation. (1-800-648-0394).

**LIMITATIONS OF DATA AND PRODUCT LIABILITY**

PRO-LAB expressly disclaims any and all liability for any special, incidental, or consequential damages resulting directly or indirectly from the improper use of or improper interpretation of the radon product or its results. Any delays in receipt of the test sample by PRO-LAB shall be the sole responsibility of the purchaser and their legal remedy shall be limited to recourse with their chosen carrier. Additionally, PRO-LAB shall not be responsible for the improper placement of the test canister nor shall PRO-LAB be liable for results derived directly or indirectly from the improper placement of said test canister. PRO-LAB, its agents, its retailers, its distributors, and the manufacturers' sole liability are limited to the cost for the replacement of the test canister itself only.

Jose Figueroa, RMS  
NRPP CERT # 109347 RT  
NRSB CERT # 18SS007  
NJ CERT # MES 13735

PRO-LAB NRSB # ARL0028  
PRO-LAB NEHA ID # 101461AL  
PRO-LAB NJ CERT # FL011 / MEB92046

James E. McDonnell IV  
NJ CERT # MES 13735



# RADON ANALYSIS REPORT

1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

## HERE ARE YOUR TEST RESULTS

<u>VIAL #</u>	<u>LOCATION</u>	<u>RADON LEVEL</u>
5187546	1ST FLOOR-E 119 FRONT	< 0.3 pCi/L **
5195755	1ST FLOOR-E 104	< 0.3 pCi/L **
5195789	1ST FLOOR-E 120	< 0.3 pCi/L **
5195789	1ST FLOOR-E 120	< 0.3 pCi/L **
5187366	1ST FLOOR-E 128	< 0.3 pCi/L **
5187722	1ST FLOOR-E 121	< 0.3 pCi/L **
5187420	1ST FLOOR-MARTIN OFFICE	< 0.3 pCi/L **
5195762	1ST FLOOR-E 123	0.4 pCi/L
5187472	1ST FLOOR-E 124	< 0.3 pCi/L **
5187299	1ST FLOOR-AUDITORIUM LEFT REAR	0.9 pCi/L
5187202	1ST FLOOR-AUDITORIUM LEFT DUP REAR	0.6 pCi/L
5187407	1ST FLOOR-AUDITORIUM LEFT FRONT	0.8 pCi/L
5195750	1ST FLOOR-AUDITORIUM FRONT RIGHT	0.7 pCi/L
5187636	1ST FLOOR-AUDITORIUM RIGHT REAR	0.6 pCi/L
5187466	1ST FLOOR-AUDITORIUM CENTER	0.5 pCi/L
5187474	1ST FLOOR-STUDIO BOOTH	2.3 pCi/L
5187333	1ST FLOOR-STAGE LEFT	0.4 pCi/L
5195720	1ST FLOOR-STAGE RIGHT	0.6 pCi/L
5187692	1ST FLOOR-D 127	2.4 pCi/L
5195627	1ST FLOOR-UNDER STAGE PRACTICE	0.6 pCi/L
5187440	1ST FLOOR-C 130	< 0.3 pCi/L **
5187394	1ST FLOOR-A 107	0.4 pCi/L
5187341	1ST FLOOR-A 109	< 0.3 pCi/L **
5195898	1ST FLOOR-A 109 DUP	< 0.3 pCi/L **
5187525	1ST FLOOR-A 111	< 0.3 pCi/L **
5231971	1ST FLOOR-A 111 BLANK	< 0.3 pCi/L **
5207472	1ST FLOOR-A 111-1	< 0.3 pCi/L **
5187559	1ST FLOOR-A 110	< 0.3 pCi/L **
5187659	1ST FLOOR-A 112	< 0.3 pCi/L **
5187448	1ST FLOOR-A 113	< 0.3 pCi/L **
5187589	1ST FLOOR-A 115	< 0.3 pCi/L **
5187542	1ST FLOOR-A 117	< 0.3 pCi/L **



# RADON ANALYSIS REPORT

1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

## HERE ARE YOUR TEST RESULTS

<u>VIAL #</u>	<u>LOCATION</u>	<u>RADON LEVEL</u>
5187445	1ST FLOOR-A 119	< 0.3 pCi/L **
5187313	1ST FLOOR-A 121-C	< 0.3 pCi/L **
5187766	1ST FLOOR-A 121	0.3 pCi/L
5187488	1ST FLOOR-A 121 DUP	< 0.3 pCi/L **
5187433	1ST FLOOR-A 123	0.4 pCi/L
5187276	1ST FLOOR-A 125	0.4 pCi/L
5185824	1ST FLOOR-A 124	0.5 pCi/L
5195677	1ST FLOOR-B 126	0.6 pCi/L
5195614	1ST FLOOR-B 127	0.6 pCi/L
5187318	1ST FLOOR-B 128	0.5 pCi/L
5195662	1ST FLOOR-G-119	2.3 pCi/L
5187482	1ST FLOOR-EXEM #1	2.3 pCi/L
5187290	1ST FLOOR-EXEM #1 DUP	1.9 pCi/L
5179835	1ST FLOOR-EXEM #2	2.1 pCi/L
5195827	1ST FLOOR-GYN AUX FRONT	< 0.3 pCi/L **
5187347	1ST FLOOR-GYM AUX REAR	< 0.3 pCi/L **
5195618	1ST FLOOR-GIRLS LOCKER ROOM #1	1.8 pCi/L
5195745	1ST FLOOR-F-125	2.1 pCi/L
5187391	1ST FLOOR-GIRLS LOCKER ROOM #2	2.4 pCi/L
5187528	1ST FLOOR-BOYS LOCKER ROOM #1	3.8 pCi/L
5187642	1ST FLOOR-BOYS LOCKER ROOM OFFICE 1421037	2.9 pCi/L
5195854	1ST FLOOR-BOYS LOCKER ROOM #2	3.8 pCi/L
5187649	1ST FLOOR-FGYM LEFT FRONT	0.5 pCi/L
5187413	1ST FLOOR-GYM LEFT REAR	< 0.3 pCi/L **
5195729	1ST FLOOR-GYM RIGHT REAR	0.4 pCi/L
5187537	1ST FLOOR-GYM RIGHT REAR DUP	0.5 pCi/L
5187767	1ST FLOOR-GYM RIGHT FRONT	< 0.3 pCi/L **
5231989	1ST FLOOR-GYM RIGHT FRONT BLANK	< 0.3 pCi/L **
5187356	1ST FLOOR-D-163	0.4 pCi/L
5187203	1ST FLOOR-D-161	0.5 pCi/L
5195975	1ST FLOOR-D-158	0.4 pCi/L
5187572	1ST FLOOR-D-101	1.3 pCi/L



# RADON ANALYSIS REPORT

1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

## HERE ARE YOUR TEST RESULTS

<u>VIAL #</u>	<u>LOCATION</u>	<u>RADON LEVEL</u>
5195990	1ST FLOOR-D-108	1.1 pCi/L
5231982	1ST FLOOR-D-103 BLANK	< 0.3 pCi/L **
5195763	1ST FLOOR-D-149	1.2 pCi/L
5195660	1ST FLOOR-D-149 DUP	1.0 pCi/L
5187329	1ST FLOOR-D-107	1.2 pCi/L
5187567	1ST FLOOR-D-109	1.3 pCi/L
5187660	1ST FLOOR-D-153	1.0 pCi/L
5195721	1ST FLOOR-D-105	1.5 pCi/L
5187640	1ST FLOOR-D-120	0.9 pCi/L
5187476	1ST FLOOR-DRESS ROOM #1	0.4 pCi/L
5187529	1ST FLOOR-DRESS ROOM #2	0.5 pCi/L
5256544	1ST FLOOR-D-113	0.8 pCi/L
5187329	1ST FLOOR-D-107	1.2 pCi/L
5187701	1ST FLOOR-D-116	0.8 pCi/L
5187368	1ST FLOOR-D-157	0.5 pCi/L
5187268	1ST FLOOR-D-157 DUP	0.6 pCi/L
5187640	1ST FLOOR-D-120	0.9 pCi/L
5195742	1ST FLOOR-G-159	1.4 pCi/L
5195910	1ST FLOOR-G-163	1.5 pCi/L
5207608	1ST FLOOR-WEIGHT RIGHT	1.4 pCi/L
5195738	1ST FLOOR-G-130	1.1 pCi/L
5254276	1ST FLOOR-G-135	3.2 pCi/L
5195849	1ST FLOOR-G-129	1.3 pCi/L
5187688	1ST FLOOR-G-125	1.7 pCi/L
5187232	1ST FLOOR-PERRY OFFICE	1.7 pCi/L
5187630	1ST FLOOR-DISPENSARY	1.7 pCi/L
5187374	1ST FLOOR-THERAPY ROOM	1.7 pCi/L
5187401	1ST FLOOR-G-134	1.5 pCi/L
5187294	1ST FLOOR-G-134 DUP	1.2 pCi/L
5187360	1ST FLOOR-HEALTH MAIN OFFICE	1.4 pCi/L
5187360	1ST FLOOR-HEALTH MAIN OFFICE	1.4 pCi/L
5195691	1ST FLOOR-HEALTH CONFERENCE ROOM	1.8 pCi/L



# RADON ANALYSIS REPORT

1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

## HERE ARE YOUR TEST RESULTS

<u>VIAL #</u>	<u>LOCATION</u>	<u>RADON LEVEL</u>
5195719	1ST FLOOR-G-109	2.3 pCi/L
5185810	1ST FLOOR-G-107	2.4 pCi/L
5195790	1ST FLOOR-G-X-RAY RM	2.3 pCi/L
5187402	1ST FLOOR-HEALTH ROOM	1.9 pCi/L
5187681	1ST FLOOR-SLOTT OFFICE	1.6 pCi/L
5185806	1ST FLOOR-G-118	2.1 pCi/L
5187429	1ST FLOOR-CAMERA ROOM	0.6 pCi/L
5187449	1ST FLOOR-D-121	0.5 pCi/L
5195630	1ST FLOOR-F-136	1.5 pCi/L
5187526	1ST FLOOR-F-135	1.5 pCi/L
5195786	1ST FLOOR-F-137	2.2 pCi/L
5187306	1ST FLOOR-DANCE ROOM LEFT	1.4 pCi/L
5187240	1ST FLOOR-DANCE ROOM RIGHT	1.0 pCi/L
5187217	1ST FLOOR-DANCE ROOM OFFICE	1.1 pCi/L
5187302	1ST FLOOR-ATHLETIC ROOM	2.0 pCi/L
5195722	1ST FLOOR	< 0.3 pCi/L **
5231968	1ST FLOOR-G-149 BLANK	< 0.3 pCi/L **
5187470	1ST FLOOR-G-149	0.9 pCi/L
5187633	1ST FLOOR-G-153	1.2 pCi/L
5187463	1ST FLOOR-G-152	0.8 pCi/L
5187287	1ST FLOOR-G-150	0.9 pCi/L
5187550	1ST FLOOR-G-143	2.0 pCi/L
5187384	1ST FLOOR-G-143 LEFT OFFICE	5.2 pCi/L
5195846	1ST FLOOR-G-143 RIGHT OFFICE	2.9 pCi/L
5187523	1ST FLOOR-WEIGHT ROOM LEFT	0.9 pCi/L
5187503	1ST FLOOR-G-157 DUP	0.9 pCi/L
5187265	1ST FLOOR-G-157	0.9 pCi/L
5187416	1ST FLOOR-B 129	0.4 pCi/L
5195744	1ST FLOOR-B 131	0.5 pCi/L
5187723	1ST FLOOR-B 130	< 0.3 pCi/L **
5187421	1ST FLOOR-B 130 DUP	< 0.3 pCi/L **
5226598	1ST FLOOR-B 133	< 0.3 pCi/L **



# RADON ANALYSIS REPORT

1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

## HERE ARE YOUR TEST RESULTS

<u>VIAL #</u>	<u>LOCATION</u>	<u>RADON LEVEL</u>
5187357	1ST FLOOR-B 137	< 0.3 pCi/L **
5231983	1ST FLOOR-B 137 BLANK	< 0.3 pCi/L **
5195709	1ST FLOOR-B 136	< 0.3 pCi/L **
5187387	1ST FLOOR-B 132	< 0.3 pCi/L **
5187536	1ST FLOOR-B 134	< 0.3 pCi/L **
5187511	1ST FLOOR-B 139	0.4 pCi/L
5187534	1ST FLOOR-B 139-1	0.4 pCi/L
5195655	1ST FLOOR-B 141-C	< 0.3 pCi/L **
5187759	1ST FLOOR-D 173 FRONT	0.3 pCi/L
5187553	1ST FLOOR-D 173 CENTER	< 0.3 pCi/L **
5187465	1ST FLOOR-D 173 REAR	< 0.3 pCi/L **
5207421	1ST FLOOR-D 170	0.8 pCi/L
5187573	1ST FLOOR-D 170 DUP	0.6 pCi/L
5195777	1ST FLOOR-D 169	1.0 pCi/L
5195855	1ST FLOOR-D 146	1.0 pCi/L
5187428	1ST FLOOR-D 172	1.1 pCi/L
5231972	1ST FLOOR-C 130 BLANK	< 0.3 pCi/L **
5187417	1ST FLOOR-C 129	< 0.3 pCi/L **
5187258	1ST FLOOR-C 129 DUP	< 0.3 pCi/L **
5195784	1ST FLOOR-E 113	< 0.3 pCi/L **
5187641	1ST FLOOR-E 111	< 0.3 pCi/L **
5187547	1ST FLOOR-C 114	0.4 pCi/L
5187468	1ST FLOOR-C 125	< 0.3 pCi/L **
5187480	1ST FLOOR-C 105	< 0.3 pCi/L **
5187392	1ST FLOOR-C 104	< 0.3 pCi/L **
5187724	1ST FLOOR-SECURITY ROOM	< 0.3 pCi/L **
5195645	1ST FLOOR-CAFETERIA LEFT	< 0.3 pCi/L **
5187548	1ST FLOOR-CAFETERIA CENTER	< 0.3 pCi/L **
5187643	1ST FLOOR-CAFETERIA RIGHT	< 0.3 pCi/L **
5196004	1ST FLOOR-CAFETERIA SENIOR	0.6 pCi/L
5187395	1ST FLOOR-CAFETERIA DUP SENIOR	0.5 pCi/L
5195868	1ST FLOOR-D 157	0.6 pCi/L



# RADON ANALYSIS REPORT

1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

## HERE ARE YOUR TEST RESULTS

<u>VIAL #</u>	<u>LOCATION</u>	<u>RADON LEVEL</u>
5187501	1ST FLOOR-A 102	< 0.3 pCi/L **
5187406	1ST FLOOR-A 105	0.3 pCi/L
5187494	1ST FLOOR-A 108	< 0.3 pCi/L **
5195996	1ST FLOOR-E 119 MAIN OFFICE	< 0.3 pCi/L **
5187570	1ST FLOOR-D-103	1.0 pCi/L
5195830	1ST FLOOR-D-114	0.6 pCi/L
5231962	1ST FLOOR-HEALTH BLANK MAIN OFFICE	< 0.3 pCi/L **



TEST ID NUMBER: 1424898  
DATE RECEIVED: 05/20/2022  
REPORT DATE: 05/24/2022

ENVIRONMENTAL TRANSACTION  
35 Mill Rd  
WOODCLIFF LAKE, NJ 07677

**TEST LOCATION**  
LONG BEACH INDIANA AVE  
404 INDIANA AVE  
LONG BRANCH, NJ 07740

This is a confidential report of the radon samples that were submitted to our laboratory for measurements of radon-222 levels. The results represent the amount of radon that was present in the air during the time of sampling. The radon is measured in our laboratory using the liquid scintillation method (EPA 402-R-92-004). This report will not be released to anyone without your permission except as required by individual state laws and guidelines.

### HERE ARE YOUR TEST RESULTS

<u>VIAL #</u>	<u>ROOM TESTED</u>	<u>DATE OPENED</u>	<u>DATE CAPPED</u>	<u>DATE ANALYZED</u>	<u>RADON LEVEL</u>
5195809	1ST FLOOR G143 LEFT OFFICE	May 13, 2022 1:55 PM	May 16, 2022 1:15 PM	May 21, 2022 2:55 PM	3.9 pCi/L

### THE EPA RECOMMENDS THAT YOU FIX YOUR HOME IF THE RADON LEVEL IS 4 PICOCURIES (pCi/L) OR HIGHER

Please read the EPA Citizen's Guide to Radon at [www.epa.gov/radon/pubs/citguide.html](http://www.epa.gov/radon/pubs/citguide.html). Residents of New Jersey should read "Radon Testing and Mitigation: The Basics" at <http://nradon.org/download/mitbas.pdf>. Radon levels less than 4 pCi/L still pose a risk. You may want to take additional measurements because radon levels can vary with the seasons. You may also want to consider doing a long term test to determine the average radon concentrations over a longer period of time. If the radon level is 4.0 pCi/L or higher you should perform either a long-term test or a second short-term test. If the radon level is higher than 10 pCi/L you should perform a second short-term test immediately. If you would like to learn how to lower your radon levels, or have other questions, please contact your state radon office.

### NOTICE TO CLIENTS IN THE STATE OF NEW JERSEY


This notice is provided to you by an organization or individual certified by the New Jersey Department of Environmental Protection to perform radon and/or radon progeny measurements. N.J.S.A. 26:2D-73 requires that no certified person disclose to any individual, except the Department of Environmental Protection or the Department of Health the address or owner of a nonpublic building that the person has tested or treated for the presence of radon gas and radon progeny, unless the owner of the building waives, in writing, this right of confidentiality. In the case of a prospective sale of a building which has been tested for radon gas and/or radon progeny, the seller shall provide the buyer, at the time the contract of sale is entered into, with a copy of the results of that test and evidence of any subsequent mitigation or treatment, and any prospective buyer who contracts for the testing shall have the right to receive the results of that testing. Any questions, comments, or complaints regarding the persons performing these measurements, or related mitigation, or safeguarding services should be directed to the New Jersey Department of Environmental Protection, Attention: Radon Section, Bureau of Environmental Radiation, (1-800-648-0394).

### LIMITATIONS OF DATA AND PRODUCT LIABILITY

PRO-LAB expressly disclaims any and all liability for any special, incidental, or consequential damages resulting directly or indirectly from the improper use of or improper interpretation of the radon product or its results. Any delays in receipt of the test sample by PRO-LAB shall be the sole responsibility of the purchaser and their legal remedy shall be limited to recourse with their chosen carrier. Additionally, PRO-LAB shall not be responsible for the improper placement of the test canister nor shall PRO-LAB be liable for results derived directly or indirectly from the improper placement of said test canister. PRO-LAB, its agents, its retailers, its distributors, and the manufacturers' sole liability are limited to the cost for the replacement of the test canister itself only.



Jose Figueroa, RMS  
NRPP CERT # 109347 RT  
NRSB CERT # 18SS007  
LSC CERT # MES 13735



James E. McDonnell IV

PRO-LAB NRSB # ARL0028  
PRO-LAB NEHA ID # 101461AL  
PRO-LAB NJ CERT # FL011 / MEB92046

ENVIRONMENTAL TRANSACTION  
35 Mill Rd  
WOODCLIFF LAKE, NJ 07677

EXPOSED FOR:

04/19

04/2

REPORT DATE:

04/2

**TEST LOCATION**

JMF ECLC  
80 AVENEL BLVD  
LONG BRANCH, NJ 07740

This is a confidential report of the radon samples that were submitted to our laboratory for measurements of radon-222 levels. The results represent the amount of radon that was present in the air during the time of sampling. The radon is measured in our laboratory using the liquid scintillation method (EPA 402-R-92-004). This report will not be released to anyone without your permission except as required by individual state laws and guidelines.

**THE EPA RECOMMENDS THAT YOU FIX YOUR HOME IF THE RADON LEVEL IS 4 PICOCURIES (pCi/L) OR HIGHER**


Please read the EPA Citizen's Guide to Radon at [www.epa.gov/radon/pubs/citguide.html](http://www.epa.gov/radon/pubs/citguide.html). Residents of New Jersey should read "Radon Testing and Mitigation: The Basics" at <http://njradon.org/download/mitbas.pdf>. Radon levels less than 4 pCi/L still pose a risk. You may want to take additional measurements because radon levels can vary with the seasons. You may also want to consider doing a long term test to determine the average radon concentrations over a longer period of time. If the radon level is 4.0 pCi/L or higher you should perform either a long-term test or a second short-term test. If the radon level is higher than 10 pCi/L you should perform a second short-term test immediately. **If you would like to learn how to lower your radon levels, or have other questions, please contact your state radon office.**

**NOTICE TO CLIENTS IN THE STATE OF NEW JERSEY**

This notice is provided to you by an organization or individual certified by the New Jersey Department of Environmental Protection to perform radon and/or radon progeny measurements. N.J.S.A. 26:2D-73 requires that no certified person disclose to any individual, except the Department of Environmental Protection or the Department of Health the address or owner of a nonpublic building that the person has tested or treated for the presence of radon gas and radon progeny, unless the owner of the building waives, in writing, this right of confidentiality. In the case of a prospective sale of a building which has been tested for radon gas and/or radon progeny, the seller shall provide the buyer, at the time the contract of sale is entered into, with a copy of the results of that test and evidence of any subsequent mitigation or treatment, and any prospective buyer who contracts for the testing shall have the right to receive the results of that testing. Any questions, comments, or complaints regarding the persons performing these measurements, or related mitigation, or safeguarding services should be directed to the New Jersey Department of Environmental Protection, Attention: Radon Section, Bureau of Environmental Radiation. (1-800-648-0394).

**LIMITATIONS OF DATA AND PRODUCT LIABILITY**

PRO-LAB expressly disclaims any and all liability for any special, incidental, or consequential damages resulting directly or indirectly from the improper use of or improper interpretation of the radon product or its results. Any delays in receipt of the test sample by PRO-LAB shall be the sole responsibility of the purchaser and their legal remedy shall be limited to recourse with their chosen carrier. Additionally, PRO-LAB shall not be responsible for the improper placement of the test canister nor shall PRO-LAB be liable for results derived directly or indirectly from the improper placement of said test canister. PRO-LAB, its agents, its retailers, its distributors, and the manufacturers' sole liability are limited to the cost for the replacement of the test canister itself only.



Jose Figueroa, RMS  
NRPP CERT # 109347 RT  
NRSB CERT # 18SS007  
NJ CERT # MES 13735

PRO-LAB NRSB # ARL0028  
PRO-LAB NEHA ID # 101461AL  
PRO-LAB NJ CERT # FL011 / MEB92046



James E. McDonnell IV  
NJ CERT # MES 13735



# RADON ANALYSIS REPORT

1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

## HERE ARE YOUR TEST RESULTS

<u>VIAL #</u>	<u>LOCATION</u>	<u>RADON LEVEL</u>
5266982	1ST FLOOR-RM 302	< 0.3 pCi/L **
5266965	1ST FLOOR-GYM FRONT	< 0.3 pCi/L **
5256439	1ST FLOOR-GYM REAR	< 0.3 pCi/L **
5266954	1ST FLOOR-KITCHEN	< 0.3 pCi/L **
5262785	1ST FLOOR-RM 315	< 0.3 pCi/L **
5262781	1ST FLOOR-RM 310	< 0.3 pCi/L **
5266984	1ST FLOOR-RM 202	< 0.3 pCi/L **
5266937	1ST FLOOR-RM 204	< 0.3 pCi/L **
5266924	1ST FLOOR-RM 206	< 0.3 pCi/L **
5266936	1ST FLOOR-RM 206 DUP	< 0.3 pCi/L **
5266913	1ST FLOOR-RM 208	< 0.3 pCi/L **
5266994	1ST FLOOR-RM 210	< 0.3 pCi/L **
5266944	1ST FLOOR-RM 212	< 0.3 pCi/L **
5266818	1ST FLOOR-RM 211	< 0.3 pCi/L **
5266828	1ST FLOOR-RM 209	< 0.3 pCi/L **
5262791	1ST FLOOR-RM 207	< 0.3 pCi/L **
5266846	1ST FLOOR-RM 203	< 0.3 pCi/L **
5266843	1ST FLOOR-RM 201	< 0.3 pCi/L **
5264936	1ST FLOOR-RM 201 DUP	< 0.3 pCi/L **
5262766	1ST FLOOR-RM 308	< 0.3 pCi/L **
5054776	1ST FLOOR-RM 308 BLANK	< 0.3 pCi/L **
5266900	1ST FLOOR-ALL PURPOSE	< 0.3 pCi/L **
5266967	1ST FLOOR-RM 102	< 0.3 pCi/L **
5187375	1ST FLOOR-RM 104	< 0.3 pCi/L **
5256853	1ST FLOOR-RM 106	< 0.3 pCi/L **
5266981	1ST FLOOR-RM 108	< 0.3 pCi/L **
5187582	1ST FLOOR-RM 110	< 0.3 pCi/L **
5266931	1ST FLOOR-RM 112	< 0.3 pCi/L **
5262790	1ST FLOOR-RM 114	< 0.3 pCi/L **
5187257	1ST FLOOR-RM 114 DUP	0.3 pCi/L
5256912	1ST FLOOR-RM 116	< 0.3 pCi/L **
5256560	1ST FLOOR-RM 118	< 0.3 pCi/L **



# RADON ANALYSIS REPORT

1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

## HERE ARE YOUR TEST RESULTS

<u>VIAL #</u>	<u>LOCATION</u>	<u>RADON LEVEL</u>
5195669	1ST FLOOR-RM 117	0.5 pCi/L
5187562	1ST FLOOR-RM 115	< 0.3 pCi/L **
5266831	1ST FLOOR-RM 113	< 0.3 pCi/L **
5196038	1ST FLOOR-RM 111	< 0.3 pCi/L **
5256443	1ST FLOOR-RM 109	< 0.3 pCi/L **
5187350	1ST FLOOR-RM 107	< 0.3 pCi/L **
5187487	1ST FLOOR-RM 105	< 0.3 pCi/L **
5256484	1ST FLOOR-RM 105 DUP	< 0.3 pCi/L **
5256457	1ST FLOOR-MAIN OFFICE	< 0.3 pCi/L **
5266874	1ST FLOOR-RM 103	< 0.3 pCi/L **
5058253	1ST FLOOR-RM 103 BLANK	< 0.3 pCi/L **
5266951	1ST FLOOR-RM 101	< 0.3 pCi/L **
5187404	1ST FLOOR-RM 305	< 0.3 pCi/L **
5187412	1ST FLOOR-RM 304A	< 0.3 pCi/L **
5187332	1ST FLOOR-RM 304B	< 0.3 pCi/L **

EXPOSED FOR: 04/19/2022-04/21/2022  
REPORT DATE: 05/02/2022ENVIRONMENTAL TRANSACTION  
35 Mill Rd  
WOODCLIFF LAKE, NJ 07677**TEST LOCATION**  
LW CONROW  
335 LONG BRANCH AVE  
LONG BRANCH, NJ 07740

This is a confidential report of the radon samples that were submitted to our laboratory for measurements of radon-222 levels. The results represent the amount of radon that was present in the air during the time of sampling. The radon is measured in our laboratory using the liquid scintillation method (EPA 402-R-92-004). This report will not be released to anyone without your permission except as required by individual state laws and guidelines.

**THE EPA RECOMMENDS THAT YOU FIX YOUR HOME IF THE RADON LEVEL IS 4 PICOCURIES (pCi/L) OR HIGHER**



Please read the EPA Citizen's Guide to Radon at [www.epa.gov/radon/pubs/citguide.html](http://www.epa.gov/radon/pubs/citguide.html). Residents of New Jersey should read "Radon Testing and Mitigation: The Basics" at <http://njradon.org/download/mitbas.pdf>. Radon levels less than 4 pCi/L still pose a risk. You may want to take additional measurements because radon levels can vary with the seasons. You may also want to consider doing a long term test to determine the average radon concentrations over a longer period of time. If the radon level is 4.0 pCi/L or higher you should perform either a long-term test or a second short-term test. If the radon level is higher than 10 pCi/L you should perform a second short-term test immediately. **If you would like to learn how to lower your radon levels, or have other questions, please contact your state radon office.**

**NOTICE TO CLIENTS IN THE STATE OF NEW JERSEY**

This notice is provided to you by an organization or individual certified by the New Jersey Department of Environmental Protection to perform radon and/or radon progeny measurements. N.J.S.A. 26:2D-73 requires that no certified person disclose to any individual, except the Department of Environmental Protection or the Department of Health the address or owner of a nonpublic building that the person has tested or treated for the presence of radon gas and radon progeny, unless the owner of the building waives, in writing, this right of confidentiality. In the case of a prospective sale of a building which has been tested for radon gas and/or radon progeny, the seller shall provide the buyer, at the time the contract of sale is entered into, with a copy of the results of that test and evidence of any subsequent mitigation or treatment, and any prospective buyer who contracts for the testing shall have the right to receive the results of that testing. Any questions, comments, or complaints regarding the persons performing these measurements, or related mitigation, or safeguarding services should be directed to the New Jersey Department of Environmental Protection. Attention: Radon Section, Bureau of Environmental Radiation. (1-800-648-0394).

**LIMITATIONS OF DATA AND PRODUCT LIABILITY**

PRO-LAB expressly disclaims any and all liability for any special, incidental, or consequential damages resulting directly or indirectly from the improper use of or improper interpretation of the radon product or its results. Any delays in receipt of the test sample by PRO-LAB shall be the sole responsibility of the purchaser and their legal remedy shall be limited to recourse with their chosen carrier. Additionally, PRO-LAB shall not be responsible for the improper placement of the test canister nor shall PRO-LAB be liable for results derived directly or indirectly from the improper placement of said test canister. PRO-LAB, its agents, its retailers, its distributors, and the manufacturers' sole liability are limited to the cost for the replacement of the test canister itself only.

Jose Figueroa, RMS  
NRPP CERT # 109347 RT  
NRSB CERT # 18SS007  
NJ CERT # MES 13735PRO-LAB NRSB # ARL0028  
PRO-LAB NEHA ID # 101461AL  
PRO-LAB NJ CERT # FL011 / MBB92046James E. McDonnell IV  
NJ CERT # MES 13735



# RADON ANALYSIS REPORT

1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

## HERE ARE YOUR TEST RESULTS

<u>VIAL #</u>	<u>LOCATION</u>	<u>RADON LEVEL</u>
5266916	1ST FLOOR-CUSTODIANS OFFICE	< 0.3 pCi/L **
5266968	1ST FLOOR-RM 9A	< 0.3 pCi/L **
5266834	1ST FLOOR-RM 9B	< 0.3 pCi/L **
5256426	1ST FLOOR-RM 9	< 0.3 pCi/L **
5256766	1ST FLOOR-RM 12	< 0.3 pCi/L **
5262772	1ST FLOOR-RM 10	< 0.3 pCi/L **
5257069	1ST FLOOR-RM 11	< 0.3 pCi/L **
5266960	1ST FLOOR-RM 27B	< 0.3 pCi/L **
5256438	1ST FLOOR-RM 27A	< 0.3 pCi/L **
5266949	1ST FLOOR-RM 27A DUP	< 0.3 pCi/L **
5266877	1ST FLOOR-RM 13	< 0.3 pCi/L **
5266961	1ST FLOOR-RM 15	< 0.3 pCi/L **
5256787	1ST FLOOR-RM 16	< 0.3 pCi/L **
5256416	1ST FLOOR-RM 14	0.3 pCi/L
5256495	1ST FLOOR-RM 17	< 0.3 pCi/L **
5266983	1ST FLOOR-RM 18	< 0.3 pCi/L **
5266923	1ST FLOOR-STAGE DUP	< 0.3 pCi/L **
5266980	1ST FLOOR-STAGE	< 0.3 pCi/L **
5266840	1ST FLOOR-ALL PURPOSE	< 0.3 pCi/L **
5266836	1ST FLOOR-KITCHEN	< 0.3 pCi/L **
5179953	1ST FLOOR-KITCHEN BLANK	< 0.3 pCi/L **
5256656	1ST FLOOR-RM 19	< 0.3 pCi/L **
5256412	1ST FLOOR-RM 20	< 0.3 pCi/L **
5266817	1ST FLOOR-RM 21	< 0.3 pCi/L **
5266902	1ST FLOOR-RM 22	< 0.3 pCi/L **
5256526	1ST FLOOR-RM 23	< 0.3 pCi/L **
5266835	1ST FLOOR-RM 24	< 0.3 pCi/L **
5266894	1ST FLOOR-RM 25	< 0.3 pCi/L **
5256656	1ST FLOOR-RM 19	< 0.3 pCi/L **
5266929	1ST FLOOR-RM 26 DUP	< 0.3 pCi/L **
5266903	1ST FLOOR-RM 3A	< 0.3 pCi/L **
5256525	1ST FLOOR-RM 4	< 0.3 pCi/L **



# RADON ANALYSIS REPORT

1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

## HERE ARE YOUR TEST RESULTS

<u>VIAL #</u>	<u>LOCATION</u>	<u>RADON LEVEL</u>
5266875	1ST FLOOR-RM 3	< 0.3 pCi/L **
5266820	1ST FLOOR-RM 2	< 0.3 pCi/L **
5266854	1ST FLOOR-RM 1	< 0.3 pCi/L **
5187303	1ST FLOOR-MAIN OFFICE	< 0.3 pCi/L **
5266962	1ST FLOOR-COPY ROOM	< 0.3 pCi/L **
5266830	1ST FLOOR-PRINCIPAL OFFICE	< 0.3 pCi/L **
5266904	1ST FLOOR-NURSE OFFICE	< 0.3 pCi/L **
5266926	1ST FLOOR-ISOLATION ROOM	< 0.3 pCi/L **
5266883	1ST FLOOR-RM 6	< 0.3 pCi/L **
5256467	1ST FLOOR-RM 6 DUP	< 0.3 pCi/L **
5266958	1ST FLOOR-RM 5	< 0.3 pCi/L **
5194604	1ST FLOOR-RM 5 BLANK	< 0.3 pCi/L **
5266853	1ST FLOOR-RM 7	< 0.3 pCi/L **
5266859	1ST FLOOR-RM 8	< 0.3 pCi/L **
5266979	1ST FLOOR-RM 8A	< 0.3 pCi/L **
5195647	1ST FLOOR-RM 26	< 0.3 pCi/L **



# RADON ANALYSIS REPORT

1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

EXPOSED FOR: 04/20/2022-04/22/2022  
REPORT DATE: 04/28/2022

ENVIRONMENTAL TRANSACTION  
35 Mill Rd  
WOODCLIFF LAKE, NJ 07677

**TEST LOCATION**  
MORRIS AVE SCHOOL  
318 MORRIS AVE  
LONG BRANCH, NJ 07740

This is a confidential report of the radon samples that were submitted to our laboratory for measurements of radon-222 levels. The results represent the amount of radon that was present in the air during the time of sampling. The radon is measured in our laboratory using the liquid scintillation method (EPA 402-R-92-004). This report will not be released to anyone without your permission except as required by individual state laws and guidelines.

### THE EPA RECOMMENDS THAT YOU FIX YOUR HOME IF THE RADON LEVEL IS 4 PICOCURIES (pCi/L) OR HIGHER

Please read the EPA Citizen's Guide to Radon at [www.epa.gov/radon/pubs/citguide.html](http://www.epa.gov/radon/pubs/citguide.html). Residents of New Jersey should read "Radon Testing and Mitigation: The Basics" at <http://njradon.org/download/mitbas.pdf>. Radon levels less than 4 pCi/L still pose a risk. You may want to take additional measurements because radon levels can vary with the seasons. You may also want to consider doing a long term test to determine the average radon concentrations over a longer period of time. If the radon level is 4.0 pCi/L or higher you should perform either a long-term test or a second short-term test. If the radon level is higher than 10 pCi/L you should perform a second short-term test immediately. If you would like to learn how to lower your radon levels, or have other questions, please contact your state radon office.

### NOTICE TO CLIENTS IN THE STATE OF NEW JERSEY

This notice is provided to you by an organization or individual certified by the New Jersey Department of Environmental Protection to perform radon and/or radon progeny measurements. N.J.S.A. 26:2D-73 requires that no certified person disclose to any individual, except the Department of Environmental Protection or the Department of Health the address or owner of a nonpublic building that the person has tested or treated for the presence of radon gas and radon progeny, unless the owner of the building waives, in writing, this right of confidentiality. In the case of a prospective sale of a building which has been tested for radon gas and/or radon progeny, the seller shall provide the buyer, at the time the contract of sale is entered into, with a copy of the results of that test and evidence of any subsequent mitigation or treatment, and any prospective buyer who contracts for the testing shall have the right to receive the results of that testing. Any questions, comments, or complaints regarding the persons performing these measurements, or related mitigation, or safeguarding services should be directed to the New Jersey Department of Environmental Protection. Attention: Radon Section, Bureau of Environmental Radiation. (1-800-648-0394).

### LIMITATIONS OF DATA AND PRODUCT LIABILITY

PRO-LAB expressly disclaims any and all liability for any special, incidental, or consequential damages resulting directly or indirectly from the improper use of or improper interpretation of the radon product or its results. Any delays in receipt of the test sample by PRO-LAB shall be the sole responsibility of the purchaser and their legal remedy shall be limited to recourse with their chosen carrier. Additionally, PRO-LAB shall not be responsible for the improper placement of the test canister nor shall PRO-LAB be liable for results derived directly or indirectly from the improper placement of said test canister. PRO-LAB, its agents, its retailers, its distributors, and the manufacturers' sole liability are limited to the cost for the replacement of the test canister itself only.

Jose Figueroa, RMS  
NRPP CERT # 109347 RT  
NRSB CERT # 18SS007  
NJ CERT # MES 13735

PRO-LAB NRSB # ARL0028  
PRO-LAB NEHA ID # 101461AL  
PRO-LAB NJ CERT # FL011 / MEB92046

James E. McDonnell IV  
NJ CERT # MES 13735





# RADON ANALYSIS REPORT

1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

## HERE ARE YOUR TEST RESULTS

<u>VIAL #</u>	<u>LOCATION</u>	<u>RADON LEVEL</u>
5195796	1ST FLOOR-ROOM 33	< 0.3 pCi/L **
5187500	1ST FLOOR-ROOM 33 DUP	< 0.3 pCi/L **
5187315	1ST FLOOR-ROOM 34	0.5 pCi/L
5195747	1ST FLOOR-ROOM 25	0.6 pCi/L
5195759	1ST FLOOR-ROOM 26	0.5 pCi/L
5187281	1ST FLOOR-ROOM 28	0.6 pCi/L
5187538	1ST FLOOR-ROOM 27	0.3 pCi/L
5187678	1ST FLOOR-ROOM 42	0.6 pCi/L
5187632	1ST FLOOR-ROOM 43	0.5 pCi/L
5195690	1ST FLOOR-ROOM 45	< 0.3 pCi/L **
5187297	1ST FLOOR-ROOM 44	0.3 pCi/L

EXPOSED FOR: 04/20/2022-04/22/2022  
REPORT DATE: 05/02/2022ENVIRONMENTAL TRANSACTION  
35 Mill Rd  
WOODCLIFF LAKE, NJ 07677**TEST LOCATION**  
LONG BRANCH MIDDLE SCHOOL  
350 INDIANA AVE  
LONG BEACH, NJ 07740

This is a confidential report of the radon samples that were submitted to our laboratory for measurements of radon-222 levels. The results represent the amount of radon that was present in the air during the time of sampling. The radon is measured in our laboratory using the liquid scintillation method (EPA 402-R-92-004). This report will not be released to anyone without your permission except as required by individual state laws and guidelines.

**THE EPA RECOMMENDS THAT YOU FIX YOUR HOME IF THE RADON LEVEL IS 4 PICOCURIES (pCi/L) OR HIGHER**



Please read the EPA Citizen's Guide to Radon at [www.epa.gov/radon/pubs/citguide.html](http://www.epa.gov/radon/pubs/citguide.html). Residents of New Jersey should read "Radon Testing and Mitigation: The Basics" at <http://njradon.org/download/mitbas.pdf>. Radon levels less than 4 pCi/L still pose a risk. You may want to take additional measurements because radon levels can vary with the seasons. You may also want to consider doing a long term test to determine the average radon concentrations over a longer period of time. If the radon level is 4.0 pCi/L or higher you should perform either a long-term test or a second short-term test. If the radon level is higher than 10 pCi/L you should perform a second short-term test immediately. **If you would like to learn how to lower your radon levels, or have other questions, please contact your state radon office.**

**NOTICE TO CLIENTS IN THE STATE OF NEW JERSEY**

This notice is provided to you by an organization or individual certified by the New Jersey Department of Environmental Protection to perform radon and/or radon progeny measurements. N.J.S.A. 26:2D-73 requires that no certified person disclose to any individual, except the Department of Environmental Protection or the Department of Health the address or owner of a nonpublic building that the person has tested or treated for the presence of radon gas and radon progeny, unless the owner of the building waives, in writing, this right of confidentiality. In the case of a prospective sale of a building which has been tested for radon gas and/or radon progeny, the seller shall provide the buyer, at the time the contract of sale is entered into, with a copy of the results of that test and evidence of any subsequent mitigation or treatment, and any prospective buyer who contracts for the testing shall have the right to receive the results of that testing. Any questions, comments, or complaints regarding the persons performing these measurements, or related mitigation, or safeguarding services should be directed to the New Jersey Department of Environmental Protection. Attention: Radon Section, Bureau of Environmental Radiation. (1-800-648-0394).

**LIMITATIONS OF DATA AND PRODUCT LIABILITY**

PRO-LAB expressly disclaims any and all liability for any special, incidental, or consequential damages resulting directly or indirectly from the improper use of or improper interpretation of the radon product or its results. Any delays in receipt of the test sample by PRO-LAB shall be the sole responsibility of the purchaser and their legal remedy shall be limited to recourse with their chosen carrier. Additionally, PRO-LAB shall not be responsible for the improper placement of the test canister nor shall PRO-LAB be liable for results derived directly or indirectly from the improper placement of said test canister. PRO-LAB, its agents, its retailers, its distributors, and the manufacturers' sole liability are limited to the cost for the replacement of the test canister itself only.

Jose Figueroa, RMS  
NRPP CERT # 109347 RT  
NRSB CERT # 18SS007  
NJ CERT # MES 13735PRO-LAB NRSB # ARL0028  
PRO-LAB NEHA ID # 101461AL  
PRO-LAB NJ CERT # FL011 / MEB92046James E. McDonnell IV  
NJ CERT # MES 13735

## HERE ARE YOUR TEST RESULTS

<u>VIAL #</u>	<u>LOCATION</u>	<u>RADON LEVEL</u>
5195694	1ST FLOOR-MAIN OFFICE	< 0.3 pCi/L **
5187364	1ST FLOOR-RM 1033	0.4 pCi/L
5179816	1ST FLOOR-RM 1012	< 0.3 pCi/L **
5226600	1ST FLOOR-RM 1027	< 0.3 pCi/L **
5187554	1ST FLOOR-RM 1008	< 0.3 pCi/L **
5187598	1ST FLOOR-RM 1009	< 0.3 pCi/L **
5187233	1ST FLOOR-RM 1007	< 0.3 pCi/L **
5195646	1ST FLOOR-RM 1011	< 0.3 pCi/L **
5187622	1ST FLOOR-RM 1030	< 0.3 pCi/L **
5195624	1ST FLOOR-RM 1018	< 0.3 pCi/L **
5254259	1ST FLOOR-RM 1028	< 0.3 pCi/L **
5187430	1ST FLOOR-RM 1010	< 0.3 pCi/L **
5185773	1ST FLOOR-RM 1010 DUP	< 0.3 pCi/L **
5179846	1ST FLOOR-RM 1002	< 0.3 pCi/L **
5187715	1ST FLOOR-NURSE'S OFFICE	0.4 pCi/L
5187565	1ST FLOOR-RM 1021	0.7 pCi/L
5187301	1ST FLOOR-RM 1015	< 0.3 pCi/L **
5187496	1ST FLOOR-RM 1042	< 0.3 pCi/L **
5187330	1ST FLOOR-RM 1043	0.4 pCi/L
5187389	1ST FLOOR-RM 1041	< 0.3 pCi/L **
5187648	1ST FLOOR-RM 1044	< 0.3 pCi/L **
5185832	1ST FLOOR-RM 1045	< 0.3 pCi/L **
5231986	1ST FLOOR-RM 1045 BLANK	< 0.3 pCi/L **
5187786	1ST FLOOR-RM 1056	< 0.3 pCi/L **
5187246	1ST FLOOR-RM 1056 DUP	< 0.3 pCi/L **
5187456	1ST FLOOR-RM 1055	< 0.3 pCi/L **
5187422	1ST FLOOR-RM 1050	< 0.3 pCi/L **
5195717	1ST FLOOR-RM 1047	< 0.3 pCi/L **
5195616	1ST FLOOR-RM 1051	< 0.3 pCi/L **
5187405	1ST FLOOR-RM 1053	< 0.3 pCi/L **
5187479	1ST FLOOR-RM 1054	< 0.3 pCi/L **
5187307	1ST FLOOR-GYM 1208 FRONT	0.5 pCi/L

## HERE ARE YOUR TEST RESULTS

<u>VIAL #</u>	<u>LOCATION</u>	<u>RADON LEVEL</u>
5195603	1ST FLOOR-GYM 1208 REAR	0.3 pCi/L
5187255	1ST FLOOR-RM 1207	< 0.3 pCi/L **
5195633	1ST FLOOR-RM 1207 DUP	< 0.3 pCi/L **
5187590	1ST FLOOR-RM 1203	< 0.3 pCi/L **
5195712	1ST FLOOR-MAIN GYM RIGHT	0.3 pCi/L
5187697	1ST FLOOR-MAIN GYM CENTER	< 0.3 pCi/L **
5195635	1ST FLOOR-MAIN GYM LEFT	< 0.3 pCi/L **
5187363	1ST FLOOR-RM 1201	< 0.3 pCi/L **
5195705	1ST FLOOR-RM 1193	0.6 pCi/L
5195778	1ST FLOOR-RM 1195	0.4 pCi/L
5195795	1ST FLOOR-RM 1197	0.6 pCi/L
5195783	1ST FLOOR-RM 1187	< 0.3 pCi/L **
5195696	1ST FLOOR-RM 1183	< 0.3 pCi/L **
5187459	1ST FLOOR-RM 1183 DUP	< 0.3 pCi/L **
5187351	1ST FLOOR-RM 1176	< 0.3 pCi/L **
5231979	1ST FLOOR-RM 1176 BLANK	< 0.3 pCi/L **
5195880	1ST FLOOR-RM 1188	< 0.3 pCi/L **
5195806	1ST FLOOR-RM 1186	< 0.3 pCi/L **
5187535	1ST FLOOR-RM 1171	< 0.3 pCi/L **
5195753	1ST FLOOR-RM 1155	< 0.3 pCi/L **
5195758	1ST FLOOR-RM 1169	< 0.3 pCi/L **
5187540	1ST FLOOR-RM 1167	< 0.3 pCi/L **
5195780	1ST FLOOR-RM 1153 FRONT	< 0.3 pCi/L **
5187311	1ST FLOOR-RM 1153 REAR	< 0.3 pCi/L **
5187337	1ST FLOOR-RM 1145	< 0.3 pCi/L **
5187614	1ST FLOOR-RM 1145 DUP	< 0.3 pCi/L **
5195862	1ST FLOOR-RM 1141	< 0.3 pCi/L **
5187320	1ST FLOOR-RM 1140	< 0.3 pCi/L **
5195710	1ST FLOOR-RM 1132	< 0.3 pCi/L **
5187419	1ST FLOOR-RM 1128 FRONT	< 0.3 pCi/L **
5187498	1ST FLOOR-RUM 1128 REAR	< 0.3 pCi/L **
5187744	1ST FLOOR-RM 1163	< 0.3 pCi/L **



# RADON ANALYSIS REPORT

1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

## HERE ARE YOUR TEST RESULTS

<u>VIAL #</u>	<u>LOCATION</u>	<u>RADON LEVEL</u>
5195772	1ST FLOOR-RM 1160	< 0.3 pCi/L **
5187208	1ST FLOOR-RM 1158	< 0.3 pCi/L **
5195740	1ST FLOOR-RM 1157	< 0.3 pCi/L **
5187608	1ST FLOOR-RM 1101 REAR LEFT	< 0.3 pCi/L **
5187427	1ST FLOOR-RM 1101 REAR LEFT DUP	< 0.3 pCi/L **
5187353	1ST FLOOR-RM 1101 REAR RIGHT	< 0.3 pCi/L **
5185783	1ST FLOOR-RM 1101 FRONT RIGHT	< 0.3 pCi/L **
5232002	1ST FLOOR-RM 1101 FRONT RIGHT BLANK	< 0.3 pCi/L **
5187560	1ST FLOOR-RM 1101 STAGE RIGHT	< 0.3 pCi/L **
5195601	1ST FLOOR-RM 1101 STAGE LEFT	< 0.3 pCi/L **
5195800	1ST FLOOR-RM 1101 FRONT LEFT	< 0.3 pCi/L **
5195676	1ST FLOOR-RM 1122	< 0.3 pCi/L **
5187619	1ST FLOOR-RM 1125	< 0.3 pCi/L **
5187382	1ST FLOOR-RM 1124	< 0.3 pCi/L **
5195929	1ST FLOOR-RM 1125A	< 0.3 pCi/L **
5187467	1ST FLOOR-RM1117	< 0.3 pCi/L **
5187506	1ST FLOOR-RM 1117 DUP	< 0.3 pCi/L **
5185782	1ST FLOOR-RM 1114	< 0.3 pCi/L **
5187269	1ST FLOOR-RM 1113	< 0.3 pCi/L **
5187209	1ST FLOOR-RM 1107	< 0.3 pCi/L **
5187765	1ST FLOOR-RM 1105	< 0.3 pCi/L **
5195735	1ST FLOOR-RM 1109	0.5 pCi/L
5195766	1ST FLOOR-RM 1084	0.4 pCi/L
5187651	1ST FLOOR-RM 1086	0.3 pCi/L
5185779	1ST FLOOR-RM 1083	0.3 pCi/L
5187733	1ST FLOOR-RM 1082	< 0.3 pCi/L **
5187539	1ST FLOOR-RM 1087	< 0.3 pCi/L **
5187460	1ST FLOOR-RM 1087 DUP	< 0.3 pCi/L **
5187321	1ST FLOOR-RM 1090	< 0.3 pCi/L **
5231999	1ST FLOOR-RM 1090 BLANK	< 0.3 pCi/L **
5187325	1ST FLOOR-RM 1081	< 0.3 pCi/L **
5187251	1ST FLOOR-RM 1091	< 0.3 pCi/L **



# RADON ANALYSIS REPORT

1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

## HERE ARE YOUR TEST RESULTS

<u>VIAL #</u>	<u>LOCATION</u>	<u>RADON LEVEL</u>
5195679	1ST FLOOR-RM 1092	< 0.3 pCi/L **
5187415	1ST FLOOR-RM 1079	< 0.3 pCi/L **
5185836	1ST FLOOR-RM 1080	< 0.3 pCi/L **
5195754	1ST FLOOR-RM 1093	< 0.3 pCi/L **
5187521	1ST FLOOR-RM 1094	< 0.3 pCi/L **
5187446	1ST FLOOR-RM 1074	< 0.3 pCi/L **
5187471	1ST FLOOR-RM 1073	< 0.3 pCi/L **
5264807	1ST FLOOR-RM 1073 DUP	< 0.3 pCi/L **
5187698	1ST FLOOR-RM 1076	< 0.3 pCi/L **
5187221	1ST FLOOR-RM 1095	< 0.3 pCi/L **
5187370	1ST FLOOR-RM 1072	< 0.3 pCi/L **
5195803	1ST FLOOR-RM 1064	< 0.3 pCi/L **
5187751	1ST FLOOR-RM 1065	0.3 pCi/L
5195699	1ST FLOOR-RM 1066	< 0.3 pCi/L **
5207677	1ST FLOOR-RM 1067	< 0.3 pCi/L **
5195689	1ST FLOOR-OFFICE 1062	< 0.3 pCi/L **