

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077
Telephone: 856-858-4800 Fax:cs@emsl.com
EMSL-CIN-01

EMSL Order ID: 012517272
LIMS Reference ID: AD17272
EMSL Customer ID: TTIE54

Attention: Tim Popp
TTI Environmental Inc. [TTIE54]
1253 North Church Street
Moorestown, NJ 08057
(856) 840-8800
timp@ttienv.com

Project Name: 25-248/Long Branch BOE - GL Cantrabone

Customer PO: 041155
EMSL Sales Rep: Sheryl Steinmetz
Received: 04/15/2025 16:10
Reported: 04/29/2025 16:42

Analytical Results

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
Sample: GLC-PF-POE-1/Kitchen Lims Reference ID: AD17272-01 Matrix: Drinking Water Sampled: 04/15/25 07:00:00									
Metals									
Lead	ND		1	1.00	µg/L	04/21/25 15:52	04/22/25 20:15	PL	EPA 200.8 (DA)/EPA 200.8
Sample: GLC-PF-KIT-1A/Kitchen Lims Reference ID: AD17272-02 Matrix: Drinking Water Sampled: 04/15/25 07:01:00									
Metals									
Lead	ND		1	1.00	µg/L	04/21/25 15:52	04/22/25 20:21	PL	EPA 200.8 (DA)/EPA 200.8
Sample: GLC-PF-KIT-2/Kitchen Lims Reference ID: AD17272-03 Matrix: Drinking Water Sampled: 04/15/25 07:02:00									
Metals									
Lead	ND		1	1.00	µg/L	04/21/25 15:52	04/22/25 20:23	PL	EPA 200.8 (DA)/EPA 200.8
Sample: GLC-WC-HLAPR1-3/APR Hall Lims Reference ID: AD17272-04 Matrix: Drinking Water Sampled: 04/15/25 07:03:00									
Metals									
Lead	ND		1	1.00	µg/L	04/21/25 15:52	04/22/25 20:25	PL	EPA 200.8 (DA)/EPA 200.8
Sample: GLC-WC-HLAPR1-3A/APR Hall Lims Reference ID: AD17272-05 Matrix: Drinking Water Sampled: 04/15/25 07:04:00									
Metals									
Lead	ND		1	1.00	µg/L	04/21/25 15:52	04/22/25 20:27	PL	EPA 200.8 (DA)/EPA 200.8
Sample: GLC-WC-HLAPR1-3B/APR Hall Lims Reference ID: AD17272-06 Matrix: Drinking Water Sampled: 04/15/25 07:05:00									
Metals									
Lead	ND		1	1.00	µg/L	04/21/25 15:52	04/22/25 20:33	PL	EPA 200.8 (DA)/EPA 200.8
Sample: GLC-WC-HLAPR2-4/APR Hall Lims Reference ID: AD17272-07 Matrix: Drinking Water Sampled: 04/15/25 07:06:00									
Metals									
Lead	ND		1	1.00	µg/L	04/21/25 15:52	04/22/25 20:35	PL	EPA 200.8 (DA)/EPA 200.8
Sample: GLC-WC-HLAPR2-4A/APR Hall Lims Reference ID: AD17272-08 Matrix: Drinking Water Sampled: 04/15/25 07:07:00									
Metals									
Lead	ND		1	1.00	µg/L	04/21/25 15:52	04/22/25 20:38	PL	EPA 200.8 (DA)/EPA 200.8
Sample: GLC-DW-157-5/Room 157 Lims Reference ID: AD17272-09 Matrix: Drinking Water Sampled: 04/15/25 07:09:00									
Metals									
Lead	ND		1	1.00	µg/L	04/21/25 15:52	04/22/25 20:40	PL	EPA 200.8 (DA)/EPA 200.8

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077
Telephone: 856-858-4800 Fax:cs@emsl.com
EMSL-CIN-01

EMSL Order ID: 012517272
LIMS Reference ID: AD17272
EMSL Customer ID: TTIE54

Attention: Tim Popp
TTI Environmental Inc. [TTIE54]
1253 North Church Street
Moorestown, NJ 08057
(856) 840-8800
timp@ttienv.com

Project Name: 25-248/Long Branch BOE - GL Cantrabone

Customer PO: 041155
EMSL Sales Rep: Sheryl Steinmetz
Received: 04/15/2025 16:10
Reported: 04/29/2025 16:42

Analytical Results
(Continued)

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
Sample: GLC-DW-158-6/Room 158 Lims Reference ID: AD17272-10 Matrix: Drinking Water Sampled: 04/15/25 07:10:00									
Metals									
Lead	ND		1	1.00	µg/L	04/21/25 15:52	04/22/25 20:42	PL	EPA 200.8 (DA)/EPA 200.8
Sample: GLC-WC-HLGYM1-7/Gym Hall Lims Reference ID: AD17272-11 Matrix: Drinking Water Sampled: 04/15/25 07:11:00									
Metals									
Lead	ND		1	1.00	µg/L	04/21/25 15:52	04/22/25 20:44	PL	EPA 200.8 (DA)/EPA 200.8
Sample: GLC-WC-HLGYM1-7A/Gym Hall Lims Reference ID: AD17272-12 Matrix: Drinking Water Sampled: 04/15/25 07:12:00									
Metals									
Lead	ND		1	1.00	µg/L	04/21/25 15:52	04/22/25 20:50	PL	EPA 200.8 (DA)/EPA 200.8
Sample: GLC-WC-HLGYM1-7B/Gym Hall Lims Reference ID: AD17272-13 Matrix: Drinking Water Sampled: 04/15/25 07:13:00									
Metals									
Lead	ND		1	1.00	µg/L	04/21/25 15:52	04/22/25 20:52	PL	EPA 200.8 (DA)/EPA 200.8
Sample: GLC-WC-HLGYM2-8/Gym Hall Lims Reference ID: AD17272-14 Matrix: Drinking Water Sampled: 04/15/25 07:15:00									
Metals									
Lead	ND		1	1.00	µg/L	04/21/25 15:52	04/22/25 20:58	PL	EPA 200.8 (DA)/EPA 200.8
Sample: GLC-WC-HLGYM2-8A/Gym Hall Lims Reference ID: AD17272-15 Matrix: Drinking Water Sampled: 04/15/25 07:16:00									
Metals									
Lead	ND		1	1.00	µg/L	04/21/25 15:52	04/22/25 21:01	PL	EPA 200.8 (DA)/EPA 200.8
Sample: GLC-NS-NRSXAM-9/Nurse Exam Room Lims Reference ID: AD17272-16 Matrix: Drinking Water Sampled: 04/15/25 07:17:00									
Metals									
Lead	2.06		1	1.00	µg/L	04/21/25 15:52	04/22/25 21:03	PL	EPA 200.8 (DA)/EPA 200.8
Sample: GLC-NS-NRSOFF-10/Nurse Office Lims Reference ID: AD17272-17 Matrix: Drinking Water Sampled: 04/15/25 07:18:00									
Metals									
Lead	ND		1	1.00	µg/L	04/21/25 15:52	04/22/25 21:05	PL	EPA 200.8 (DA)/EPA 200.8
Sample: GLC-TL-MNOFF-11/Main Office Lims Reference ID: AD17272-18 Matrix: Drinking Water Sampled: 04/15/25 07:20:00									
Metals									
Lead	ND		1	1.00	µg/L	04/21/25 15:52	04/22/25 21:07	PL	EPA 200.8 (DA)/EPA 200.8

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077
Telephone: 856-858-4800 Fax:cs@emsl.com
EMSL-CIN-01

EMSL Order ID: 012517272
LIMS Reference ID: AD17272
EMSL Customer ID: TTIE54

Attention: Tim Popp
TTI Environmental Inc. [TTIE54]
1253 North Church Street
Moorestown, NJ 08057
(856) 840-8800
timp@ttienv.com

Project Name: 25-248/Long Branch BOE - GL Cantrabone

Customer PO: 041155
EMSL Sales Rep: Sheryl Steinmetz
Received: 04/15/2025 16:10
Reported: 04/29/2025 16:42

Analytical Results
(Continued)

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
Sample: GLC-DW-101-12/Room 101 Lims Reference ID: AD17272-19 Matrix: Drinking Water Sampled: 04/15/25 07:21:00									
Metals									
Lead	ND		1	1.00	µg/L	04/21/25 15:52	04/22/25 21:09	PL	EPA 200.8 (DA)/EPA 200.8
Sample: GLC-DW-104-13/Room 104 Lims Reference ID: AD17272-20 Matrix: Drinking Water Sampled: 04/15/25 07:24:00									
Metals									
Lead	ND		1	1.00	µg/L	04/21/25 15:52	04/22/25 21:11	PL	EPA 200.8 (DA)/EPA 200.8
Sample: GLC-DW-103-14/Room 103 Lims Reference ID: AD17272-21 Matrix: Drinking Water Sampled: 04/15/25 07:25:00									
Metals									
Lead	1.18		1	1.00	µg/L	04/21/25 15:53	04/22/25 21:30	PL	EPA 200.8 (DA)/EPA 200.8
Sample: GLC-DW-105-15/Room 105 Lims Reference ID: AD17272-22 Matrix: Drinking Water Sampled: 04/15/25 07:26:00									
Metals									
Lead	ND		1	1.00	µg/L	04/21/25 15:53	04/22/25 21:36	PL	EPA 200.8 (DA)/EPA 200.8
Sample: GLC-DW-106-16/Room 106 Lims Reference ID: AD17272-23 Matrix: Drinking Water Sampled: 04/15/25 07:27:00									
Metals									
Lead	ND		1	1.00	µg/L	04/21/25 15:53	04/22/25 21:38	PL	EPA 200.8 (DA)/EPA 200.8
Sample: GLC-DW-108-17/Room 108 Lims Reference ID: AD17272-24 Matrix: Drinking Water Sampled: 04/15/25 07:28:00									
Metals									
Lead	ND		1	1.00	µg/L	04/21/25 15:53	04/22/25 21:40	PL	EPA 200.8 (DA)/EPA 200.8
Sample: GLC-DW-107-18/Room 107 Lims Reference ID: AD17272-25 Matrix: Drinking Water Sampled: 04/15/25 07:29:00									
Metals									
Lead	ND		1	1.00	µg/L	04/21/25 15:53	04/22/25 21:42	PL	EPA 200.8 (DA)/EPA 200.8
Sample: GLC-DW-109-19/Room 109 Lims Reference ID: AD17272-26 Matrix: Drinking Water Sampled: 04/15/25 07:30:00									
Metals									
Lead	3.66		1	1.00	µg/L	04/21/25 15:53	04/22/25 21:49	PL	EPA 200.8 (DA)/EPA 200.8
Sample: GLC-DW-110-20/Room 110 Lims Reference ID: AD17272-27 Matrix: Drinking Water Sampled: 04/15/25 07:31:00									
Metals									
Lead	ND		1	1.00	µg/L	04/21/25 15:53	04/22/25 21:51	PL	EPA 200.8 (DA)/EPA 200.8

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077
Telephone: 856-858-4800 Fax:cs@emsl.com
EMSL-CIN-01

EMSL Order ID: 012517272
LIMS Reference ID: AD17272
EMSL Customer ID: TTIE54

Attention: Tim Popp
TTI Environmental Inc. [TTIE54]
1253 North Church Street
Moorestown, NJ 08057
(856) 840-8800
timp@ttienv.com

Project Name: 25-248/Long Branch BOE - GL Cantrabone

Customer PO: 041155
EMSL Sales Rep: Sheryl Steinmetz
Received: 04/15/2025 16:10
Reported: 04/29/2025 16:42

Analytical Results
(Continued)

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
Sample: GLC-WC-HLART1-21A/Art Hall Lims Reference ID: AD17272-28 Matrix: Drinking Water Sampled: 04/15/25 07:33:00									
Metals									
Lead	ND		1	1.00	µg/L	04/21/25 15:53	04/22/25 21:53	PL	EPA 200.8 (DA)/EPA 200.8
Sample: GLC-WC-HLART1-21/Art Hall Lims Reference ID: AD17272-29 Matrix: Drinking Water Sampled: 04/15/25 07:34:00									
Metals									
Lead	ND		1	1.00	µg/L	04/21/25 15:53	04/22/25 21:55	PL	EPA 200.8 (DA)/EPA 200.8
Sample: GLC-WC-HLART2-22/Art Hall Lims Reference ID: AD17272-30 Matrix: Drinking Water Sampled: 04/15/25 07:35:00									
Metals									
Lead	ND		1	1.00	µg/L	04/21/25 15:53	04/22/25 21:57	PL	EPA 200.8 (DA)/EPA 200.8
Sample: GLC-WC-HLART2-22A/Art Hall Lims Reference ID: AD17272-31 Matrix: Drinking Water Sampled: 04/15/25 07:36:00									
Metals									
Lead	ND		1	1.00	µg/L	04/21/25 15:53	04/22/25 21:59	PL	EPA 200.8 (DA)/EPA 200.8
Sample: GLC-WC-HLART3-23/Art Hall Lims Reference ID: AD17272-32 Matrix: Drinking Water Sampled: 04/15/25 07:37:00									
Metals									
Lead	ND		1	1.00	µg/L	04/21/25 15:53	04/22/25 22:05	PL	EPA 200.8 (DA)/EPA 200.8
Sample: GLC-WC-HLART3-23A/Art Hall Lims Reference ID: AD17272-33 Matrix: Drinking Water Sampled: 04/15/25 07:38:00									
Metals									
Lead	ND		1	1.00	µg/L	04/21/25 15:53	04/22/25 22:07	PL	EPA 200.8 (DA)/EPA 200.8
Sample: GLC-DW-114-24/Room 114 Lims Reference ID: AD17272-34 Matrix: Drinking Water Sampled: 04/15/25 07:39:00									
Metals									
Lead	1.10		1	1.00	µg/L	04/21/25 15:53	04/22/25 22:14	PL	EPA 200.8 (DA)/EPA 200.8
Sample: GLC-DW-115-25/Room 115 Lims Reference ID: AD17272-35 Matrix: Drinking Water Sampled: 04/15/25 07:40:00									
Metals									
Lead	ND		1	1.00	µg/L	04/21/25 15:53	04/22/25 22:16	PL	EPA 200.8 (DA)/EPA 200.8
Sample: GLC-DW-117-26/Room 117 Lims Reference ID: AD17272-36 Matrix: Drinking Water Sampled: 04/15/25 07:41:00									
Metals									
Lead	ND		1	1.00	µg/L	04/21/25 15:53	04/22/25 22:18	PL	EPA 200.8 (DA)/EPA 200.8

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077
Telephone: 856-858-4800 Fax:cs@emsl.com
EMSL-CIN-01

EMSL Order ID: 012517272
LIMS Reference ID: AD17272
EMSL Customer ID: TTIE54

Attention: Tim Popp
TTI Environmental Inc. [TTIE54]
1253 North Church Street
Moorestown, NJ 08057
(856) 840-8800
timp@ttienv.com

Project Name: 25-248/Long Branch BOE - GL Cantrabone

Customer PO: 041155
EMSL Sales Rep: Sheryl Steinmetz
Received: 04/15/2025 16:10
Reported: 04/29/2025 16:42

Analytical Results
(Continued)

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
Sample: GLC-DW-116-27/Room 116 Lims Reference ID: AD17272-37 Matrix: Drinking Water Sampled: 04/15/25 07:42:00									
Metals									
Lead	1.28		1	1.00	µg/L	04/21/25 15:53	04/22/25 22:20	PL	EPA 200.8 (DA)/EPA 200.8
Sample: GLC-DW-118-28/Room 118 Lims Reference ID: AD17272-38 Matrix: Drinking Water Sampled: 04/15/25 07:43:00									
Metals									
Lead	ND		1	1.00	µg/L	04/21/25 15:53	04/22/25 22:22	PL	EPA 200.8 (DA)/EPA 200.8
Sample: GLC-DW-119-29/Room 119 Lims Reference ID: AD17272-39 Matrix: Drinking Water Sampled: 04/15/25 07:44:00									
Metals									
Lead	ND		1	1.00	µg/L	04/21/25 15:53	04/22/25 22:24	PL	EPA 200.8 (DA)/EPA 200.8
Sample: GLC-DW-121-30/Room 121 Lims Reference ID: AD17272-40 Matrix: Drinking Water Sampled: 04/15/25 07:45:00									
Metals									
Lead	ND		1	1.00	µg/L	04/21/25 15:53	04/22/25 22:26	PL	EPA 200.8 (DA)/EPA 200.8
Sample: GLC-DW-120-31/Room 120 Lims Reference ID: AD17272-41 Matrix: Drinking Water Sampled: 04/15/25 07:46:00									
Metals									
Lead	1.85		1	1.00	µg/L	04/21/25 15:54	04/22/25 22:39	PL	EPA 200.8 (DA)/EPA 200.8
Sample: GLC-DW-122-32/Room 122 Lims Reference ID: AD17272-42 Matrix: Drinking Water Sampled: 04/15/25 07:47:00									
Metals									
Lead	2.25		1	1.00	µg/L	04/21/25 15:54	04/22/25 22:45	PL	EPA 200.8 (DA)/EPA 200.8
Sample: GLC-DW-123-33/Room 123 Lims Reference ID: AD17272-43 Matrix: Drinking Water Sampled: 04/15/25 07:48:00									
Metals									
Lead	ND		1	1.00	µg/L	04/21/25 15:54	04/22/25 22:47	PL	EPA 200.8 (DA)/EPA 200.8
Sample: GLC-DW-124-34/Room 124 Lims Reference ID: AD17272-44 Matrix: Drinking Water Sampled: 04/15/25 07:50:00									
Metals									
Lead	ND		1	1.00	µg/L	04/21/25 15:54	04/22/25 22:49	PL	EPA 200.8 (DA)/EPA 200.8
Sample: GLC-DW-TL126-35/Room 126 Lims Reference ID: AD17272-45 Matrix: Drinking Water Sampled: 04/15/25 07:51:00									
Metals									
Lead	2.57		1	1.00	µg/L	04/21/25 15:54	04/22/25 22:51	PL	EPA 200.8 (DA)/EPA 200.8

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077
Telephone: 856-858-4800 Fax:cs@emsl.com
EMSL-CIN-01

EMSL Order ID: 012517272
LIMS Reference ID: AD17272
EMSL Customer ID: TTIE54

Attention: Tim Popp
TTI Environmental Inc. [TTIE54]
1253 North Church Street
Moorestown, NJ 08057
(856) 840-8800
timp@ttienv.com

Project Name: 25-248/Long Branch BOE - GL Cantrabone

Customer PO: 041155
EMSL Sales Rep: Sheryl Steinmetz
Received: 04/15/2025 16:10
Reported: 04/29/2025 16:42

Analytical Results
(Continued)

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
Sample: GLC-DW-TL128-36/Room 128 Lims Reference ID: AD17272-46 Matrix: Drinking Water Sampled: 04/15/25 07:52:00									
Metals									
Lead	ND		1	1.00	µg/L	04/21/25 15:54	04/22/25 22:58	PL	EPA 200.8 (DA)/EPA 200.8
Sample: GLC-DW-125-37/Room 125 Lims Reference ID: AD17272-47 Matrix: Drinking Water Sampled: 04/15/25 07:54:00									
Metals									
Lead	ND		1	1.00	µg/L	04/21/25 15:54	04/22/25 23:00	PL	EPA 200.8 (DA)/EPA 200.8
Sample: GLC-DW-127-38/Room 127 Lims Reference ID: AD17272-48 Matrix: Drinking Water Sampled: 04/15/25 07:55:00									
Metals									
Lead	ND		1	1.00	µg/L	04/21/25 15:54	04/22/25 23:02	PL	EPA 200.8 (DA)/EPA 200.8
Sample: GLC-DW-129-39/Room 129 Lims Reference ID: AD17272-49 Matrix: Drinking Water Sampled: 04/15/25 07:58:00									
Metals									
Lead	ND		1	1.00	µg/L	04/21/25 15:54	04/22/25 23:04	PL	EPA 200.8 (DA)/EPA 200.8
Sample: GLC-DW-131-40/Room 131 Lims Reference ID: AD17272-50 Matrix: Drinking Water Sampled: 04/15/25 08:00:00									
Metals									
Lead	ND		1	1.00	µg/L	04/21/25 15:54	04/22/25 23:06	PL	EPA 200.8 (DA)/EPA 200.8
Sample: GLC-DW-133-41/Room 133 Lims Reference ID: AD17272-51 Matrix: Drinking Water Sampled: 04/15/25 08:03:00									
Metals									
Lead	ND		1	1.00	µg/L	04/21/25 15:54	04/22/25 23:08	PL	EPA 200.8 (DA)/EPA 200.8
Sample: GLC-DW-132-42/Room 132 Lims Reference ID: AD17272-52 Matrix: Drinking Water Sampled: 04/15/25 08:05:00									
Metals									
Lead	ND		1	1.00	µg/L	04/21/25 15:54	04/22/25 23:14	PL	EPA 200.8 (DA)/EPA 200.8
Sample: GLC-DW-135-43/Room 135 Lims Reference ID: AD17272-53 Matrix: Drinking Water Sampled: 04/15/25 08:06:00									
Metals									
Lead	ND		1	1.00	µg/L	04/21/25 15:54	04/22/25 23:16	PL	EPA 200.8 (DA)/EPA 200.8
Sample: GLC-DW-137-44/Room 137 Lims Reference ID: AD17272-54 Matrix: Drinking Water Sampled: 04/15/25 08:07:00									
Metals									
Lead	ND		1	1.00	µg/L	04/21/25 15:54	04/22/25 23:23	PL	EPA 200.8 (DA)/EPA 200.8

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077
Telephone: 856-858-4800 Fax:cs@emsl.com
EMSL-CIN-01

EMSL Order ID: 012517272
LIMS Reference ID: AD17272
EMSL Customer ID: TTIE54

Attention: Tim Popp
TTI Environmental Inc. [TTIE54]
1253 North Church Street
Moorestown, NJ 08057
(856) 840-8800
timp@ttienv.com

Project Name: 25-248/Long Branch BOE - GL Cantrabone

Customer PO: 041155
EMSL Sales Rep: Sheryl Steinmetz
Received: 04/15/2025 16:10
Reported: 04/29/2025 16:42

Analytical Results
(Continued)

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
Sample: GLC-DW-134-45/Room 134 Lims Reference ID: AD17272-55 Matrix: Drinking Water Sampled: 04/15/25 08:09:00									
Metals									
Lead	ND		1	1.00	µg/L	04/21/25 15:54	04/22/25 23:25	PL	EPA 200.8 (DA)/EPA 200.8
Sample: GLC-DW-136-46/Room 136 Lims Reference ID: AD17272-56 Matrix: Drinking Water Sampled: 04/15/25 08:11:00									
Metals									
Lead	ND		1	1.00	µg/L	04/21/25 15:46	04/22/25 23:44	PL	EPA 200.8 (DA)/EPA 200.8
Sample: GLC-DW-139-47/Room 139 Lims Reference ID: AD17272-57 Matrix: Drinking Water Sampled: 04/15/25 08:13:00									
Metals									
Lead	ND		1	1.00	µg/L	04/21/25 15:46	04/22/25 23:50	PL	EPA 200.8 (DA)/EPA 200.8
Sample: GLC-DW-138-48/Room 138 Lims Reference ID: AD17272-58 Matrix: Drinking Water Sampled: 04/15/25 08:15:00									
Metals									
Lead	ND		1	1.00	µg/L	04/21/25 15:46	04/22/25 23:52	PL	EPA 200.8 (DA)/EPA 200.8
Sample: GLC-DW-141-49/Room 141 Lims Reference ID: AD17272-59 Matrix: Drinking Water Sampled: 04/15/25 08:17:00									
Metals									
Lead	ND		1	1.00	µg/L	04/21/25 15:46	04/22/25 23:54	PL	EPA 200.8 (DA)/EPA 200.8
Sample: GLC-DW-140-50/Room 140 Lims Reference ID: AD17272-60 Matrix: Drinking Water Sampled: 04/15/25 08:18:00									
Metals									
Lead	ND		1	1.00	µg/L	04/21/25 15:46	04/22/25 23:56	PL	EPA 200.8 (DA)/EPA 200.8
Sample: GLC-DW-143-51/Room 143 Lims Reference ID: AD17272-61 Matrix: Drinking Water Sampled: 04/15/25 08:20:00									
Metals									
Lead	ND		1	1.00	µg/L	04/21/25 15:46	04/23/25 00:02	PL	EPA 200.8 (DA)/EPA 200.8
Sample: GLC-DW-145-52/Room 145 Lims Reference ID: AD17272-62 Matrix: Drinking Water Sampled: 04/15/25 08:21:00									
Metals									
Lead	ND		1	1.00	µg/L	04/21/25 15:46	04/23/25 00:04	PL	EPA 200.8 (DA)/EPA 200.8
Sample: GLC-TL-200-53/Room 200 Lims Reference ID: AD17272-63 Matrix: Drinking Water Sampled: 04/15/25 08:22:00									
Metals									
Lead	ND		1	1.00	µg/L	04/21/25 15:46	04/23/25 00:07	PL	EPA 200.8 (DA)/EPA 200.8

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077
Telephone: 856-858-4800 Fax:cs@emsl.com
EMSL-CIN-01

EMSL Order ID: 012517272
LIMS Reference ID: AD17272
EMSL Customer ID: TTIE54

Attention: Tim Popp
TTI Environmental Inc. [TTIE54]
1253 North Church Street
Moorestown, NJ 08057
(856) 840-8800
timp@ttienv.com

Project Name: 25-248/Long Branch BOE - GL Cantrabone

Customer PO: 041155
EMSL Sales Rep: Sheryl Steinmetz
Received: 04/15/2025 16:10
Reported: 04/29/2025 16:42

Analytical Results
(Continued)

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
Sample: GLC-DW-201-54/Room 201 Lims Reference ID: AD17272-64 Matrix: Drinking Water Sampled: 04/15/25 08:23:00									
Metals									
Lead	ND		1	1.00	µg/L	04/21/25 15:46	04/23/25 00:09	PL	EPA 200.8 (DA)/EPA 200.8
Sample: GLC-DW-202-55/Room 202 Lims Reference ID: AD17272-65 Matrix: Drinking Water Sampled: 04/15/25 08:25:00									
Metals									
Lead	1.37		1	1.00	µg/L	04/21/25 15:46	04/23/25 00:11	PL	EPA 200.8 (DA)/EPA 200.8
Sample: GLC-DW-204-56/Room 204 Lims Reference ID: AD17272-66 Matrix: Drinking Water Sampled: 04/15/25 08:27:00									
Metals									
Lead	ND		1	1.00	µg/L	04/21/25 15:46	04/23/25 00:13	PL	EPA 200.8 (DA)/EPA 200.8
Sample: GLC-DW-203-57/Room 203 Lims Reference ID: AD17272-67 Matrix: Drinking Water Sampled: 04/15/25 08:29:00									
Metals									
Lead	ND		1	1.00	µg/L	04/21/25 15:46	04/23/25 00:19	PL	EPA 200.8 (DA)/EPA 200.8
Sample: GLC-DW-205-58/Room 205 Lims Reference ID: AD17272-68 Matrix: Drinking Water Sampled: 04/15/25 08:30:00									
Metals									
Lead	ND		1	1.00	µg/L	04/21/25 15:46	04/23/25 00:21	PL	EPA 200.8 (DA)/EPA 200.8
Sample: GLC-DW-206-59/Room 206 Lims Reference ID: AD17272-69 Matrix: Drinking Water Sampled: 04/15/25 08:31:00									
Metals									
Lead	ND		1	1.00	µg/L	04/21/25 15:46	04/23/25 00:27	PL	EPA 200.8 (DA)/EPA 200.8
Sample: GLC-DW-208-60/Room 208 Lims Reference ID: AD17272-70 Matrix: Drinking Water Sampled: 04/15/25 08:33:00									
Metals									
Lead	ND		1	1.00	µg/L	04/21/25 15:46	04/23/25 00:30	PL	EPA 200.8 (DA)/EPA 200.8
Sample: GLC-DW-207-61/Room 207 Lims Reference ID: AD17272-71 Matrix: Drinking Water Sampled: 04/15/25 08:34:00									
Metals									
Lead	ND		1	1.00	µg/L	04/21/25 15:46	04/23/25 00:32	PL	EPA 200.8 (DA)/EPA 200.8
Sample: GLC-DW-209-62/Room 209 Lims Reference ID: AD17272-72 Matrix: Drinking Water Sampled: 04/15/25 08:36:00									
Metals									
Lead	5.26		1	1.00	µg/L	04/21/25 15:46	04/23/25 00:34	PL	EPA 200.8 (DA)/EPA 200.8

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077
Telephone: 856-858-4800 Fax:cs@emsl.com
EMSL-CIN-01

EMSL Order ID: 012517272
LIMS Reference ID: AD17272
EMSL Customer ID: TTIE54

Attention: Tim Popp
TTI Environmental Inc. [TTIE54]
1253 North Church Street
Moorestown, NJ 08057
(856) 840-8800
timp@ttienv.com

Project Name: 25-248/Long Branch BOE - GL Cantrabone

Customer PO: 041155
EMSL Sales Rep: Sheryl Steinmetz
Received: 04/15/2025 16:10
Reported: 04/29/2025 16:42

Analytical Results
(Continued)

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
Sample: GLC-DW-210-63/Room 210 Lims Reference ID: AD17272-73 Matrix: Drinking Water Sampled: 04/15/25 08:38:00									
Metals									
Lead	1.14		1	1.00	µg/L	04/21/25 15:46	04/23/25 00:36	PL	EPA 200.8 (DA)/EPA 200.8
Sample: GLC-WC-2HLWY1-64/2nd Fir hall Lims Reference ID: AD17272-74 Matrix: Drinking Water Sampled: 04/15/25 08:39:00									
Metals									
Lead	ND		1	1.00	µg/L	04/21/25 15:46	04/23/25 00:38	PL	EPA 200.8 (DA)/EPA 200.8
Sample: GLC-WC-2HLWY1-64A/2nd Fir hall Lims Reference ID: AD17272-75 Matrix: Drinking Water Sampled: 04/15/25 08:40:00									
Metals									
Lead	ND		1	1.00	µg/L	04/21/25 15:46	04/23/25 00:40	PL	EPA 200.8 (DA)/EPA 200.8
Sample: GLC-WC-2HLWY1-65/2nd Fir hall Lims Reference ID: AD17272-76 Matrix: Drinking Water Sampled: 04/15/25 08:41:00									
Metals									
Lead	ND		1	1.00	µg/L	04/21/25 15:47	04/23/25 00:53	PL	EPA 200.8 (DA)/EPA 200.8
Sample: GLC-WC-2HLWY2-65A/2nd Fir hall Lims Reference ID: AD17272-77 Matrix: Drinking Water Sampled: 04/15/25 08:43:00									
Metals									
Lead	ND		1	1.00	µg/L	04/21/25 15:47	04/23/25 00:59	PL	EPA 200.8 (DA)/EPA 200.8
Sample: GLC-WC-2HLWY3-66/2nd Fir hall Lims Reference ID: AD17272-78 Matrix: Drinking Water Sampled: 04/15/25 08:44:00									
Metals									
Lead	ND		1	1.00	µg/L	04/21/25 15:47	04/23/25 07:42	PL	EPA 200.8 (DA)/EPA 200.8
Sample: GLC-WC-2HLWY3-66A/2nd Fir hall Lims Reference ID: AD17272-79 Matrix: Drinking Water Sampled: 04/15/25 08:45:00									
Metals									
Lead	ND		1	1.00	µg/L	04/21/25 15:47	04/23/25 01:03	PL	EPA 200.8 (DA)/EPA 200.8
Sample: GLC-WC-MEDIA-67/Media Center Lims Reference ID: AD17272-80 Matrix: Drinking Water Sampled: 04/15/25 08:47:00									
Metals									
Lead	ND		1	1.00	µg/L	04/21/25 15:47	04/23/25 01:05	PL	EPA 200.8 (DA)/EPA 200.8
Sample: GLC-DW-215-68/Room 215 Lims Reference ID: AD17272-81 Matrix: Drinking Water Sampled: 04/15/25 08:48:00									
Metals									
Lead	ND		1	1.00	µg/L	04/21/25 15:47	04/23/25 01:11	PL	EPA 200.8 (DA)/EPA 200.8

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077
Telephone: 856-858-4800 Fax:cs@emsl.com
EMSL-CIN-01

EMSL Order ID: 012517272
LIMS Reference ID: AD17272
EMSL Customer ID: TTIE54

Attention: Tim Popp
TTI Environmental Inc. [TTIE54]
1253 North Church Street
Moorestown, NJ 08057
(856) 840-8800
timp@ttienv.com

Project Name: 25-248/Long Branch BOE - GL Cantrabone

Customer PO: 041155
EMSL Sales Rep: Sheryl Steinmetz
Received: 04/15/2025 16:10
Reported: 04/29/2025 16:42

Analytical Results
(Continued)

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
Sample: GLC-DW-214-69/Room 214 Lims Reference ID: AD17272-82 Matrix: Drinking Water Sampled: 04/15/25 08:49:00									
Metals									
Lead	ND		1	1.00	µg/L	04/21/25 15:47	04/23/25 01:13	PL	EPA 200.8 (DA)/EPA 200.8
Sample: GLC-DW-216-70/Room 216 Lims Reference ID: AD17272-83 Matrix: Drinking Water Sampled: 04/15/25 08:51:00									
Metals									
Lead	ND		1	1.00	µg/L	04/21/25 15:47	04/23/25 01:16	PL	EPA 200.8 (DA)/EPA 200.8
Sample: GLC-DW-217-71/Room 217 Lims Reference ID: AD17272-84 Matrix: Drinking Water Sampled: 04/15/25 08:53:00									
Metals									
Lead	ND		1	1.00	µg/L	04/21/25 15:47	04/23/25 01:18	PL	EPA 200.8 (DA)/EPA 200.8
Sample: GLC-DW-219-72/Room 219 Lims Reference ID: AD17272-85 Matrix: Drinking Water Sampled: 04/15/25 08:55:00									
Metals									
Lead	ND		1	1.00	µg/L	04/21/25 15:47	04/23/25 01:20	PL	EPA 200.8 (DA)/EPA 200.8
Sample: GLC-DW-218-73/Room 218 Lims Reference ID: AD17272-86 Matrix: Drinking Water Sampled: 04/15/25 08:56:00									
Metals									
Lead	ND		1	1.00	µg/L	04/21/25 15:47	04/23/25 01:22	PL	EPA 200.8 (DA)/EPA 200.8
Sample: GLC-DW-220-74/Room 220 Lims Reference ID: AD17272-87 Matrix: Drinking Water Sampled: 04/15/25 08:59:00									
Metals									
Lead	ND		1	1.00	µg/L	04/21/25 15:47	04/23/25 01:28	PL	EPA 200.8 (DA)/EPA 200.8
Sample: GLC-DW-222-75/Room 222 Lims Reference ID: AD17272-88 Matrix: Drinking Water Sampled: 04/15/25 09:00:00									
Metals									
Lead	ND		1	1.00	µg/L	04/21/25 15:47	04/23/25 01:30	PL	EPA 200.8 (DA)/EPA 200.8
Sample: GLC-DW-221-76/Room 221 Lims Reference ID: AD17272-89 Matrix: Drinking Water Sampled: 04/15/25 09:02:00									
Metals									
Lead	ND		1	1.00	µg/L	04/21/25 15:47	04/23/25 01:36	PL	EPA 200.8 (DA)/EPA 200.8
Sample: Field Blank Lims Reference ID: AD17272-90 Matrix: Drinking Water Sampled: 04/15/25 09:02:00									
Metals									
Lead	ND		1	1.00	µg/L	04/21/25 15:47	04/23/25 01:39	PL	EPA 200.8 (DA)/EPA 200.8

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077
Telephone: 856-858-4800 Fax:cs@emsl.com
EMSL-CIN-01

EMSL Order ID: 012517272
LIMS Reference ID: AD17272
EMSL Customer ID: TTIE54

Attention: Tim Popp
TTI Environmental Inc. [TTIE54]
1253 North Church Street
Moorestown, NJ 08057
(856) 840-8800
timp@ttienv.com

Project Name: 25-248/Long Branch BOE - GL Cantrabone

Customer PO: 041155
EMSL Sales Rep: Sheryl Steinmetz
Received: 04/15/2025 16:10
Reported: 04/29/2025 16:42

Analytical Results
(Continued)

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
Sample: GLC-FP-KIT-2A/Kitchen Lims Reference ID: AD17272-91 Matrix: Drinking Water Sampled: 04/15/25 09:02:00									
Metals									
Lead	ND		1	1.00	µg/L	04/21/25 15:47	04/23/25 01:41	PL	EPA 200.8 (DA)/EPA 200.8
Sample: GLC-TL126-35A/Room 126 Lims Reference ID: AD17272-92 Matrix: Drinking Water Sampled: 04/15/25 09:02:00									
Metals									
Lead	12.1		1	1.00	µg/L	04/21/25 15:47	04/23/25 01:43	PL	EPA 200.8 (DA)/EPA 200.8
Sample: GLC-WC-2HLWY2-65F/2nd Floor Hallway Lims Reference ID: AD17272-93 Matrix: Drinking Water Sampled: 04/15/25 09:02:00									
Metals									
Lead	ND		1	1.00	µg/L	04/21/25 15:47	04/23/25 01:45	PL	EPA 200.8 (DA)/EPA 200.8
Sample: GLC-WC-MEDIA-67A/Media Center Lims Reference ID: AD17272-94 Matrix: Drinking Water Sampled: 04/15/25 09:02:00									
Metals									
Lead	ND		1	1.00	µg/L	04/21/25 15:47	04/23/25 01:47	PL	EPA 200.8 (DA)/EPA 200.8
Sample: GLC-WC-MEDIA-67F/Media Center Lims Reference ID: AD17272-95 Matrix: Drinking Water Sampled: 04/15/25 09:02:00									
Metals									
Lead	ND		1	1.00	µg/L	04/21/25 15:47	04/23/25 01:49	PL	EPA 200.8 (DA)/EPA 200.8

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077
Telephone: 856-858-4800 Fax:cs@emsl.com
EMSL-CIN-01

EMSL Order ID: 012517272
LIMS Reference ID: AD17272
EMSL Customer ID: TTIE54

Attention: Tim Popp
TTI Environmental Inc. [TTIE54]
1253 North Church Street
Moorestown, NJ 08057
(856) 840-8800
timp@ttienv.com

Project Name: 25-248/Long Branch BOE - GL Cantrabone

Customer PO: 041155
EMSL Sales Rep: Sheryl Steinmetz
Received: 04/15/2025 16:10
Reported: 04/29/2025 16:42

Certified Analyses included in this Report

Analyte	Certifications
<i>EPA 200.8 in Drinking Water</i>	
Lead	NJDEP

List of Certifications

Code	Description	Number	Expires
PADEP	Pennsylvania Department of Environmental Protection	2845.25	11/30/2025
NYSDOH	New York State Department of Health ELAP	10872	04/01/2025
NJDEP	New Jersey Department of Environmental Protection	03036	06/30/2025
MADEP	Massachusetts Department of Environmental Protection	M-NJ337	06/30/2025
CTDPH	Connecticut Department of Public Health	PH-0270	06/23/2026
California ELAP	California Water Boards	1877	06/30/2025
AIHA LAP	EMSL Analytical, Inc. Cinnaminson, NJ AIHA-LAP, LLC-ELLAP Accredited	100194	05/01/2025
A2LA	A2LA Environmental Certificate	2845.01	07/31/2026

Please see the specific Field of Testing (FOT) on www.emsl.com <<http://www.emsl.com>> for a complete listing of parameters for which EMSL is certified.

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077
Telephone: 856-858-4800 Fax:cs@emsl.com
EMSL-CIN-01

EMSL Order ID: 012517272
LIMS Reference ID: AD17272
EMSL Customer ID: TTIE54

Attention: Tim Popp
TTI Environmental Inc. [TTIE54]
1253 North Church Street
Moorestown, NJ 08057
(856) 840-8800
timp@ttienv.com

Project Name: 25-248/Long Branch BOE - GL Cantrabone

Customer PO: 041155
EMSL Sales Rep: Sheryl Steinmetz
Received: 04/15/2025 16:10
Reported: 04/29/2025 16:42

Notes and Definitions

Item	Definition
(Dig)	For metals analysis, sample was digested.
[2C]	Reported from the second channel in dual column analysis.
DA	Direct Analysis
DF	Dilution Factor
MDL	Method Detection Limit.
ND	Analyte was NOT DETECTED at or above the detection limit.
NR	Spike/Surrogate showed no recovery.
Q	Qualifier
RCS	Respirable Crystalline Silica
RL	Reporting Limit
Wet	Sample is not dry weight corrected.

Measurement of uncertainty and any applicable definitions of method modifications are available upon request. Per EPA NLLAP policy, sample results are not blank corrected.

Owen McKenna Laboratory Manager or other approved signatory

EMSL maintains liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples as received. Results are generated from the field sampling data (sampling volumes and areas, locations, etc.) provided by the client on the Chain of Custody. Samples are within quality control criteria and met method specifications unless otherwise noted.

EMSL

EMSL ANALYTICAL, INC.

Environmental Chemistry Chain of Custody

EMSL Order Number / Lab Use Only

EMSL Analytical, Inc.
200 Rt. 130 N
Cinnaminson, NJ 08077

PHONE: (800) 220-3675

EMAIL: EnvChemistry2@EMSL.com

AD17272

Customer Information	Customer ID:	Billing ID:
	Company Name: TTI Environmental, Inc	Company Name: Same
	Contact Name: Tim Popp	Billing Contact:
	Street Address: 1253 N Church St	Street Address:
	City, State, Zip: Moorestown, NJ 08054 Country: US	City, State, Zip: Country:
	Phone: 856-840-8800	Phone:
Email(s) for Report: nater@ttienv.com	Email(s) for Invoice:	

Project Name/No: 25-248/Long Branch BOE - GL Cantrabone Purchase Order: 041155

EMSL LIMS Project ID: (If applicable, EMSL will provide) US State where samples collected: State of Connecticut (CT) must select project location: ☐ Commercial (Taxable) ☐ Residential (Non-Taxable)

Samples for Compliance? ☒ Yes ☐ No If Yes, for NPDES? ☐ Yes ☒ No Other (Specify) PWS ID: State Reporting Required? ☐ Yes ☐ No

Samples Collected by (Check One): ☐ EMSL ☒ CLIENT Samples Received Chilled? ☐ Yes ☐ No Sample(s) Temperature Upon Receipt (LAB ONLY)

Sampled By Name: Adam Fisher Sampled By Signature: Adam Fisher No. of Samples in Shipment: 95

Turn-Around-Time (TAT) Standard Turn-Around-Time: ☒ 2 Weeks The following TAT's are subject to Lab approval. Call lab to confirm TAT before submittal: ☐ 1 Week ☐ 4 Days ☐ 3 Days ☐ 2 Days ☐ 1 Day

Client Sample ID	Comp	Grab	Date / Time Collected	Matrix	Preservative	List Test(s) Needed (Write in test below, then check on sample line:)								Comments		
				DW=Drinking Water WW=Wastewater S=Soil A=Air SL=Sludge O=Other	1 HCL 2 HNO3 3 H2SO4 4 ICE 5 Other <i>Describe below in Special Instructions</i>	Test 1: Lead	Test 2:	Test 3:	Test 4:	Test 5:	Test 6:	Test 7:	Test 8:			
See attached		✓		DW	2 HNO3	✓										Needs preservative

Special Instructions and/or Regulatory Requirements (Sample Specifications, Processing Methods, Limits of Detection, etc.)
Needs HNO3

Reporting Requirements: ☒ Results Only ☐ Results and QC ☐ Reduced Deliverables ☐ Hzresults EDD ☒ Excel ☐ Other (Describe Above)

Method of Shipment: Relinquished by: Adam Fisher Date/Time: 9/15/25 3:30 Sample Condition Upon Receipt: Received by: HNO3 added 4401610 Received on Ice? Check if Yes: ☐ Date/Time: 4/15/25



1253 North Church Street, Moorestown, NJ 08057
856-840-8800 Fax 856-840-8815

AD17272

LEAD IN WATER SAMPLING DATA AND CHAIN OF CUSTODY

PROJECT #: 25-248		CLIENT: Long Branch BOE		FACILITY: George L. Cantrabone School				
PO #: 041155		SAMPLER(S): Adam F.		DATE: 4/15/25		ADDRESS: 240 Park Ave, Long Branch, NJ 07740		
Sample ID		Location/Description		Time	Sample Type: Initial Flush (30sec / 15min)	Outlet Type:	Volume	Notes: Discolored, Odor, Low Flow, Etc...
1	1	GLC-FP-POE-1	Kitchen	7:00	Initial	*POE	250mL	
2	1A	GLC-FP-KIT-1A	Kitchen	7:01	Initial	Sink	250mL	
3	2	GLCL-FP-KIT-2	Kitchen	7:02	Initial	Sink	250mL	
4	3	GLC-WC-HLAPR1-3	APR Hall	7:03	Initial	Water Cooler	250mL	
5	3A	GLC-WC-HLAPR1-3A	APR Hall	7:04	Initial	Water Cooler	250mL	
6	3B	GLC-WC-HLAPR1-3B	APR Hall	7:05	Initial	Water Cooler	250mL	
7	4	GLC-WC-HLAPR2-4	APR Hall	7:06	Initial	Water Cooler	250mL	
8	4A	GLC-WC-HLAPR2-4A	APR Hall	7:07	Initial	Water Cooler	250mL	
9	5	GLC-DW-157-5	Room 157	7:09	Initial	Bubbler	250mL	very low flow
10	6	GLC-DW-158-6	Room 158	7:10	Initial	Bubbler	250mL	
11	7	GLC-WC-HLGYM1-7	Gym Hall	7:11	Initial	Water Cooler	250mL	
12	7A	GLC-WC-HLGYM1-7A	Gym Hall	7:12	Initial	Water Cooler	250mL	
13	7B	GLC-WC-HLGYM1-7B	Gym Hall	7:13	Initial	Water Cooler	250mL	
14	8	GLC-WC-HLGYM2-8	Gym Hall	7:15	Initial	Water Cooler	250mL	
15	8A	GLC-WC-HLGYM2-8A	Gym Hall	7:16	Initial	Water Cooler	250mL	
16	9	GLC-NS-NRSXAM-9	Nurse Exam Room	7:17	Initial	Sink	250mL	
17	10	GLC-NS-NRSOFF-10	Nurse Office	7:18	Initial	Sink	250mL	
18	11	GLC-TL-MNOFF-11	Main Office	7:20	Initial	Sink	250mL	
19	12	GLC-DW-101-12	Room 101	7:21	Initial	Bubbler	250mL	



1253 North Church Street, Moorestown, NJ 08057
856-840-8800 Fax 856-840-8815

AD17272

LEAD IN WATER SAMPLING DATA AND CHAIN OF CUSTODY

PROJECT #: 25-248		CLIENT: Long Branch BOE			FACILITY: George L. Cantrabone School		
PO #: 041155		SAMPLER(S): Adam F.		DATE: 4/15/25	ADDRESS: 240 Park Ave, Long Branch, NJ 07740		
Sample ID	Location/Description	Time	Sample Type: Initial Flush (30sec / 15min)	Outlet Type:	Volume	Notes: Discolored, Odor, Low Flow, Etc...	
20 13	GLC-DW-104-13	Room 104	7:24	Initial	Bubbler	250mL	
21 14	GLC-DW-103-14	Room 103	7:25	Initial	Bubbler	250mL	
22 15	GLC-DW-105-15	Room 105	7:26	Initial	Bubbler	250mL	
23 16	GLC-DW-106-16	Room 106	7:27	Initial	Bubbler	250mL	
24 17	GLC-DW-108-17	Room 108	7:28	Initial	Bubbler	250mL	
25 18	GLC-DW-107-18	Room 107	7:29	Initial	Bubbler	250mL	Low flow
26 19	GLC-DW-109-19	Room 109	7:30	Initial	Bubbler	250mL	
27 20	GLC-DW-110-20	Room 110	7:31	Initial	Bubbler	250mL	
28 21	GLC-WC-HLART1-21A	Art Hall	7:33	Initial	Water Cooler	250mL	
29 21A	GLC-WC-HLART1-21	Art Hall	7:34	Initial	Water Cooler	250mL	
30 22	GLC-WC-HLART2-22	Art Hall	7:35	Initial	Water Cooler	250mL	
31 22A	GLC-WC-HLART2-22A	Art Hall	7:36	Initial	Water Cooler	250mL	
32 23	GLC-WC-HLART3-23	Art Hall	7:37	Initial	Water Cooler	250mL	
33 23A	GLC-WC-HLART3-23A	Art Hall	7:38	Initial	Water Cooler	250mL	
34 24	GLC-DW-114-24	Room 114	7:39	Initial	Bubbler	250mL	
35 25	GLC-DW-115-25	Room 115	7:40	Initial	Bubbler	250mL	
36 26	GLC-DW-117-26	Room 117	7:41	Initial	Bubbler	250mL	
37 27	GLC-DW-116-27	Room 116	7:42	Initial	Bubbler	250mL	
38 28	GLC-DW-118-28	Room 118	7:43	Initial	Bubbler	250mL	



1253 North Church Street, Moorestown, NJ 08057
856-840-8800 Fax 856-840-8815

LEAD IN WATER SAMPLING DATA AND CHAIN OF CUSTODY

AD17272

PROJECT #: 25-248		CLIENT: Long Branch BOE			FACILITY: George L. Cantrabone School		
PO #: 041155		SAMPLER(S): Adam F.		DATE: 4/15/25		ADDRESS: 240 Park Ave, Long Branch, NJ 07740	
Sample ID	Location/Description	Time	Sample Type: Initial Flush (30sec / 15min)	Outlet Type:	Volume	Notes: Discolored, Odor, Low Flow, Etc...	
39 29	GLC-DW-119-29	Room 119	7:44 Initial	Bubbler	250mL		
40 30	GLC-DW-121-30	Room 121	7:45 Initial	Bubbler	250mL		
41 31	GLC-DW-120-31	Room 120	7:46 Initial	Bubbler	250mL		
42 32	GLC-DW-122-32	Room 122	7:47 Initial	Bubbler	250mL		
43 33	GLC-DW-123-33	Room 123	7:48 Initial	Bubbler	250mL		
44 34	GLC-DW-124-34	Room 124	7:50 Initial	Bubbler	250mL		
45 35	GLC-DW-TL126-35	Room 126	7:51 Initial	Bubbler	250mL		
46 36	GLC-DW-TL128-36	Room 128	7:52 Initial	Bubbler	250mL		
47 37	GLC-DW-125-37	Room 125	7:54 Initial	Bubbler	250mL		
48 38	GLC-DW-127-38	Room 127	7:55 Initial	Bubbler	250mL		
49 39	GLC-DW-129-39	Room 129	7:58 Initial	Bubbler	250mL		
50 40	GLC-DW-131-40	Room 131	8:00 Initial	Bubbler	250mL	Low Flow	
51 41	GLC-DW-133-41	Room 133	8:03 Initial	Bubbler	250mL		
52 42	GLC-DW-132-42	Room 132	8:05 Initial	Bubbler	250mL		
53 43	GLC-DW-135-43	Room 135	8:06 Initial	Bubbler	250mL		
54 44	GLC-DW-137-44	Room 137	8:07 Initial	Bubbler	250mL		
55 45	GLC-DW-134-45	Room 134	8:09 Initial	Bubbler	250mL		
56 46	GLC-DW-136-46	Room 136	8:11 Initial	Bubbler	250mL		
57 47	GLC-DW-139-47	Room 139	8:13 Initial	Bubbler	250mL		



1253 North Church Street, Moorestown, NJ 08057
856-840-8800 Fax 856-840-8815

LEAD IN WATER SAMPLING DATA AND CHAIN OF CUSTODY

AD17272

PROJECT #: 25-248		CLIENT: Long Branch BOE			FACILITY: George L. Cantrabone School		
PO #: 041155		SAMPLER(S):		DATE:		ADDRESS: 240 Park Ave, Long Branch, NJ 07740	
Sample ID	Location/Description	Time	Sample Type: Initial Flush (30sec / 15min)	Outlet Type:	Volume	Notes: Discolored, Odor, Low Flow, Etc...	
58 48	GLC-DW-138-48	Room 138	8:16 Initial	Bubbler	250mL	Low flow	
59 49	GLC-DW-141-49	Room 141	8:17 Initial	Bubbler	250mL	—	
60 50	GLC-DW-140-50	Room 140	8:18 Initial	Bubbler	250mL		
61 51	GLC-DW-143-51	Room 143	8:20 Initial	Bubbler	250mL		
62 52	GLC-DW-145-52	Room 145	8:21 Initial	Bubbler	250mL		
63 53	GLC-TL-200-53	Room 200	8:22 Initial	Sink	250mL		
64 54	GLC-DW-201-54	Room 201	8:23 Initial	Bubbler	250mL		
65 55	GLC-DW-202-55	Room 202	8:25 Initial	Bubbler	250mL		
66 56	GLC-DW-204-56	Room 204	8:27 Initial	Bubbler	250mL		
67 57	GLC-DW-203-57	Room 203	8:29 Initial	Bubbler	250mL		
68 58	GLC-DW-205-58	Room 205	8:30 Initial	Bubbler	250mL		
69 59	GLC-DW-206-59	Room 206	8:31 Initial	Bubbler	250mL		
70 60	GLC-DW-208-60	Room 208	8:33 Initial	Bubbler	250mL		
71 61	GLC-DW-207-61	Room 207	8:34 Initial	Bubbler	250mL		
72 62	GLC-DW-209-62	Room 209	8:36 Initial	Bubbler	250mL		
73 63	GLC-DW-210-63	Room 210	8:38 Initial	Bubbler	250mL		
74 64	GLC-WC-2HLWY1-64	2nd flr hall	8:39 Initial	Water Cooler	250mL		
75 64A	GLC-WC-2HLWY1-64A	2nd flr hall	8:40 Initial	Water Cooler	250mL		
76 65	GLC-WC-2HLWY2-65	2nd flr hall	8:41 Initial	Water Cooler	250mL		



1253 North Church Street, Moorestown, NJ 08057
856-840-8800 Fax 856-840-8815

LEAD IN WATER SAMPLING DATA AND CHAIN OF CUSTODY

AD17272

PROJECT #: 25-248		CLIENT: Long Branch BOE		FACILITY: George L. Cantrabone School			
PO #: 041155		SAMPLER(S): Adam F.		DATE: 4/15/25		ADDRESS: 240 Park Ave, Long Branch, NJ 07740	
Sample ID	Location/Description	Time	Sample Type: Initial Flush (30sec / 15min)	Outlet Type:	Volume	Notes: Discolored, Odor, Low Flow, Etc...	
77 65A	GLC-WC-2HLWY2-65A	2nd flr hall	8:43	Initial	Water Cooler	250mL	
78 66	GLC-WC-2HLWY3-66	2nd flr hall	8:44	Initial	Water Cooler	250mL	
79 66A	GLC-WC-2HLWY3-66A	2nd flr hall	8:45	Initial	Water Cooler	250mL	
80 67	GLC-WC-MEDIA-67	Media Center	8:47	Initial	Water Cooler	250mL	
81 68	GLC-DW-215-68	Room 215	8:48	Initial	Bubbler	250mL	
82 69	GLC-DW-214-69	Room 214	8:49	Initial	Bubbler	250mL	
83 70	GLC-DW-216-70	Room 216	8:51	Initial	Bubbler	250mL	
84 71	GLC-DW-217-71	Room 217	8:53	Initial	Bubbler	250mL	
85 72	GLC-DW-219-72	Room 219	8:55	Initial	Bubbler	250mL	
86 73	GLC-DW-218-73	Room 218	8:56	Initial	Bubbler	250mL	
87 74	GLC-DW-220-74	Room 220	8:59	Initial	Bubbler	250mL	
88 75	GLC-DW-222-75	Room 222	9:00	Initial	Bubbler	250mL	
89 76	GLC-DW-221-76	Room 221	9:02	Initial	Bubbler	250mL	
90 FB	Field Blank					250mL	
91 77	GLC-FP-KIT-2A	Kitchen		initial	sink	250mL	
92 78	GLC-TL126-35A	Room 126		initial	sink	250mL	
93 79	GLC-TL-128-36A	Room 128		initial	sink	250mL	
93 79	GLC-WC-2HLWY2-67F	2nd floor hallway		initial	sink water cooler	250	
94 80	GLC-WC-Media-67A	Media Center		initial	water cooler	250	
95 81	GLC-WC-Media-67F	Media Center		initial	water cooler	250	