

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077
Telephone: 856-858-4800 Fax:cs@emsl.com
EMSL-CIN-01

EMSL Order ID: 012517139
LIMS Reference ID: AD17139
EMSL Customer ID: TTIE54

Attention: Tim Popp
TTI Environmental Inc. [TTIE54]
1253 North Church Street
Moorestown, NJ 08057
(856) 840-8800
timp@ttienv.com

Project Name: 25-248 / Long Branch BOE - LB Middle School

Customer PO: 041155
EMSL Sales Rep: Sheryl Steinmetz
Received: 04/15/2025 15:40
Reported: 04/29/2025 16:38

Analytical Results

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
Sample: MS-WC-HLGym-2/Gym Hall Lims Reference ID: AD17139-01 Matrix: Drinking Water Sampled: 04/15/25 09:15:00									
Metals									
Lead	ND		1	1.00	µg/L	04/22/25 09:53	04/23/25 07:51	PL	EPA 200.8 (DA)/EPA 200.8
Sample: MS-WC-HLGym-2A/Gym Hall Lims Reference ID: AD17139-02 Matrix: Drinking Water Sampled: 04/15/25 09:16:00									
Metals									
Lead	ND		1	1.00	µg/L	04/22/25 09:53	04/23/25 07:57	PL	EPA 200.8 (DA)/EPA 200.8
Sample: MS-S-1163A-3/Room 1163 Lims Reference ID: AD17139-03 Matrix: Drinking Water Sampled: 04/15/25 09:18:00									
Metals									
Lead	ND		1	1.00	µg/L	04/22/25 09:53	04/23/25 07:59	PL	EPA 200.8 (DA)/EPA 200.8
Sample: MS-S-1163B-4/Room 1163 Lims Reference ID: AD17139-04 Matrix: Drinking Water Sampled: 04/15/25 09:20:00									
Metals									
Lead	3.28		1	1.00	µg/L	04/22/25 10:14	04/23/25 18:45	JW1	EPA 200.8 (Dig)/EPA 200.8
Sample: MS-S-1163C-5/Room 1163 Lims Reference ID: AD17139-05 Matrix: Drinking Water Sampled: 04/15/25 09:21:00									
Metals									
Lead	ND		1	1.00	µg/L	04/22/25 09:53	04/23/25 08:05	PL	EPA 200.8 (DA)/EPA 200.8
Sample: MS-S-1163D-6/Room 1163 Lims Reference ID: AD17139-06 Matrix: Drinking Water Sampled: 04/15/25 09:23:00									
Metals									
Lead	1.12		1	1.00	µg/L	04/22/25 09:53	04/23/25 08:07	PL	EPA 200.8 (DA)/EPA 200.8
Sample: MS-S-1163E-7/Room 1163 Lims Reference ID: AD17139-07 Matrix: Drinking Water Sampled: 04/15/25 09:25:00									
Metals									
Lead	1.25		1	1.00	µg/L	04/22/25 09:53	04/23/25 08:09	PL	EPA 200.8 (DA)/EPA 200.8
Sample: MS-S-1163F-8/Room 1163 Lims Reference ID: AD17139-08 Matrix: Drinking Water Sampled: 04/15/25 09:26:00									
Metals									
Lead	ND		1	1.00	µg/L	04/22/25 09:53	04/23/25 08:11	PL	EPA 200.8 (DA)/EPA 200.8
Sample: MS-S-1160A-9/Room 1160 Lims Reference ID: AD17139-09 Matrix: Drinking Water Sampled: 04/15/25 09:29:00									
Metals									
Lead	ND		1	1.00	µg/L	04/22/25 09:53	04/23/25 08:13	PL	EPA 200.8 (DA)/EPA 200.8

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077
Telephone: 856-858-4800 Fax:cs@emsl.com
EMSL-CIN-01

EMSL Order ID: 012517139
LIMS Reference ID: AD17139
EMSL Customer ID: TTIE54

Attention: Tim Popp
TTI Environmental Inc. [TTIE54]
1253 North Church Street
Moorestown, NJ 08057
(856) 840-8800
timp@ttienv.com

Project Name: 25-248 / Long Branch BOE - LB Middle School

Customer PO: 041155
EMSL Sales Rep: Sheryl Steinmetz
Received: 04/15/2025 15:40
Reported: 04/29/2025 16:38

Analytical Results
(Continued)

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
Sample: MS-S-1160B-10/Room 1160 Lims Reference ID: AD17139-10 Matrix: Drinking Water Sampled: 04/15/25 09:31:00									
Metals									
Lead	ND		1	1.00	µg/L	04/22/25 10:14	04/23/25 18:48	JW1	EPA 200.8 (Dig)/EPA 200.8
Sample: MS-FP-KITA-11/Kitchen Lims Reference ID: AD17139-11 Matrix: Drinking Water Sampled: 04/15/25 09:33:00									
Metals									
Lead	ND		1	1.00	µg/L	04/22/25 09:53	04/23/25 08:16	PL	EPA 200.8 (DA)/EPA 200.8
Sample: MS-FP-KITA-11A/Kitchen Lims Reference ID: AD17139-12 Matrix: Drinking Water Sampled: 04/15/25 09:35:00									
Metals									
Lead	ND		1	1.00	µg/L	04/22/25 09:53	04/23/25 08:18	PL	EPA 200.8 (DA)/EPA 200.8
Sample: MS-FP-KITB-12/Kitchen Lims Reference ID: AD17139-13 Matrix: Drinking Water Sampled: 04/15/25 09:36:00									
Metals									
Lead	4.31		1	1.00	µg/L	04/22/25 10:14	04/23/25 18:57	JW1	EPA 200.8 (Dig)/EPA 200.8
Sample: MS-FP-KITB-12A/Kitchen Lims Reference ID: AD17139-14 Matrix: Drinking Water Sampled: 04/15/25 09:38:00									
Metals									
Lead	390	D	10	10.0	µg/L	04/22/25 10:14	04/23/25 20:14	JW1	EPA 200.8 (Dig)/EPA 200.8
Sample: MS-FP-KITC-13/Kitchen Lims Reference ID: AD17139-15 Matrix: Drinking Water Sampled: 04/15/25 09:40:00									
Metals									
Lead	ND		1	1.00	µg/L	04/22/25 09:53	04/23/25 08:20	PL	EPA 200.8 (DA)/EPA 200.8
Sample: MS-FP-KITD-14/Kitchen Lims Reference ID: AD17139-16 Matrix: Drinking Water Sampled: 04/15/25 09:42:00									
Metals									
Lead	2.50		1	1.00	µg/L	04/22/25 09:53	04/23/25 08:30	PL	EPA 200.8 (DA)/EPA 200.8
Sample: MS-FP-KITE-15/Kitchen Lims Reference ID: AD17139-17 Matrix: Drinking Water Sampled: 04/15/25 09:44:00									
Metals									
Lead	ND		1	1.00	µg/L	04/22/25 09:53	04/23/25 08:32	PL	EPA 200.8 (DA)/EPA 200.8
Sample: MS-FP-KITF-16/Kitchen Lims Reference ID: AD17139-18 Matrix: Drinking Water Sampled: 04/15/25 09:46:00									
Metals									
Lead	ND		1	1.00	µg/L	04/22/25 09:53	04/23/25 08:34	PL	EPA 200.8 (DA)/EPA 200.8

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077
Telephone: 856-858-4800 Fax:cs@emsl.com
EMSL-CIN-01

EMSL Order ID: 012517139
LIMS Reference ID: AD17139
EMSL Customer ID: TTIE54

Attention: Tim Popp
TTI Environmental Inc. [TTIE54]
1253 North Church Street
Moorestown, NJ 08057
(856) 840-8800
timp@ttienv.com

Project Name: 25-248 / Long Branch BOE - LB Middle School

Customer PO: 041155
EMSL Sales Rep: Sheryl Steinmetz
Received: 04/15/2025 15:40
Reported: 04/29/2025 16:38

Analytical Results
(Continued)

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
Sample: MS-IC-KITG-16A/Kitchen Lims Reference ID: AD17139-19 Matrix: Drinking Water Sampled: 04/15/25 09:48:00									
Metals									
Lead	ND		1	1.00	µg/L	04/22/25 09:53	04/23/25 08:36	PL	EPA 200.8 (DA)/EPA 200.8
Sample: MS-FP-KITG-17/Kitchen Lims Reference ID: AD17139-20 Matrix: Drinking Water Sampled: 04/15/25 09:50:00									
Metals									
Lead	1.52		1	1.00	µg/L	04/22/25 09:53	04/23/25 08:39	PL	EPA 200.8 (DA)/EPA 200.8
Sample: MS-FP-KITH-18/Kitchen Lims Reference ID: AD17139-21 Matrix: Drinking Water Sampled: 04/15/25 09:52:00									
Metals									
Lead	1.20		1	1.00	µg/L	04/22/25 09:53	04/23/25 08:41	PL	EPA 200.8 (DA)/EPA 200.8
Sample: MS-WC-HLAUD-19/Aud Hall Lims Reference ID: AD17139-22 Matrix: Drinking Water Sampled: 04/15/25 09:54:00									
Metals									
Lead	ND		1	1.00	µg/L	04/22/25 09:53	04/23/25 08:43	PL	EPA 200.8 (DA)/EPA 200.8
Sample: MS-WC-HLAUD-19A/Aud Hall Lims Reference ID: AD17139-23 Matrix: Drinking Water Sampled: 04/15/25 09:56:00									
Metals									
Lead	ND		1	1.00	µg/L	04/22/25 09:53	04/23/25 08:45	PL	EPA 200.8 (DA)/EPA 200.8
Sample: MS-WC-HLAUD-19B/Aud Hall Lims Reference ID: AD17139-24 Matrix: Drinking Water Sampled: 04/15/25 09:58:00									
Metals									
Lead	ND		1	1.00	µg/L	04/22/25 09:53	04/23/25 08:47	PL	EPA 200.8 (DA)/EPA 200.8
Sample: MS-TL-PRI-21/1st Floor Vice Principal Lims Reference ID: AD17139-25 Matrix: Drinking Water Sampled: 04/15/25 10:00:00									
Metals									
Lead	ND		1	1.00	µg/L	04/22/25 09:58	04/23/25 09:01	PL	EPA 200.8 (DA)/EPA 200.8
Sample: MS-WC-HLMN2-23/Hall Men Lims Reference ID: AD17139-26 Matrix: Drinking Water Sampled: 04/15/25 10:02:00									
Metals									
Lead	ND		1	1.00	µg/L	04/22/25 09:58	04/23/25 09:07	PL	EPA 200.8 (DA)/EPA 200.8
Sample: MS-WC-HLMN2-23A/Hall Men Lims Reference ID: AD17139-27 Matrix: Drinking Water Sampled: 04/15/25 10:04:00									
Metals									
Lead	ND		1	1.00	µg/L	04/22/25 09:58	04/23/25 09:09	PL	EPA 200.8 (DA)/EPA 200.8

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077
Telephone: 856-858-4800 Fax:cs@emsl.com
EMSL-CIN-01

EMSL Order ID: 012517139
LIMS Reference ID: AD17139
EMSL Customer ID: TTIE54

Attention: Tim Popp
TTI Environmental Inc. [TTIE54]
1253 North Church Street
Moorestown, NJ 08057
(856) 840-8800
timp@ttienv.com

Project Name: 25-248 / Long Branch BOE - LB Middle School

Customer PO: 041155
EMSL Sales Rep: Sheryl Steinmetz
Received: 04/15/2025 15:40
Reported: 04/29/2025 16:38

Analytical Results
(Continued)

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
Sample: MS-TL-TMOFF-24/Teacher Lounge Lims Reference ID: AD17139-28 Matrix: Drinking Water Sampled: 04/15/25 10:06:00									
Metals									
Lead	ND		1	1.00	µg/L	04/22/25 09:58	04/23/25 09:11	PL	EPA 200.8 (DA)/EPA 200.8
Sample: MS-S-1010-25/Conference Room Lims Reference ID: AD17139-29 Matrix: Drinking Water Sampled: 04/15/25 10:08:00									
Metals									
Lead	2.34		1	1.00	µg/L	04/22/25 09:58	04/23/25 09:13	PL	EPA 200.8 (DA)/EPA 200.8
Sample: MS-NS-1015-26/Nurse Lims Reference ID: AD17139-30 Matrix: Drinking Water Sampled: 04/15/25 10:10:00									
Metals									
Lead	14.8		1	1.00	µg/L	04/22/25 09:58	04/23/25 09:20	PL	EPA 200.8 (DA)/EPA 200.8
Sample: MS-NS-1018-27/Nurse Lims Reference ID: AD17139-31 Matrix: Drinking Water Sampled: 04/15/25 10:12:00									
Metals									
Lead	4.62		1	1.00	µg/L	04/22/25 09:58	04/23/25 09:22	PL	EPA 200.8 (DA)/EPA 200.8
Sample: MS-NS-1021-28/Nurse Lims Reference ID: AD17139-32 Matrix: Drinking Water Sampled: 04/15/25 10:13:00									
Metals									
Lead	ND		1	1.00	µg/L	04/22/25 09:58	04/23/25 09:24	PL	EPA 200.8 (DA)/EPA 200.8
Sample: MS-TL-1033-29/Room 1033 Lims Reference ID: AD17139-33 Matrix: Drinking Water Sampled: 04/15/25 10:15:00									
Metals									
Lead	1.75		1	1.00	µg/L	04/22/25 09:58	04/23/25 09:26	PL	EPA 200.8 (DA)/EPA 200.8
Sample: MS-TL-1012-30/Conference Room Lims Reference ID: AD17139-34 Matrix: Drinking Water Sampled: 04/15/25 10:17:00									
Metals									
Lead	15.0		1	1.00	µg/L	04/22/25 09:58	04/23/25 09:28	PL	EPA 200.8 (DA)/EPA 200.8
Sample: MS-TL-2015-31/Room 2015 Lims Reference ID: AD17139-35 Matrix: Drinking Water Sampled: 04/15/25 10:20:00									
Metals									
Lead	ND		1	1.00	µg/L	04/22/25 09:58	04/23/25 09:30	PL	EPA 200.8 (DA)/EPA 200.8
Sample: MS-TL-PR12-32/2nd Floor Vice Principal Lims Reference ID: AD17139-36 Matrix: Drinking Water Sampled: 04/15/25 10:21:00									
Metals									
Lead	ND		1	1.00	µg/L	04/22/25 09:58	04/23/25 09:36	PL	EPA 200.8 (DA)/EPA 200.8

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077
Telephone: 856-858-4800 Fax:cs@emsl.com
EMSL-CIN-01

EMSL Order ID: 012517139
LIMS Reference ID: AD17139
EMSL Customer ID: TTIE54

Attention: Tim Popp
TTI Environmental Inc. [TTIE54]
1253 North Church Street
Moorestown, NJ 08057
(856) 840-8800
timp@ttienv.com

Project Name: 25-248 / Long Branch BOE - LB Middle School

Customer PO: 041155
EMSL Sales Rep: Sheryl Steinmetz
Received: 04/15/2025 15:40
Reported: 04/29/2025 16:38

Analytical Results
(Continued)

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
Sample: MS-WC-HLWY2-33/Hallway Second Floor Lims Reference ID: AD17139-37 Matrix: Drinking Water Sampled: 04/15/25 10:22:00									
Metals									
Lead	ND		1	1.00	µg/L	04/22/25 09:58	04/23/25 09:39	PL	EPA 200.8 (DA)/EPA 200.8
Sample: MS-WC-HLWY2-34/Hallway Second Floor Lims Reference ID: AD17139-38 Matrix: Drinking Water Sampled: 04/15/25 10:23:00									
Metals									
Lead	ND		1	1.00	µg/L	04/22/25 09:58	04/23/25 09:45	PL	EPA 200.8 (DA)/EPA 200.8
Sample: MS-WC-HLWY2-35/Hallway Second Floor Lims Reference ID: AD17139-39 Matrix: Drinking Water Sampled: 04/15/25 10:25:00									
Metals									
Lead	1.08		1	1.00	µg/L	04/22/25 09:58	04/23/25 09:47	PL	EPA 200.8 (DA)/EPA 200.8
Sample: MS-WC-HLWY2-36/Hallway Second Floor Lims Reference ID: AD17139-40 Matrix: Drinking Water Sampled: 04/15/25 10:27:00									
Metals									
Lead	ND		1	1.00	µg/L	04/22/25 09:58	04/23/25 09:49	PL	EPA 200.8 (DA)/EPA 200.8
Sample: MS-TL-3012-37/Room 3012 Lims Reference ID: AD17139-41 Matrix: Drinking Water Sampled: 04/15/25 10:29:00									
Metals									
Lead	ND		1	1.00	µg/L	04/22/25 09:58	04/23/25 09:51	PL	EPA 200.8 (DA)/EPA 200.8
Sample: MS-TL-PRI3-38/3rd Floor Vice Principal Lims Reference ID: AD17139-42 Matrix: Drinking Water Sampled: 04/15/25 10:30:00									
Metals									
Lead	ND		1	1.00	µg/L	04/22/25 09:58	04/23/25 09:53	PL	EPA 200.8 (DA)/EPA 200.8
Sample: MS-WC-HLWY3-39/Hallway Third Floor Lims Reference ID: AD17139-43 Matrix: Drinking Water Sampled: 04/15/25 10:32:00									
Metals									
Lead	ND		1	1.00	µg/L	04/22/25 09:58	04/23/25 09:55	PL	EPA 200.8 (DA)/EPA 200.8
Sample: MS-WC-HLWY3-40/Hallway Third Floor Lims Reference ID: AD17139-44 Matrix: Drinking Water Sampled: 04/15/25 10:33:00									
Metals									
Lead	ND		1	1.00	µg/L	04/22/25 09:58	04/23/25 09:57	PL	EPA 200.8 (DA)/EPA 200.8
Sample: MS-WC-HLWY3-41/Hallway Third Floor Lims Reference ID: AD17139-45 Matrix: Drinking Water Sampled: 04/15/25 10:34:00									
Metals									
Lead	ND		1	1.00	µg/L	04/22/25 13:03	04/24/25 08:44	PL	EPA 200.8 (DA)/EPA 200.8

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077
Telephone: 856-858-4800 Fax:cs@emsl.com
EMSL-CIN-01

EMSL Order ID: 012517139
LIMS Reference ID: AD17139
EMSL Customer ID: TTIE54

Attention: Tim Popp
TTI Environmental Inc. [TTIE54]
1253 North Church Street
Moorestown, NJ 08057
(856) 840-8800
timp@ttienv.com

Project Name: 25-248 / Long Branch BOE - LB Middle School

Customer PO: 041155
EMSL Sales Rep: Sheryl Steinmetz
Received: 04/15/2025 15:40
Reported: 04/29/2025 16:38

Analytical Results
(Continued)

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
Sample: MS-WC-HLWY3-42/Hallway Third Floor Lims Reference ID: AD17139-46 Matrix: Drinking Water Sampled: 04/15/25 10:35:00									
Metals									
Lead	ND		1	1.00	µg/L	04/22/25 13:03	04/24/25 08:50	PL	EPA 200.8 (DA)/EPA 200.8
Sample: MS-WC-HLGym-2F/Gym Hallway Lims Reference ID: AD17139-47 Matrix: Drinking Water Sampled: 04/15/25 09:16:00									
Metals									
Lead	ND		1	1.00	µg/L	04/22/25 13:03	04/24/25 08:51	PL	EPA 200.8 (DA)/EPA 200.8
Sample: MS-TL-1029-44/Room 1029 Lims Reference ID: AD17139-48 Matrix: Drinking Water Sampled: 04/15/25 10:36:00									
Metals									
Lead	45.1		1	1.00	µg/L	04/22/25 13:03	04/24/25 08:53	PL	EPA 200.8 (DA)/EPA 200.8

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077
Telephone: 856-858-4800 Fax:cs@emsl.com
EMSL-CIN-01

EMSL Order ID: 012517139
LIMS Reference ID: AD17139
EMSL Customer ID: TTIE54

Attention: Tim Popp
TTI Environmental Inc. [TTIE54]
1253 North Church Street
Moorestown, NJ 08057
(856) 840-8800
timp@ttienv.com

Project Name: 25-248 / Long Branch BOE - LB Middle School

Customer PO: 041155
EMSL Sales Rep: Sheryl Steinmetz
Received: 04/15/2025 15:40
Reported: 04/29/2025 16:38

Certified Analyses included in this Report

Analyte	Certifications
<i>EPA 200.8 in Drinking Water</i>	
Lead	NJDEP

List of Certifications

Code	Description	Number	Expires
PADEP	Pennsylvania Department of Environmental Protection	2845.25	11/30/2025
NYSDOH	New York State Department of Health ELAP	10872	04/01/2025
NJDEP	New Jersey Department of Environmental Protection	03036	06/30/2025
MADEP	Massachusetts Department of Environmental Protection	M-NJ337	06/30/2025
CTDPH	Connecticut Department of Public Health	PH-0270	06/23/2026
California ELAP	California Water Boards	1877	06/30/2025
AIHA LAP	EMSL Analytical, Inc. Cinnaminson, NJ AIHA-LAP, LLC-ELLAP Accredited	100194	05/01/2025
A2LA	A2LA Environmental Certificate	2845.01	07/31/2026

Please see the specific Field of Testing (FOT) on www.emsl.com <<http://www.emsl.com>> for a complete listing of parameters for which EMSL is certified.

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077
Telephone: 856-858-4800 Fax:cs@emsl.com
EMSL-CIN-01

EMSL Order ID: 012517139
LIMS Reference ID: AD17139
EMSL Customer ID: TTIE54

Attention: Tim Popp
TTI Environmental Inc. [TTIE54]
1253 North Church Street
Moorestown, NJ 08057
(856) 840-8800
timp@ttienv.com

Project Name: 25-248 / Long Branch BOE - LB Middle School

Customer PO: 041155
EMSL Sales Rep: Sheryl Steinmetz
Received: 04/15/2025 15:40
Reported: 04/29/2025 16:38

Notes and Definitions

Item	Definition
D	Analyte was reported from a dilution run.
(Dig)	For metals analysis, sample was digested.
[2C]	Reported from the second channel in dual column analysis.
DA	Direct Analysis
DF	Dilution Factor
MDL	Method Detection Limit.
ND	Analyte was NOT DETECTED at or above the detection limit.
NR	Spike/Surrogate showed no recovery.
Q	Qualifier
RCS	Respirable Crystalline Silica
RL	Reporting Limit
Wet	Sample is not dry weight corrected.

Measurement of uncertainty and any applicable definitions of method modifications are available upon request. Per EPA NLLAP policy, sample results are not blank corrected.

Owen McKenna Laboratory Manager or other approved signatory

EMSL maintains liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples as received. Results are generated from the field sampling data (sampling volumes and areas, locations, etc.) provided by the client on the Chain of Custody. Samples are within quality control criteria and met method specifications unless otherwise noted.



Emsl Order Number / Lab Use Only

EMSL Analytical, Inc.
200 Rt. 130 N
Cinnaminson, NJ 08077

PHONE: (800) 220-3675
EMAIL: EnvChemistry2@EMSL.com

Page 9 of 12

Project Name/No: 25-248/Long Branch BOE - LB Middle School

EMSL LIMS Project ID:
(If applicable, EMSL will provide)

Samples Collected by (Check One):	☐ EMSL	☒ CLIENT	Samples Received Chilled?	☐ Yes	☐ No	Samples Temperature Upon Receipt (LAB ONLY)
-----------------------------------	-------------------------------	--	---------------------------	------------------------------	-----------------------------	---

Sampled By Name:

Sampled By Signature

Turn-Around-Time (TAT)

Standard Turn-Around-Time:

2 Weeks

The following TATs are subject to Lab approval.
Call lab to confirm TAT before submittal:

1 Week

4 Days

3 Days

2 Day

1 Da

Needs HNO₃

Special Instructions and/or Regulatory Requirements (Sample Specifications, Processing Methods, Limits of Detection, etc.)

Controlled Document - COC-07 Chemistry R13 05/31/2024

AGREE TO ELECTRONIC SIGNATURE (By checking, I consent to signing this Chain of Custody document by electronic signature.)



1253 North Church Street, Moorestown, NJ 08057
856-840-8800 Fax 856-840-8815

AD17139

LEAD IN WATER SAMPLING DATA AND CHAIN OF CUSTODY

PROJECT #: 25-248		CLIENT: Long Branch BOE		FACILITY: Long Branch Middle School		ADDRESS: 350 Indiana Ave, Long Branch NJ 07740	
PO #: 041155		SAMPLER(S): <i>Atom F.</i>		DATE: <i>4/15/25</i>			
Sample ID	Location/Description	Time	Sample Type: Initial Flush (30sec / 15min)	Outlet Type:	Volume	Notes: Discolored, Odor, Low Flow, Etc...	
1 MS-BOE-1182-1	Storage Room 1182		Initial	Leakwater	250mL	Removed	
2	MS-WC-HLGYM-2 Gym Hall	<i>9:15</i>	Initial	Water Cooler	250mL		
3A	MS-WC-HLGYM-2A Gym Hall	<i>9:16</i>	Initial	Water Cooler	250mL		
3	MS-S-1163A-3 Room 1163	<i>9:18</i>	Initial	Sink	250mL		
4	MS-S-1163B-4 Room 1163	<i>9:20</i>	Initial	Sink	250mL	<i>Particulates</i>	
5	MS-S-1163C-5 Room 1163	<i>9:21</i>	Initial	Sink	250mL		
6	MS-S-1163D-6 Room 1163	<i>9:23</i>	Initial	Sink	250mL		
7	MS-S-1163E-7 Room 1163	<i>9:25</i>	Initial	Sink	250mL		
8	MS-S-1163F-8 Room 1163	<i>9:26</i>	Initial	Sink	250mL		
9	MS-S-1160A-9 Room 1160	<i>9:29</i>	Initial	Sink	250mL		
10	MS-S-1160B-10 Room 1160	<i>9:31</i>	Initial	Sink	250mL		
11	MS-FP-KITA-11 Kitchen	<i>9:33</i>	Initial	Sink	250mL		
11A	MS-FP-KITA-11A Kitchen	<i>9:35</i>	Initial	Sink	250mL		
12	MS-FP-KITB-12 Kitchen	<i>9:36</i>	Initial	Sink	250mL		
12A	MS-FP-KITB-12A Kitchen	<i>9:38</i>	Initial	Sink	250mL		
13	MS-FP-KITC-13 Kitchen	<i>9:40</i>	Initial	Sink	250mL		
14	MS-FP-KITD-14 Kitchen	<i>9:42</i>	Initial	Sink	250mL		
15	MS-FP-KITE-15 Kitchen	<i>9:44</i>	Initial	Sink	250mL		
16	MS-FP-KITF-16 Kitchen	<i>9:46</i>	Initial	Sink	250mL		



1253 North Church Street, Moorestown, NJ 08057
856-840-8800 Fax 856-840-8815

AD17139

LEAD IN WATER SAMPLING DATA AND CHAIN OF CUSTODY

PROJECT #: 25-248		CLIENT: Long Branch BOE		FACILITY: Long Branch Middle School		ADDRESS: 350 Indiana Ave, Long Branch NJ 07740	
PO #: 041155		SAMPLER(S): Adam F.		DATE: 4/15/25			
Sample ID	Location/Description	Time	Sample Type: Initial Flush (30sec / 15min)	Outlet Type:	Volume	Notes: Discolored, Odor, Low Flow, Etc...	
16A	MS-IC-KITG-16A	Kitchen	9:48	Initial	Ice Maker	250mL	
17	MS-FP-KITG-17	Kitchen	9:50	Initial	Sink	250mL	
18	MS-FP-KITG-18	Kitchen	9:52	Initial	Sink	250mL	
19	MS-WC-HLAUD-19	Aud Hall	9:54	Initial	Water Cooler	250mL	
19A	MS-WC-HLAUD-19A	Aud Hall	9:56	Initial	Water Cooler	250mL	
19B	MS-WC-HLAUD-19B	Aud Hall	9:58	Initial	Water Cooler	250mL	
20				Initial		250mL	Blank in list and not on map. Check with client if was removed.
21	MS-TL-PRI-21	1st Floor Vice Principal*	10:00	Initial	Sink	250mL	
22	MS-WC-HLMN1-22	Hall Men		Initial	Water Cooler	250mL	cut off service (off)
22A	MS-WC-HLMN1-22A	Hall Men		Initial	Water Cooler	250mL	cut off service (off)
23	MS-WC-HLMN2-23	Hall Men	10:02	Initial	Water Cooler	250mL	
23A	MS-WC-HLMN2-23A	Hall Men	10:04	Initial	Water Cooler	250mL	
24	MS-TL-TMOFF-24	Teacher Lounge	10:06	Initial	Sink	250mL	
25	MS-S-1010-25	Conference Room	10:08	Initial	Sink	250mL	
26	MS-NS-1015-26	Nurse	10:10	Initial	Sink	250mL	
27	MS-NS-1018-27	Nurse	10:12	Initial	Sink	250mL	
28	MS-NS-1021-28	Nurse	10:13	Initial	Sink	250mL	
29	MS-TL-1033-29	Room 1033	10:15	Initial	Sink	250mL	



1253 North Church Street, Moorestown, NJ 08057
856-840-8800 Fax 856-840-8815

AD17139

LEAD IN WATER SAMPLING DATA AND CHAIN OF CUSTODY

PROJECT #: 25-248

CLIENT: Long Branch BOE

FACILITY: Long Branch Middle School

PO #: 041155

SAMPLER(S): Adam E.

DATE: 4/15/25

ADDRESS: 350 Indiana Ave, Long Branch NJ 07740

Sample ID	Location/Description	Time	Sample Type: Initial Flush (30sec / 15min)	Outlet Type:	Volume	Notes: Discolored, Odor, Low Flow, Etc...
30	MS-TL-1012-30 Conference Room	10:17	Initial	sink	250mL	
31	MS-TL-2015-31 Room 2015	10:20	Initial	Sink	250mL	
32	MS-TL-PR12-32 2nd Floor Vice Principal*	10:21	Initial	Sink	250mL	
33	MS-WC-HL WY2-33 Hallway second floor	10:22	Initial	Water Cooler	250mL	
34	MS-WC-HL WY2-34 Hallway second floor	10:23	Initial	Water Cooler	250mL	
35	MS-WC-HL WY2-35 Hallway second floor	10:25	Initial	Water Cooler	250mL	
36	MS-WC-HL WY2-36 Hallway second floor	10:27	Initial	Water Cooler	250mL	
37	MS-TL-3012-37 Room 3012	10:29	Initial	Sink	250mL	
38	MS-TL-PR13-38 3rd floor Vice Principal*	10:30	Initial	Sink	250mL	
39	MS-WC-HL WY3-39 Hallway third floor	10:32	Initial	Water Cooler	250mL	
40	MS-WC-HL WY3-40 Hallway third floor	10:33	Initial	Water Cooler	250mL	
41	MS-WC-HL WY3-41 Hallway third floor	10:34	Initial	Water Cooler	250mL	
42	MS-WC-HL WY3-42 Hallway third floor	10:35	Initial	Water Cooler	250mL	
FB	Field Blank				250mL	
43	MS-WC-HL WY3-43 Gym Hallway	9:16	initial	bottle filler	250mL	
44	MS-TL-1029-44 Room 1029	10:36	initial	sink	250mL	dark color